

NEW ACCESSORIES

Uniclass L74 735	EPIC K712
CI/Sfb (62X) (63)	X

Hartland®



Hamilton

Quality Accessories on
Stylish Super Slim Plates



BOX-FIX Accessories on Stylish Slim Plates

exclusive design...


Of minimal depth and modern appearance the Hartland Range is the standard choice for domestic and commercial interiors.

exclusive plate finishes...

Eight superb metal finishes and one Oyster finish give the interior designer an almost limitless choice to offer each individual client.

exclusive choice...

Our extensive range of quality electrical wiring accessories shown in the table on the left offer the installer limitless choice and flexibility to fulfill every clients requirements.



77 T21



76 DTRID W



71 2X40



79 45N B




74 R22 SS-W



7P R21 PO-W

Rocker Switches



77 R26 BC-W



1 gang 2 way 10AX Rocker

Nominal Plate Size:
88 x 88 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R21**
Product Code



2 gang 2 way 10AX Rocker

Nominal Plate Size:
88 x 88 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R22**
Product Code



3 gang 2 way 10AX Rocker

Nominal Plate Size:
88 x 88 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R23**
Product Code












4 gang 2 way 10AX Rocker

Nominal Plate Size:
144 x 85 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R24**
Product Code



6 gang 2 way 10AX Rocker

Nominal Plate Size:
144 x 85 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R26**
Product Code

Plate Finish	Insert Finish	Surround Colour	1 gang 2 way 10AX Rocker Product Code	2 gang 2 way 10AX Rocker Product Code	3 gang 2 way 10AX Rocker Product Code	4 gang 2 way 10AX Rocker Product Code	6 gang 2 way 10AX Rocker Product Code
Bright Chrome 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	77 R21 BC-W 77 R21 BC-B 77 R21 WH-W 77 R21 BL-B	77 R22 BC-W 77 R22 BC-B 77 R22 WH-W 77 R22 BL-B	77 R23 BC-W 77 R23 BC-B 77 R23 WH-W 77 R23 BL-B	77 R24 BC-W 77 R24 BC-B 77 R24 WH-W 77 R24 BL-B	77 R26 BC-W 77 R26 BC-B 77 R26 WH-W 77 R26 BL-B
Satin Chrome 	Satin Chrome Satin Chrome White Plastic Black Plastic	White Black White Black	76 R21 SC-W 76 R21 SC-B 76 R21 WH-W 76 R21 BL-B	76 R22 SC-W 76 R22 SC-B 76 R22 WH-W 76 R22 BL-B	76 R23 SC-W 76 R23 SC-B 76 R23 WH-W 76 R23 BL-B	76 R24 SC-W 76 R24 SC-B 76 R24 WH-W 76 R24 BL-B	76 R26 SC-W 76 R26 SC-B 76 R26 WH-W 76 R26 BL-B
Polished Brass 	Polished Brass Polished Brass White Plastic Black Plastic	White Black White Black	71 R21 PB-W 71 R21 PB-B 71 R21 WH-W 71 R21 BL-B	71 R22 PB-W 71 R22 PB-B 71 R22 WH-W 71 R22 BL-B	71 R23 PB-W 71 R23 PB-B 71 R23 WH-W 71 R23 BL-B	71 R24 PB-W 71 R24 PB-B 71 R24 WH-W 71 R24 BL-B	71 R26 PB-W 71 R26 PB-B 71 R26 WH-W 71 R26 BL-B
Satin Brass 	Satin Brass Satin Brass White Plastic Black Plastic	White Black White Black	72 R21 SB-W 72 R21 SB-B 72 R21 WH-W 72 R21 BL-B	72 R22 SB-W 72 R22 SB-B 72 R22 WH-W 72 R22 BL-B	72 R23 SB-W 72 R23 SB-B 72 R23 WH-W 72 R23 BL-B	72 R24 SB-W 72 R24 SB-B 72 R24 WH-W 72 R24 BL-B	72 R26 SB-W 72 R26 SB-B 72 R26 WH-W 72 R26 BL-B
Antique Brass 	Antique Brass	Black	79 R21 AB-B	79 R22 AB-B	79 R23 AB-B	79 R24 AB-B	79 R26 AB-B
Bright Stainless 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	73 R21 BC-W 73 R21 BC-B 73 R21 WH-W 73 R21 BL-B	73 R22 BC-W 73 R22 BC-B 73 R22 WH-W 73 R22 BL-B	73 R23 BC-W 73 R23 BC-B 73 R23 WH-W 73 R23 BL-B	73 R24 BC-W 73 R24 BC-B 73 R24 WH-W 73 R24 BL-B	73 R26 BC-W 73 R26 BC-B 73 R26 WH-W 73 R26 BL-B
Satin Stainless 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White Black	74 R21 SS-W 74 R21 SS-B 74 R21 WH-W 74 R21 BL-B	74 R22 SS-W 74 R22 SS-B 74 R22 WH-W 74 R22 BL-B	74 R23 SS-W 74 R23 SS-B 74 R23 WH-W 74 R23 BL-B	74 R24 SS-W 74 R24 SS-B 74 R24 WH-W 74 R24 BL-B	74 R26 SS-W 74 R26 SS-B 74 R26 WH-W 74 R26 BL-B
Black Nickel 	Black Nickel	Black	78 R21 BK-B	78 R22 BK-B	78 R23 BK-B	78 R24 BK-B	78 R26 BK-B
Pearl Oyster 	Pearl Oyster	White	7P R21 PO-W	7P R22 PO-W	7P R23 PO-W	7P R24 PO-W	7P R26 PO-W

Rocker Switches



74 R32 BC-B



1 gang 10AX Intermediate Rocker

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 25 mm
Technical Insert Reference: **R31**
Product Code



2 gang 10AX Intermediate Rocker

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 25 mm
Technical Insert Reference: **R32**
Product Code












1 gang 10AX PTM Retractive Rocker

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 25 mm
Technical Insert Reference: **RRT**
Product Code



1 gang 10A Triple Pole Rocker

Nominal Plate Size: 88 x 88 mm
Minimum Wall Box Depth: 25 mm
Technical Insert Reference: **TP**
Product Code

Plate Finish	Insert Finish	Surround Colour	1 gang 10AX Intermediate Rocker	2 gang 10AX Intermediate Rocker	1 gang 10AX PTM Retractive Rocker	1 gang 10A Triple Pole Rocker
Bright Chrome 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	77 R31 BC-W 77 R31 BC-B 77 R31 WH-W 77 R31 BL-B	77 R32 BC-W 77 R32 BC-B 77 R32 WH-W 77 R32 BL-B	77 RRT BC-W 77 RRT BC-B 77 RRT WH-W 77 RRT BL-B	- - 77 TP WH-W 77 TP BL-B
Satin Chrome 	Satin Chrome Satin Chrome White Plastic Black Plastic	White Black White Black	76 R31 SC-W 76 R31 SC-B 76 R31 WH-W 76 R31 BL-B	76 R32 SC-W 76 R32 SC-B 76 R32 WH-W 76 R32 BL-B	76 RRT SC-W 76 RRT SC-B 76 RRT WH-W 76 RRT BL-B	- - 76 TP WH-W 76 TP BL-B
Polished Brass 	Polished Brass Polished Brass White Plastic Black Plastic	White Black White Black	71 R31 PB-W 71 R31 PB-B 71 R31 WH-W 71 R31 BL-B	71 R32 PB-W 71 R32 PB-B 71 R32 WH-W 71 R32 BL-B	71 RRT PB-W 71 RRT PB-B 71 RRT WH-W 71 RRT BL-B	- - 71 TP WH-W 71 TP BL-B
Satin Brass 	Satin Brass Satin Brass White Plastic Black Plastic	White Black White Black	72 R31 SB-W 72 R31 SB-B 72 R31 WH-W 72 R31 BL-B	72 R32 SB-W 72 R32 SB-B 72 R32 WH-W 72 R32 BL-B	72 RRT SB-W 72 RRT SB-B 72 RRT WH-W 72 RRT BL-B	- - 72 TP WH-W 72 TP BL-B
Antique Brass 	Antique Brass	Black	79 R31 AB-B	-	-	79 TP BL-B
Bright Stainless 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	73 R31 BC-W 73 R31 BC-B 73 R31 WH-W 73 R31 BL-B	73 R32 BC-W 73 R32 BC-B 73 R32 WH-W 73 R32 BL-B	73 RRT BC-W 73 RRT BC-B 73 RRT WH-W 73 RRT BL-B	- - 73 TP WH-W 73 TP BL-B
Satin Stainless 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White Black	74 R31 SS-W 74 R31 SS-B 74 R31 WH-W 74 R31 BL-B	74 R32 SS-W 74 R32 SS-B 74 R32 WH-W 74 R32 BL-B	74 RRT SS-W 74 RRT SS-B 74 RRT WH-W 74 RRT BL-B	- - 74 TP WH-W 74 TP BL-B
Black Nickel 	Black Nickel	Black	78 R31 BK-B	-	-	78 TP BL-B
Pearl Oyster 	Pearl Oyster	White	7P R31 PO-W	-	-	7P TP WH-W

Toggle Switches



72 T22



**1 gang
2 way 20AX
Toggle**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T21**
Product Code

**2 gang
2 way 20AX
Toggle**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T22**
Product Code

**3 gang
2 way 20AX
Toggle**

Nom. Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T23**
Product Code

**4 gang
2 way 20AX
Toggle**

Nom. Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T24**
Product Code

**1 gang 20AX
Intermediate
Toggle**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T31**
Product Code

**1 gang 20AX
Double Pole
Toggle**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TDP**
Product Code

**1 gang
10AX PTM
Retractive
Toggle**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TRT**
Product Code

Plate Finish

Insert Finish

Bright Chrome

Bright Chrome



77 T21

77 T22

77 T23

77 T24

77 T31

77 TDP

77 TRT

Satin Chrome

Satin Chrome



76 T21

76 T22

76 T23

76 T24

76 T31

76 TDP

76 TRT

Polished Brass

Polished Brass



71 T21

71 T22

71 T23

71 T24

71 T31

71 TDP

71 TRT

Satin Brass

Satin Brass



72 T21

72 T22

72 T23

72 T24

72 T31

72 TDP

72 TRT

Antique Brass

Antique Brass



79 T21

79 T22

79 T23

79 T24

79 T31

79 TDP

79 TRT

Bright Stainless

Bright Chrome



73 T21

73 T22

73 T23

73 T24

73 T31

73 TDP

73 TRT

Satin Stainless

Satin Stainless



74 T21

74 T22

74 T23

74 T24

74 T31

74 TDP

74 TRT

Black Nickel

Black Nickel



78 T21

78 T22

78 T23

78 T24

78 T31

78 TDP

78 TRT

Pearl Oyster

Pearl Oyster



7P T21

7P T22

7P T23

7P T24

7P T31

7P TDP

7P TRT

Power Sockets



78 SS1 BK-B























Plate Finish	Insert Finish	Surround Colour	1 gang 13A Double Pole Switched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS1 Product Code	2 gang 13A Double Pole Switched Socket Nom. Plate Size: 144 x 85 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SS2 Product Code	1 gang 2A Unswitched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US2 Product Code	1 gang 5A Unswitched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code	1 gang 13A Unswitched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US13 Product Code	2 gang 13A Unswitched Socket Nom. Plate Size: 144 x 85 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US99 Product Code	Shaver Dual Voltage Unswitched Socket Nom. Plate Size: 85 x 144 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code
Bright Chrome 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	77 SS1 BC-W 77 SS1 BC-B 77 SS1 WH-W 77 SS1 BL-B	77 SS2 BC-W 77 SS2 BC-B 77 SS2 WH-W 77 SS2 BL-B	- - 77 US2 W 77 US2 B	- - 77 US5 W 77 US5 B	- - 77 US13 W 77 US13 B	- - 77 US99 W 77 US99 B	- - 77 SHS W 77 SHS B
Satin Chrome 	Satin Chrome Satin Chrome White Plastic Black Plastic	White Black White Black	76 SS1 SC-W 76 SS1 SC-B 76 SS1 WH-W 76 SS1 BL-B	76 SS2 SC-W 76 SS2 SC-B 76 SS2 WH-W 76 SS2 BL-B	- - 76 US2 W 76 US2 B	- - 76 US5 W 76 US5 B	- - 76 US13 W 76 US13 B	- - 76 US99 W 76 US99 B	- - 76 SHS W 76 SHS B
Polished Brass 	Polished Brass Polished Brass White Plastic Black Plastic	White Black White Black	71 SS1 PB-W 71 SS1 PB-B 71 SS1 WH-W 71 SS1 BL-B	71 SS2 PB-W 71 SS2 PB-B 71 SS2 WH-W 71 SS2 BL-B	- - 71 US2 W 71 US2 B	- - 71 US5 W 71 US5 B	- - 71 US13 W 71 US13 B	- - 71 US99 W 71 US99 B	- - 71 SHS W 71 SHS B
Satin Brass 	Satin Brass Satin Brass White Plastic Black Plastic	White Black White Black	72 SS1 SB-W 72 SS1 SB-B 72 SS1 WH-W 72 SS1 BL-B	72 SS2 SB-W 72 SS2 SB-B 72 SS2 WH-W 72 SS2 BL-B	- - 72 US2 W 72 US2 B	- - 72 US5 W 72 US5 B	- - 72 US13 W 72 US13 B	- - 72 US99 W 72 US99 B	- - 72 SHS W 72 SHS B
Antique Brass 	Antique Brass Black Plastic	Black Black	79 SS1 AB-B -	79 SS2 AB-B -	- 79 US2 B	- 79 US5 B	- 79 US13 B	- 79 US99 B	- 79 SHS B
Bright Stainless 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	73 SS1 BC-W 73 SS1 BC-B 73 SS1 WH-W 73 SS1 BL-B	73 SS2 BC-W 73 SS2 BC-B 73 SS2 WH-W 73 SS2 BL-B	- - 73 US2 W 73 US2 B	- - 73 US5 W 73 US5 B	- - 73 US13 W 73 US13 B	- - 73 US99 W 73 US99 B	- - 73 SHS W 73 SHS B
Satin Stainless 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White	74 SS1 SS-W 74 SS1 SS-B 74 SS1 WH-W 74 SS1 BL-B	74 SS2 SS-W 74 SS2 SS-B 74 SS2 WH-W 74 SS2 BL-B	- - 74 US2 W 74 US2 B	- - 74 US5 W 74 US5 B	- - 74 US13 W 74 US13 B	- - 74 US99 W 74 US99 B	- - 74 SHS W 74 SHS B
Black Nickel 	Black Nickel Black Plastic	Black Black	78 SS1 BK-B -	78 SS2 BK-B -	- 78 US2 B	- 78 US5 B	- -	- -	- 78 SHS B
Pearl Oyster 	Pearl Oyster White Plastic	White White	7P SS1 PO-W -	7P SS2 PO-W -	- 7P US2 W	- 7P US5 W	- -	- -	- 7P SHS W

Television Coaxial Sockets



79 TVFM B



Plate Finish	Insert Finish	1 gang Non Isolated Television 1 In/1 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	2 gang Non Isolated Television 2 In/2 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV2 Product Code	2 gang Isolated Television TV/FM 1 In/2 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	1 gang Isolated Television 1 In/1 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	1 gang Non Isolated TV + 1 gang Non Isolated Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	1 gang Non Isolated Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATN Product Code	1 gang Isolated Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SATI Product Code
Bright Chrome 	White Black	77 TV W 77 TV B	77 TV2 W 77 TV2 B	77 TVFM W 77 TVFM B	77 TVI W 77 TVI B	77 TVSAT W 77 TVSAT B	77 SATN W 77 SATN B	77 SATI W 77 SATI B
Satin Chrome 	White Black	76 TV W 76 TV B	76 TV2 W 76 TV2 B	76 TVFM W 76 TVFM B	76 TVI W 76 TVI B	76 TVSAT W 76 TVSAT B	76 SATN W 76 SATN B	76 SATI W 76 SATI B
Polished Brass 	White Black	71 TV W 71 TV B	71 TV2 W 71 TV2 B	71 TVFM W 71 TVFM B	71 TVI W 71 TVI B	71 TVSAT W 71 TVSAT B	71 SATN W 71 SATN B	71 SATI W 71 SATI B
Satin Brass 	White Black	72 TV W 72 TV B	72 TV2 W 72 TV2 B	72 TVFM W 72 TVFM B	72 TVI W 72 TVI B	72 TVSAT W 72 TVSAT B	72 SATN W 72 SATN B	72 SATI W 72 SATI B
Antique Brass 	Black	79 TV B	79 TV2 B	79 TVFM B	79 TVI B	79 TVSAT B	79 SATN B	79 SATI B
Bright Stainless 	White Black	73 TV W 73 TV B	73 TV2 W 73 TV2 B	73 TVFM W 73 TVFM B	73 TVI W 73 TVI B	73 TVSAT W 73 TVSAT B	73 SATN W 73 SATN B	73 SATI W 73 SATI B
Satin Stainless 	White Black	74 TV W 74 TV B	74 TV2 W 74 TV2 B	74 TVFM W 74 TVFM B	74 TVI W 74 TVI B	74 TVSAT W 74 TVSAT B	74 SATN W 74 SATN B	74 SATI W 74 SATI B
Black Nickel 	Black	78 TV B	78 TV2 B	78 TVFM B	78 TVI B	78 TVSAT B	78 SATN B	78 SATI B
Pearl Oyster 	White	7P TV W	7P TV2 W	7P TVFM W	7P TVI W	7P TVSAT W	7P SATN W	7P SATI W

Digital Television Sockets - Screened Non Isolated - DAB Compatible



76 DTRID W



**1 gang TV +
1 gang FM +
1 gang Satellite**

Nom. Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTRID**

Product Code



**1 gang
TV (Female)**

Nom. Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVF**

Product Code



**1 gang
TV (Male)**

Nom. Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVM**

Product Code



**1 gang
Satellite**

Nom. Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT**

Product Code




**1 gang TV +
1 gang FM +
1 gang Satellite 1 +
1 gang Satellite 2**

Nom. Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DENT**

Product Code



**1 gang TV +
1 gang FM +
1 gang Satellite 1 +
1 gang Satellite 2 +
1 gang TCS**

Nom. Plate Size:
144 x 85 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT+**

Product Code

Plate Finish

Insert Colour

Bright Chrome

**White Plastic
Black Plastic**

77 DTRID W
77 DTRID B

77 DTVF W
77 DTVF B

77 DTVM W
77 DTVM B

77 DSAT W
77 DSAT B

77 DENT W
77 DENT B

77 DSAT+ W
77 DSAT+ B



Satin Chrome

**White Plastic
Black Plastic**

76 DTRID W
76 DTRID B

76 DTVF W
76 DTVF B

76 DTVM W
76 DTVM B

76 DSAT W
76 DSAT B

76 DENT W
76 DENT B

76 DSAT+ W
76 DSAT+ B



Polished Brass

**White Plastic
Black Plastic**

71 DTRID W
71 DTRID B

71 DTVF W
71 DTVF B

71 DTVM W
71 DTVM B

71 DSAT W
71 DSAT B

71 DENT W
71 DENT B

71 DSAT+ W
71 DSAT+ B



Satin Brass

**White Plastic
Black Plastic**

72 DTRID W
72 DTRID B


72 DTVF W
72 DTVF B

72 DTVM W
72 DTVM B

72 DSAT W
72 DSAT B

72 DENT W
72 DENT B

72 DSAT+ W
72 DSAT+ B



Antique Brass

Black Plastic

79 DTRID B

79 DTVF B

79 DTVM B

79 DSAT B

79 DENT B

79 DSAT+ B



Bright Stainless

**White Plastic
Black Plastic**

73 DTRID W
73 DTRID B

73 DTVF W
73 DTVF B

73 DTVM W
73 DTVM B

73 DSAT W
73 DSAT B

73 DENT W
73 DENT B

73 DSAT+ W
73 DSAT+ B



Satin Stainless

**White Plastic
Black Plastic**

74 DTRID W
74 DTRID B

74 DTVF W
74 DTVF B

74 DTVM W
74 DTVM B

74 DSAT W
74 DSAT B

74 DENT W
74 DENT B

74 DSAT+ W
74 DSAT+ B



Black Nickel

Black Plastic

78 DTRID B

78 DTVF B

78 DTVM B

78 DSAT B

78 DENT B

78 DSAT+ B



Pearl Oyster

White Plastic

7P DTRID W

7P DTVF W

7P DTVM W

7P DSAT W

7P DENT W

7P DSAT+ W



Telephone and Data Outlets



72 TCM W



1 gang Telephone Master

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm

Technical Insert Reference: **TCM**

Product Code

1 gang Telephone Slave

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm

Technical Insert Reference: **TCS**

Product Code

1 gang RJ12 Outlet Unshielded

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **J12**

Product Code

2 gang RJ12 Outlet Unshielded

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **2J12**

Product Code

1 gang RJ45 CAT 5E Outlet Unshielded

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **J45**

Product Code

2 gang RJ45 CAT 5E Outlet Unshielded

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm

Technical Insert Reference: **2J45**

Product Code

Plate Finish

Insert Colour

Bright Chrome

**White Plastic
Black Plastic**



77 TCM W
77 TCM B

77 TCS W
77 TCS B

77 J12 W
77 J12 B

77 2J12 W
77 2J12 B

77 J45 W
77 J45 B

77 2J45 W
77 2J45 B

Satin Chrome

**White Plastic
Black Plastic**



76 TCM W
76 TCM B

76 TCS W
76 TCS B

76 J12 W
76 J12 B

76 2J12 W
76 2J12 B

76 J45 W
76 J45 B

76 2J45 W
76 2J45 B

Polished Brass

**White Plastic
Black Plastic**



71 TCM W
71 TCM B

71 TCS W
71 TCS B

71 J12 W
71 J12 B

71 2J12 W
71 2J12 B

71 J45 W
71 J45 B

71 2J45 W
71 2J45 B

Satin Brass

**White Plastic
Black Plastic**



72 TCM W
72 TCM B

72 TCS W
72 TCS B

72 J12 W
72 J12 B

72 2J12 W
72 2J12 B

72 J45 W
72 J45 B

72 2J45 W
72 2J45 B

Antique Brass

Black Plastic



79 TCM B

79 TCS B

79 J12 B

79 2J12 B

79 J45 B

79 2J45 B

Bright Stainless

**White Plastic
Black Plastic**



73 TCM W
73 TCM B

73 TCS W
73 TCS B

73 J12 W
73 J12 B

73 2J12 W
73 2J12 B

73 J45 W
73 J45 B

73 2J45 W
73 2J45 B

Satin Stainless

**White Plastic
Black Plastic**



74 TCM W
74 TCM B

74 TCS W
74 TCS B

74 J12 W
74 J12 B

74 2J12 W
74 2J12 B

74 J45 W
74 J45 B

74 2J45 W
74 2J45 B

Black Nickel

Black Plastic



78 TCM B

78 TCS B

78 J12 B

78 2J12 B

78 J45 B

78 2J45 B

Pearl Oyster

White Plastic



7P TCM W

7P TCS W

7P J12 W

7P 2J12 W

7P J45 W










7P 2J45 W

Double Pole Switches



7P 45N W



Plate Finish	Insert Finish	Surround Colour	1 gang 20AX Double Pole Rocker Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DP Product Code	1 gang 20AX Double Pole Rocker + Neon Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPN Product Code	1 gang 20AX Double Pole Rocker + Neon + Cable Outlet Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPNC Product Code	1 gang 45A Double Pole Red Rocker Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45 Product Code	1 gang 45A Double Pole Red Rocker + Neon Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45N Product Code	1 gang 45A Vertical Double Pole Red Rocker + Neon Nom. Plate Size: 85 x 144 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45V Product Code	1 gang 45A Double Pole Red Rocker + Neon + 13A Switched Socket Nom. Plate Size: 144 x 85 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45SS1 Product Code
Bright Chrome 	Bright Chrome Bright Chrome White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	77 DP BC-W 77 DP BC-B 77 DP WH-W 77 DP BL-B - -	77 DPN BC-W 77 DPN BC-B 77 DPN WH-W 77 DPN BL-B - -	77 DPNC BC-W 77 DPNC BC-B 77 DPNC WH-W 77 DPNC BL-B - -	- - - - 77 45 W 77 45 B	- - - - 77 45N W 77 45N B	- - - - 77 45V W 77 45V B	77 45SS1 BC-W 77 45SS1 BC-B 77 45SS1 WH-W 77 45SS1 BL-B - -
Satin Chrome 	Satin Chrome Satin Chrome White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	76 DP SC-W 76 DP SC-B 76 DP WH-W 76 DP BL-B - -	76 DPN SC-W 76 DPN SC-B 76 DPN WH-W 76 DPN BL-B - -	76 DPNC SC-W 76 DPNC SC-B 76 DPNC WH-W 76 DPNC BL-B - -	- - - - 76 45 W 76 45 B	- - - - 76 45N W 76 45N B	- - - - 76 45V W 76 45V B	76 45SS1 SC-W 76 45SS1 SC-B 76 45SS1 WH-W 76 45SS1 BL-B - -
Polished Brass 	Polished Brass Polished Brass White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	71 DP PB-W 71 DP PB-B 71 DP WH-W 71 DP BL-B - -	71 DPN PB-W 71 DPN PB-B 71 DPN WH-W 71 DPN BL-B - -	71 DPNC PB-W 71 DPNC PB-B 71 DPNC WH-W 71 DPNC BL-B - -	- - - - 71 45 W 71 45 B	- - - - 71 45N W 71 45N B	- - - - 71 45V W 71 45V B	71 45SS1 PB-W 71 45SS1 PB-B 71 45SS1 WH-W 71 45SS1 BL-B - -
Satin Brass 	Satin Brass Satin Brass White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	72 DP SB-W 72 DP SB-B 72 DP WH-W 72 DP BL-B - -	72 DPN SB-W 72 DPN SB-B 72 DPN WH-W 72 DPN BL-B - -	72 DPNC SB-W 72 DPNC SB-B 72 DPNC WH-W 72 DPNC BL-B - -	- - - - 72 45 W 72 45 B	- - - - 72 45N W 72 45N B	- - - - 72 45V W 72 45V B	72 45SS1 SB-W 72 45SS1 SB-B 72 45SS1 WH-W 72 45SS1 BL-B - -
Antique Brass 	Antique Brass Red Plastic	Black Black	- -	79 DPN AB-B -	- -	- 79 45 B	- 79 45N B	- -	79 45SS1 AB-B -
Bright Stainless 	Bright Chrome Bright Chrome White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	73 DP BC-W 73 DP BC-B 73 DP WH-W 73 DP BL-B - -	73 DPN BC-W 73 DPN BC-B 73 DPN WH-W 73 DPN BL-B - -	73 DPNC BC-W 73 DPNC BC-B 73 DPNC WH-W 73 DPNC BL-B - -	- - - - 73 45 W 73 45 B	- - - - 73 45N W 73 45N B	- - - - 73 45V W 73 45V B	73 45SS1 BC-W 73 45SS1 BC-B 73 45SS1 WH-W 73 45SS1 BL-B - -
Satin Stainless 	Satin Stainless Satin Stainless White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	74 DP SS-W 74 DP SS-B 74 DP WH-W 74 DP BL-B - -	74 DPN SS-W 74 DPN SS-B 74 DPN WH-W 74 DPN BL-B - -	74 DPNC SS-W 74 DPNC SS-B 74 DPNC WH-W 74 DPNC BL-B - -	- - - - 74 45 W 74 45 B	- - - - 74 45N W 74 45N B	- - - - 74 45V W 74 45V B	74 45SS1 SS-W 74 45SS1 SS-B 74 45SS1 WH-W 74 45SS1 BL-B - -
Black Nickel 	Black Nickel Red Plastic	Black Black	- -	78 DPN BK-B -	- -	- 78 45 B	- 78 45N B	- -	78 45SS1 BK-B -
Pearl Oyster 	Pearl Oyster Red Plastic	White White	- -	7P DPN PO-W -	- -	- 7P 45 W	- 7P 45N W	- -	7P 45SS1 PO-W -

Connection Units



74 SPNC SC-W



1 gang 13A Fused Spur Double Pole

Nominal Plate Size: 88 x 88 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **SP**
Product Code



1 gang 13A Fused Spur Double Pole + Neon

Nominal Plate Size: 88 x 88 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **SPN**
Product Code



1 gang 13A Fused Spur Double Pole + Neon + Cable Outlet

Nominal Plate Size: 88 x 88 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **SPNC**
Product Code



1 gang 13A Fuse Only

Nominal Plate Size: 88 x 88 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **FO**
Product Code












1 gang 13A Fuse Only + Cable Outlet

Nominal Plate Size: 88 x 88 mm

Minimum Wall Box Depth: 35 mm

Technical Insert Reference: **FOC**
Product Code

Plate Finish	Insert Finish	Surround Colour	Technical Insert Reference: SP Product Code	Technical Insert Reference: SPN Product Code	Technical Insert Reference: SPNC Product Code	Technical Insert Reference: FO Product Code	Technical Insert Reference: FOC Product Code
Bright Chrome 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White White	77 SP BC-W 77 SP BC-B 77 SP WH-W 77 SP BL-B	77 SPN BC-W 77 SPN BC-B 77 SPN WH-W 77 SPN BL-B	77 SPNC BC-W 77 SPNC BC-B 77 SPNC WH-W 77 SPNC BL-B	77 FO BC-W 77 FO BC-B 77 FO WH-W 77 FO BL-B	77 FOC BC-W 77 FOC BC-B 77 FOC WH-W 77 FOC BL-B
Satin Chrome 	Satin Chrome Satin Chrome White Plastic Black Plastic	White Black White Black	76 SP SC-W 76 SP SC-B 76 SP WH-W 76 SP BL-B	76 SPN SC-W 76 SPN SC-B 76 SPN WH-W 76 SPN BL-B	76 SPNC SC-W 76 SPNC SC-B 76 SPNC WH-W 76 SPNC BL-B	76 FO SC-W 76 FO SC-B 76 FO WH-W 76 FO BL-B	76 FOC SC-W 76 FOC SC-B 76 FOC WH-W 76 FOC BL-B
Polished Brass 	Polished Brass Polished Brass White Plastic Black Plastic	White Black White Black	71 SP PB-W 71 SP PB-B 71 SP WH-W 71 SP BL-B	71 SPN PB-W 71 SPN PB-B 71 SPN WH-W 71 SPN BL-B	71 SPNC PB-W 71 SPNC PB-B 71 SPNC WH-W 71 SPNC BL-B	71 FO PB-W 71 FO PB-B 71 FO WH-W 71 FO BL-B	71 FOC PB-W 71 FOC PB-B 71 FOC WH-W 71 FOC BL-B
Satin Brass 	Satin Brass Satin Brass White Plastic Black Plastic	White Black White Black	72 SP SB-W 72 SP SB-B 72 SP WH-W 72 SP BL-B	72 SPN SB-W 72 SPN SB-B 72 SPN WH-W 72 SPN BL-B	72 SPNC SB-W 72 SPNC SB-B 72 SPNC WH-W 72 SPNC BL-B	72 FO SB-W 72 FO SB-B 72 FO WH-W 72 FO BL-B	72 FOC SB-W 72 FOC SB-B 72 FOC WH-W 72 FOC BL-B
Antique Brass 	Antique Brass	Black	79 SP AB-B	79 SPN AB-B	–	79 FO AB-B	–
Bright Stainless 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	73 SP BC-W 73 SP BC-B 73 SP WH-W 73 SP BL-B	73 SPN BC-W 73 SPN BC-B 73 SPN WH-W 73 SPN BL-B	73 SPNC BC-W 73 SPNC BC-B 73 SPNC WH-W 73 SPNC BL-B	73 FO BC-W 73 FO BC-B 73 FO WH-W 73 FO BL-B	73 FOC BC-W 73 FOC BC-B 73 FOC WH-W 73 FOC BL-B
Satin Stainless 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White Black	74 SP SS-W 74 SP SS-B 74 SP WH-W 74 SP BL-B	74 SPN SS-W 74 SPN SS-B 74 SPN WH-W 74 SPN BL-B	74 SPNC SS-W 74 SPNC SS-B 74 SPNC WH-W 74 SPNC BL-B	74 FO SS-W 74 FO SS-B 74 FO WH-W 74 FO BL-B	74 FOC SS-W 74 FOC SS-B 74 FOC WH-W 74 FOC BL-B
Black Nickel 	Black Nickel	Black	78 SP BK-B	78 SPN BK-B	–	78 FO BK-B	–
Pearl Oyster 	Pearl Oyster	White	7P SP PO-W	7P SPN PO-W	–	7P FO PO-W	–

Leading Edge Push On/Off Resistive Dimmers

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.



77 2X40



**1 gang 2 way
400W**
Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X40**
Product Code



**2 gang 2 way
400W**
Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2X40**
Product Code



**3 gang 2 way
400W**
Nom. Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **3X40**
Product Code



**4 gang 2 way
(Max. 300 watts
per gang)**
Nom. Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **4X40**
Product Code



**1 gang 2 way
600W**
Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X60**
Product Code



**1 gang 2 way
1000W**
Nom. Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X1K**
Product Code

Plate Finish

Insert Finish

Bright Chrome

Bright Chrome

77 1X40

77 2X40

77 3X40

77 4X40

77 1X60

77 1X1K



Satin Chrome

Satin Chrome

76 1X40

76 2X40

76 3X40

76 4X40

76 1X60

76 1X1K



Polished Brass

Polished Brass

71 1X40

71 2X40

71 3X40

71 4X40

71 1X60

71 1X1K



Satin Brass

Satin Brass

72 1X40

72 2X40

72 3X40

72 4X40

72 1X60

72 1X1K



Antique Brass

Antique Brass

79 1X40

79 2X40

79 3X40

79 4X40

79 1X60

79 1X1K



Bright Stainless

Bright Chrome

73 1X40

73 2X40

73 3X40

73 4X40

73 1X60

73 1X1K



Satin Stainless

Satin Stainless

74 1X40

74 2X40

74 3X40

74 4X40

74 1X60

74 1X1K



Black Nickel

Black Nickel

78 1X40

78 2X40

78 3X40

78 4X40

78 1X60

78 1X1K



Pearl Oyster

Pearl Oyster

7P 1X40

7P 2X40

7P 3X40

7P 4X40

7P 1X60

7P 1X1K



Leading Edge Push On/Off Inductive Dimmers



72 1X3V



**1 gang 2 way
200VA**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X2V**
Product Code












**2 gang 2 way
200VA**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2X2V**
Product Code



**1 gang 2 way
300VA**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X3V**
Product Code

Plate Finish	Insert Finish	1 gang 2 way 200VA Product Code	2 gang 2 way 200VA Product Code	1 gang 2 way 300VA Product Code
Bright Chrome 	Bright Chrome	77 1X2V	77 2X2V	77 1X3V
Satin Chrome 	Satin Chrome	76 1X2V	76 2X2V	76 1X3V
Polished Brass 	Polished Brass	71 1X2V	71 2X2V	71 1X3V
Satin Brass 	Satin Brass	72 1X2V	72 2X2V	72 1X3V
Antique Brass 	Antique Brass	79 1X2V	79 2X2V	79 1X3V
Bright Stainless 	Bright Chrome	73 1X2V	73 2X2V	73 1X3V
Satin Stainless 	Satin Stainless	74 1X2V	74 2X2V	74 1X3V
Black Nickel 	Black Nickel	78 1X2V	78 2X2V	78 1X3V
Pearl Oyster 	Pearl Oyster	7P 1X2V	7P 2X2V	7P 1X3V



71 2XTE

Trailing Edge Push On/Off Dimmers

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.



**1 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1XTE**
Product Code



**2 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nom. Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2XTE**
Product Code



**3 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nom. Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **3XTE**
Product Code



**4 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nom. Plate Size:
144 x 85 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **4XTE**
Product Code

Plate Finish

Insert Finish

Bright Chrome

Bright Chrome

77 1XTE

77 2XTE

77 3XTE

77 4XTE



Satin Chrome

Satin Chrome

76 1XTE

76 2XTE

76 3XTE

76 4XTE



Polished Brass

Polished Brass

71 1XTE

71 2XTE

71 3XTE

71 4XTE



Satin Brass

Satin Brass

72 1XTE

72 2XTE

72 3XTE

72 4XTE



Antique Brass

Antique Brass

79 1XTE

79 2XTE

79 3XTE

79 4XTE



Bright Stainless

Bright Chrome

73 1XTE

73 2XTE

73 3XTE

73 4XTE



Satin Stainless

Satin Stainless

74 1XTE

74 2XTE

74 3XTE

74 4XTE



Black Nickel

Black Nickel

78 1XTE

78 2XTE

78 3XTE

78 4XTE



Pearl Oyster

Pearl Oyster

7P 1XTE

7P 2XTE

7P 3XTE

7P 4XTE





76 1XTM SS-W










Trailing Edge Touch Master Multi-Way Dimmers

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Note: When using wire wound Inductive Load Transformers - Maximum rating is 210VA.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.



Plate Finish	Insert Finish	Surround Colour	1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code	2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code	3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code	4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code
Bright Chrome 	Bright Chrome Bright Chrome	White Black	77 1XTM BC-W 77 1XTM BC-B	77 2XTM BC-W 77 2XTM BC-B	77 3XTM BC-W 77 3XTM BC-B	77 4XTM BC-W 77 4XTM BC-B
Satin Chrome 	Satin Chrome Satin Chrome	White Black	76 1XTM SC-W 76 1XTM SC-B	76 2XTM SC-W 76 2XTM SC-B	76 3XTM SC-W 76 3XTM SC-B	76 4XTM SC-W 76 4XTM SC-B
Polished Brass 	Polished Brass Polished Brass	White Black	71 1XTM PB-W 71 1XTM PB-B	71 2XTM PB-W 71 2XTM PB-B	71 3XTM PB-W 71 3XTM PB-B	71 4XTM PB-W 71 4XTM PB-B
Satin Brass 	Satin Brass Satin Brass	White Black	72 1XTM SB-W 72 1XTM SB-B	72 2XTM SB-W 72 2XTM SB-B	72 3XTM SB-W 72 3XTM SB-B	72 4XTM SB-W 72 4XTM SB-B
Antique Brass 	Antique Brass	Black	79 1XTM AB-B	79 2XTM AB-B	79 3XTM AB-B	79 4XTM AB-B
Bright Stainless 	Bright Chrome Bright Chrome	White Black	73 1XTM BS-W 73 1XTM BS-B	73 2XTM BS-W 73 2XTM BS-B	73 3XTM BS-W 73 3XTM BS-B	73 4XTM BS-W 73 4XTM BS-B
Satin Stainless 	Satin Stainless Satin Stainless	White Black	74 1XTM SS-W 74 1XTM SS-B	74 2XTM SS-W 74 2XTM SS-B	74 3XTM SS-W 74 3XTM SS-B	74 4XTM SS-W 74 4XTM SS-B
Black Nickel 	Black Nickel	Black	78 1XTM BK-B	78 2XTM BK-B	78 3XTM BK-B	78 4XTM BK-B
Pearl Oyster 	Pearl Oyster	White	-	-	-	-



74 2XTS SS-B

Touch Slave Controllers










Note: To only be used with Touch Master Dimmers

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Note: When using wire wound Inductive Load Transformers - Maximum rating is 210VA.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.



Plate Finish	Insert Finish	Surround Colour	1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTS Product Code	2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 88 x 88 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTS Product Code	3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTS Product Code	4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 144 X 85 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTS Product Code
Bright Chrome 	Bright Chrome Bright Chrome	White Black	77 1XTS BC-W 77 1XTS BC-B	77 2XTS BC-W 77 2XTS BC-B	77 3XTS BC-W 77 3XTS BC-B	77 4XTS BC-W 77 4XTS BC-B
Satin Chrome 	Satin Chrome Satin Chrome	White Black	76 1XTS SS-W 76 1XTS SS-B	76 2XTS SS-W 76 2XTS SS-B	76 3XTS SS-W 76 3XTS SS-B	76 4XTS SS-W 76 4XTS SS-B
Polished Brass 	Polished Brass Polished Brass	White Black	71 1XTS PB-W 71 1XTS PB-B	71 2XTS PB-W 71 2XTS PB-B	71 3XTS PB-W 71 3XTS PB-B	71 4XTS PB-W 71 4XTS PB-B
Satin Brass 	Satin Brass Satin Brass	White Black	72 1XTS SB-W 72 1XTS SB-B	72 2XTS SB-W 72 2XTS SB-B	72 3XTS SB-W 72 3XTS SB-B	72 4XTS SB-W 72 4XTS SB-B
Antique Brass 	Antique Brass	Black	79 1XTS AB-B	79 2XTS AB-B	79 3XTS AB-B	79 4XTS AB-B
Bright Stainless 	Bright Stainless Bright Stainless	White Black	73 1XTS BS-W 73 1XTS BS-B	73 2XTS BS-W 73 2XTS BS-B	73 3XTS BS-W 73 3XTS BS-B	73 4XTS BS-W 73 4XTS BS-B
Satin Stainless 	Satin Stainless Satin Stainless	White Black	74 1XTS SS-W 74 1XTS SS-B	74 2XTS SS-W 74 2XTS SS-B	74 3XTS SS-W 74 3XTS SS-B	74 4XTS SS-W 74 4XTS SS-B
Black Nickel 	Black Nickel	Black	78 1XTS BK-B	78 2XTS BK-B	78 3XTS BK-B	78 4XTS BK-B
Pearl Oyster 	Pearl Oyster	White	-	-	-	-

EuroFix Plates

Minimum Wall Box Depth is dependent on the EuroFix insert fitted.



1 Module EuroFix Plate

Nominal Plate Size:
88 x 88 mm
Aperture: 25 x 50 mm
Technical Insert
Reference: **EURO1**
Product Code



2 Module EuroFix Plate

Nominal Plate Size:
88 x 88 mm
Aperture: 50 x 50 mm
Technical Insert
Reference: **EURO2**
Product Code



3 Module EuroFix Plate

Nominal Plate Size:
144 x 85 mm
Aperture: 75 x 50 mm
Technical Insert
Reference: **EURO3**
Product Code



4 Module EuroFix Plate

Nominal Plate Size:
144 x 85 mm
Aperture: 100 x 50 mm
Technical Insert
Reference: **EURO4**
Product Code

Plate Finish

Bright Chrome



77 EURO1

77 EURO2

77 EURO3

77 EURO4

Satin Chrome



76 EURO1

76 EURO2

76 EURO3

76 EURO4

Polished Brass



71 EURO1

71 EURO2

71 EURO3

71 EURO4

Satin Brass



72 EURO1

72 EURO2

72 EURO3

72 EURO4

Antique Brass



79 EURO1

79 EURO2

79 EURO3

79 EURO4

Bright Stainless



73 EURO1

73 EURO2

73 EURO3

73 EURO4

Satin Stainless



74 EURO1

74 EURO2

74 EURO3

74 EURO4

Black Nickel



78 EURO1

78 EURO2

78 EURO3

78 EURO4

Pearl Oyster



7P EURO1

7P EURO2

7P EURO3

7P EURO4

GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted.



76 6GP



1 gang Aperture Grid Fix

Nominal Plate Size:
88 x 88 mm
Technical Insert
Reference: **1GP**
Product Code




2 gang Aperture Grid Fix

Nominal Plate Size:
88 x 88 mm
Technical Insert
Reference: **2GP**
Product Code




3 gang Aperture Grid Fix

Nominal Plate Size:
144 x 85 mm
Technical Insert
Reference: **3GP**
Product Code



4 gang Aperture Grid Fix

Nominal Plate Size:
144 x 85 mm
Technical Insert
Reference: **4GP**
Product Code



6 gang Aperture Grid Fix

Nominal Plate Size:
146 x 146 mm
Technical Insert
Reference: **6GP**
Product Code

Plate Finish

Gloss White



70 1GP

70 2GP

70 3GP

70 4GP

70 6GP

Bright Chrome



77 1GP

77 2GP

77 3GP

77 4GP

77 6GP

Satin Chrome



76 1GP

76 2GP

76 3GP

76 4GP

76 6GP

Polished Brass



71 1GP

71 2GP

71 3GP

71 4GP

71 6GP

Satin Brass



72 1GP

72 2GP

72 3GP

72 4GP

72 6GP

Antique Brass



79 1GP

79 2GP

79 3GP

79 4GP

79 6GP

Bright Stainless



73 1GP

73 2GP

73 3GP

73 4GP

73 6GP

Satin Stainless Lacquered



L74 1GP

L74 2GP

L74 3GP

L74 4GP

L74 6GP

Black Nickel



78 1GP

78 2GP

78 3GP

78 4GP

78 6GP

Pearl Oyster



7P 1GP

7P 2GP

7P 3GP

7P 4GP


7P 6GP

GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth is dependent on the GRID-IT insert fitted.



72 9GP




8 gang Aperture Grid Fix Plate

Nominal Plate Size: 146 x 146 mm

Technical Insert Reference: **8GP**

Product Code




9 gang Aperture Grid Fix Plate

Nominal Plate Size: 146 x 210 mm

Technical Insert Reference: **9GP**

Product Code



12 gang Aperture Grid Fix Plate

Nominal Plate Size: 146 x 210 mm

Technical Insert Reference: **12GP**

Product Code




1 gang Aperture Switched Socket Grid Fix Plate (Grid supplied with Insert)

Nominal Plate Size: 88 x 88 mm

Technical Insert Reference: **SS1GP**

Product Code



2 gang Aperture Switched Socket Grid Fix Plate (Grid supplied with Insert)

Nominal Plate Size: 144 x 85 mm

Technical Insert Reference: **SS2GP**

Product Code

Plate Finish

Gloss White



70 8GP

70 9GP

70 12GP

70 SS1GP

70 SS2GP

Bright Chrome



77 8GP

77 9GP

77 12GP

77 SS1GP

77 SS2GP

Satin Chrome



76 8GP

76 9GP

76 12GP

76 SS1GP

76 SS2GP

Polished Brass



71 8GP

71 9GP

71 12GP

71 SS1GP

71 SS2GP

Satin Brass



72 8GP

72 9GP

72 12GP

72 SS1GP

72 SS2GP

Antique Brass



79 8GP

79 9GP

79 12GP

79 SS1GP

79 SS2GP

Bright Stainless



73 8GP

73 9GP

73 12GP

73 SS1GP

73 SS2GP

Satin Stainless Lacquered



L74 8GP

L74 9GP

L74 12GP

L74 SS1GP

L74 SS2GP

Black Nickel



78 8GP

78 9GP

78 12GP

78 SS1GP

78 SS2GP

Pearl Oyster



7P 8GP

7P 9GP

7P 12GP


7P SS1GP

7P SS2GP

Media Plates complete with 13A Unswitched Power Sockets




73 MED1 W



Media Plate EURO 4 aperture with 2 gang Unswitched Socket

Supplied with Back Box
133 x 132 x 40 mm with Phase Barrier
Nominal Plate Size: 146 x 146 mm
Aperture: 100 x 50 mm
Technical Insert Reference: **MED1**

Product Code



Media Plate EURO 4 aperture with 4 gang Unswitched Socket

Supplied with Back Box
133 x 194 x 40 mm with Phase Barrier
Nominal Plate Size: 146 x 210 mm
Aperture: 100 x 50 mm
Technical Insert Reference: **MED2**

Product Code

Plate Finish	Insert Colour	73 MED1 W	73 MED2 W
Bright Chrome	White Plastic Black Plastic	77 MED1 W 77 MED1 B	77 MED2 W 77 MED2 B
Satin Chrome	White Plastic Black Plastic	76 MED1 W 76 MED1 B	76 MED2 W 76 MED2 B
Polished Brass	White Plastic Black Plastic	71 MED1 W 71 MED1 B	71 MED2 W 71 MED2 B
Satin Brass	White Plastic Black Plastic	72 MED1 W 72 MED1 B	72 MED2 W 72 MED2 B
Bright Stainless	White Plastic Black Plastic	73 MED1 W 73 MED1 B	73 MED2 W 73 MED2 B
Satin Stainless	White Plastic Black Plastic	74 MED1 W 74 MED1 B	74 MED2 W 74 MED2 B

Blank Plates



71 BPS



Single Blank Plate

Nominal Plate Size: 88 x 88 mm
Technical Insert Reference: **BPS**

Product Code



Double Blank Plate

Nominal Plate Size: 144 x 85 mm
Technical Insert Reference: **BPD**

Product Code

Plate Finish

Bright Chrome



77 BPS

77 BPD

Satin Chrome



76 BPS

76 BPD

Polished Brass



71 BPS

71 BPD

Satin Brass



72 BPS

72 BPD

Antique Brass



79 BPS

79 BPD

Bright Stainless



73 BPS

73 BPD

Satin Stainless



74 BPS

74 BPD

Black Nickel



78 BPS

78 BPD

Pearl Oyster



7P BPS

7P BPD

Hartland®

Quality Accessories on Stylish Super Slim Plates

Other products available from the Hamilton Group

- Linea-CFX Concealed Fixing Collection
- Grid-It Grid Fix Accessories
- Hartland CFX Concealed Fixing
- Sheer CFX Concealed Fixing
- Sheer Range (Box Fix)
- Cheriton Range (Box Fix)
- Woods & Bloomsbury Range
- Digital Mercury Lighting Controls
- Data and Media Range
(Data & Communication Outlets)
- IP Weatherproof Switches and Sockets
- Sheer Floor Sockets
- Hotel Card Switch
- Luxury Door Handles

All products listed conform to current British or European standards and the product information is correct at the time of going to press.

It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.

Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.

Hamilton



For further information please contact:
R. Hamilton & Co. Ltd., Quarry Industrial Estate, Mere, Wiltshire BA12 6LA, UK
Telephone: +44 (0)1747 860088 Facsimile: +44 (0)1747 861032
email: info@hamilton-litestat.com www.hamilton-litestat.com

