

NEW ADDITIONS

Uniclass L74 735	EPIC K712
C/Sfb (62X) (63) X	

# Sheer CFX<sup>®</sup>

Exclusively designed  
Flat Plates with Concealed Fixing



**Hamilton** making connections beautifully...

## Concealed Fixing Accessories on Stylish Flat Plates

exclusive registered design...

The Sheer CFX range of super flat plates offer the ultimate for today's minimalist interiors. CFX Patented Concealed Fixing affords seamless styling and sophistication.

exclusive finishes...

The finest materials and production standards are employed to produce a choice of seven superb metal finishes.

exclusive choice...

The stunning finish combinations give the interior designer an almost limitless choice to offer each individual client.



87C 2X40



87C DTRID W



82C T21



89C SPN AB-B




84C 1X40



88C R22 BK-B

### Hamilton Sheer CFX® Concealed Fixing

← Plate Depth 4.5 mm including gasket





87C R21 BC-W



89C R22 AB-B



87C R26 BC-W

## Concealed Fixing Rocker Switches











Plate Finish	Insert Finish	Surround Colour	1 gang 2 way 10AX Rocker	2 gang 2 way 10AX Rocker	3 gang 2 way 10AX Rocker	4 gang 2 way 10AX Rocker	6 gang 2 way 10AX Rocker
			Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R21</b> <b>Product Code</b>	Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R22</b> <b>Product Code</b>	Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R23</b> <b>Product Code</b>	Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R24</b> <b>Product Code</b>	Nom. Plate Size: 145 x 86mm Min. Wall Box Depth 25 mm Technical Insert Reference: <b>R26</b> <b>Product Code</b>
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C R21 BC-W 87C R21 BC-B	87C R22 BC-W 87C R22 BC-B	87C R23 BC-W 87C R23 BC-B	87C R24 BC-W 87C R24 BC-B	87C R26 BC-W 87C R26 BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C R21 PB-W 81C R21 PB-B	81C R22 PB-W 81C R22 PB-B	81C R23 PB-W 81C R23 PB-B	81C R24 PB-W 81C R24 PB-B	81C R26 PB-W 81C R26 PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C R21 SB-W 82C R21 SB-B	82C R22 SB-W 82C R22 SB-B	82C R23 SB-W 82C R23 SB-B	82C R24 SB-W 82C R24 SB-B	82C R26 SB-W 82C R26 SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C R21 AB-B	89C R22 AB-B	89C R23 AB-B	89C R24 AB-B	89C R26 AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C R21 SS-W 84C R21 SS-B	84C R22 SS-W 84C R22 SS-B	84C R23 SS-W 84C R23 SS-B	84C R24 SS-W 84C R24 SS-B	84C R26 SS-W 84C R26 SS-B
<b>Satin Nickel</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	85C R21 SS-W 85C R21 SS-B	85C R22 SS-W 85C R22 SS-B	85C R23 SS-W 85C R23 SS-B	85C R24 SS-W 85C R24 SS-B	85C R26 SS-W 85C R26 SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C R21 BK-B	88C R22 BK-B	88C R23 BK-B	88C R24 BK-B	88C R26 BK-B

Sheer CFX R21 is a UK Registered Design Certificate No. 3020754  
Sheer CFX SS2 is a UK Registered Design Certificate No. 3020755

Sheer CFX R21 is a Chinese Registered Design Certificate No. 566274  
Sheer CFX SS2 is a Chinese Registered Design Certificate No. 561340


Sheer CFX R21 is an Indian Registered Design Certificate No. 462  
Sheer CFX SS2 is an Indian Registered Design Certificate No. 463



89C R31 AB-B










84C R32 SS-B



81C R212 PB-B

## Concealed Fixing Rocker Switches




Plate Finish	Insert Finish	Surround Colour	1 gang 10AX Intermediate Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R31</b> Product Code	2 gang 10AX Intermediate Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R32</b> Product Code	1 gang 10AX PTM Retractive Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>RRT</b> Product Code	1 gang 10A Triple Pole Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>TP</b> Product Code	1 gang 2 way 20AX Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R212</b> Product Code
<b>Bright Chrome</b> 	Bright Chrome Bright Chrome White Plastic Black Plastic	White Black White Black	87C R31 BC-W 87C R31 BC-B - -	87C R32 BC-W 87C R32 BC-B - -	87C RRT BC-W 87C RRT BC-B - -	- - 87C TP WH-W 87C TP BL-B	87C R212 BC-W 87C R212 BC-B - -
<b>Polished Brass</b> 	Polished Brass Polished Brass White Plastic Black Plastic	White Black White Black	81C R31 PB-W 81C R31 PB-B - -	81C R32 PB-W 81C R32 PB-B - -	81C RRT PB-W 81C RRT PB-B - -	- - 81C TP WH-W 81C TP BL-B	81C R212 PB-W 81C R212 PB-B - -
<b>Satin Brass</b> 	Satin Brass Satin Brass White Plastic Black Plastic	White Black White Black	82C R31 SB-W 82C R31 SB-B - -	82C R32 SB-W 82C R32 SB-B - -	82C RRT SB-W 82C RRT SB-B - -	- - 82C TP WH-W 82C TP BL-B	82C R212 SB-W 82C R212 SB-B - -
<b>Antique Brass</b> 	Antique Brass Black Plastic	Black Black	89C R31 AB-B -	89C R32 AB-B -	89C RRT AB-B -	- 89C TP BL-B	89C R212 AB-B -
<b>Satin Stainless</b> 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White Black	84C R31 SS-W 84C R31 SS-B - -	84C R32 SS-W 84C R32 SS-B - -	84C RRT SS-W 84C RRT SS-B - -	- - 84C TP WH-W 84C TP BL-B	84C R212 SS-W 84C R212 SS-B - -
<b>Satin Nickel</b> 	Satin Stainless Satin Stainless White Plastic Black Plastic	White Black White Black	85C R31 SS-W 85C R31 SS-B - -	85C R32 SS-W 85C R32 SS-B - -	85C RRT SS-W 85C RRT SS-B - -	- - 85C TP WH-W 85C TP BL-B	85C R212 SS-W 85C R212 SS-B - -
<b>Black Nickel</b> 	Black Nickel Black Plastic	Black Black	88C R31 BK-B -	88C R32 BK-B -	88C RRT BK-B -	- 88C TP BL-B	88C R212 BK-B -



88C R222 BK-B









84C R312 SS-B



82C R242 SB-B

## Concealed Fixing Rocker Switches



Plate Finish	Insert Finish	Surround Colour	2 gang 2 way 20AX Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R222</b> Product Code	3 gang 2 way 20AX Rocker Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R232</b> Product Code	4 gang 2 way 20AX Rocker Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R242</b> Product Code	1 gang 20AX Intermediate Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R312</b> Product Code	2 gang 20AX Intermediate Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>R322</b> Product Code
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C R222 BC-W 87C R222 BC-B	87C R232 BC-W 87C R232 BC-B	87C R242 BC-W 87C R242 BC-B	87C R312 BC-W 87C R312 BC-B	87C R322 BC-W 87C R322 BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C R222 PB-W 81C R222 PB-B	81C R232 PB-W 81C R232 PB-B	81C R242 PB-W 81C R242 PB-B	81C R312 PB-W 81C R312 PB-B	81C R322 PB-W 81C R322 PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C R222 SB-W 82C R222 SB-B	82C R232 SB-W 82C R232 SB-B	82C R242 SB-W 82C R242 SB-B	82C R312 SB-W 82C R312 SB-B	82C R322 SB-W 82C R322 SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C R222 AB-B	89C R232 AB-B	89C R242 AB-B	89C R312 AB-B	89C R322 AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C R222 SS-W 84C R222 SS-B	84C R232 SS-W 84C R232 SS-B	84C R242 SS-W 84C R242 SS-B	84C R312 SS-W 84C R312 SS-B	84C R322 SS-W 84C R322 SS-B
<b>Satin Nickel</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	85C R222 SS-W 85C R222 SS-B	85C R232 SS-W 85C R232 SS-B	85C R242 SS-W 85C R242 SS-B	85C R312 SS-W 85C R312 SS-B	85C R322 SS-W 85C R322 SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C R222 BK-B	88C R232 BK-B	88C R242 BK-B	88C R312 BK-B	88C R322 BK-B



84C T21



82C T22



84C T23

## Concealed Fixing Toggle Switches



### 1 gang 2 way 20AX Toggle

Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T21**  
**Product Code**

### 2 gang 2 way 20AX Toggle

Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T22**  
**Product Code**

### 3 gang 2 way 20AX Toggle








Nom. Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T23**  
**Product Code**

### 4 gang 2 way 20AX Toggle

Nom. Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **T24**  
**Product Code**

### 1 gang 20AX Intermediate Toggle

Nom. Plate Size:  
86 x 86mm  
Min. Wall Box  
Depth 35 mm  
Technical Insert  
Reference: **T31**  
**Product Code**

Plate Finish	Insert Finish	1 gang 2 way 20AX Toggle	2 gang 2 way 20AX Toggle	3 gang 2 way 20AX Toggle	4 gang 2 way 20AX Toggle	1 gang 20AX Intermediate Toggle
<b>Bright Chrome</b> 	<b>Bright Chrome</b>	87C T21	87C T22	87C T23	87C T24	87C T31
<b>Polished Brass</b> 	<b>Polished Brass</b>	81C T21	81C T22	81C T23	81C T24	81C T31
<b>Satin Brass</b> 	<b>Satin Brass</b>	82C T21	82C T22	82C T23	82C T24	82C T31
<b>Antique Brass</b> 	<b>Antique Brass</b>	89C T21	89C T22	89C T23	89C T24	89C T31
<b>Satin Stainless</b> 	<b>Satin Stainless</b>	84C T21	84C T22	84C T23	84C T24	84C T31
<b>Satin Nickel</b> 	<b>Satin Stainless</b>	85C T21	85C T22	85C T23	85C T24	85C T31
<b>Black Nickel</b> 	<b>Black Nickel</b>	88C T21	88C T22	88C T23	88C T24	88C T31

87C C11 BC-B

81C CKNX BC-W

## Concealed Fixing Hotel Card Switch with LED

Adjustable Time Delay 10 seconds - 5 minutes. Suitable for 44 mm and 54 mm width hotel Key Cards.



**1 gang  
On/Off 10A  
(6AX) with  
Blue LED  
Locator**

Nom. Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 35 mm








Technical Insert  
Reference: **C11**  
**Product Code**

**1gang  
On/Off 12-24V  
AC/DC +/-10%  
with Blue LED  
Locator (Suitable  
for KNX BUS  
System)**

Nom. Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth 35 mm

Technical Insert  
Reference: **CKNX**  
**Product Code**

Plate Finish	Insert Finish	Surround Colour	Product Code	Product Code
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C C11 BC-W 87C C11 BC-B	87C CKNX BC-W 87C CKNX BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C C11 PB-W 81C C11 PB-B	81C CKNX PB-W 81C CKNX PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C C11 SB-W 82C C11 SB-B	82C CKNX SB-W 82C CKNX SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C C11 AB-B	89C CKNX AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C C11 SS-W 84C C11 SS-B	84C CKNX SS-W 84C CKNX SS-B
<b>Satin Nickel</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	85C C11 SS-W 85C C11 SS-B	85C CKNX SS-W 85C CKNX SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C C11 BK-B	88C CKNX BK-B

87C K21 W

89C KEL B

## Concealed Fixing Key Switches



### 1 gang 2 way 20AX Key Switch

Nom. Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth: 25 mm

Technical Insert  
Reference: **K21**

**Product Code**




### 1 gang 2 way 20AX Key Switch "EMG LTG TEST"

Nom. Plate Size:  
86 x 86 mm

Min. Wall Box  
Depth 25 mm

Technical Insert  
Reference: **KEL**

**Product Code**

Plate Finish	Insert Colour	Product Code	Product Code
<b>Bright Chrome</b> 	White Plastic	87C K21 W	87C KEL W
	Black Plastic	87C K21 B	87C KEL B
<b>Polished Brass</b> 	White Plastic	81C K21 W	81C KEL W
	Black Plastic	81C K21 B	81C KEL B
<b>Satin Brass</b> 	White Plastic	82C K21 W	82C KEL W
	Black Plastic	82C K21 B	82C KEL B
<b>Antique Brass</b> 	Black Plastic	89C K21 B	89C KEL B
<b>Satin Stainless</b> 	White Plastic	84C K21 W	84C KEL W
	Black Plastic	84C K21 B	84C KEL B
<b>Satin Nickel</b> 	White Plastic	85C K21 W	85C KEL W
	Black Plastic	85C K21 B	85C KEL B
<b>Black Nickel</b> 	Black Plastic	88C K21 B	88C KEL B



84C SS1 SS-W



88C SS1 BK-B



82C SS2 SB-B

## Concealed Fixing Power Sockets












Plate Finish	Insert Finish	Surround Colour	1 gang 13A Double Pole Switched Socket Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>SS1</b> Product Code	2 gang 13A Double Pole Switched Socket Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>SS2</b> Product Code	1 gang 2A Unswitched Socket Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>US2</b> Product Code	1 gang 5A Unswitched Socket Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>US5</b> Product Code	1 gang 13A Unswitched Socket Nom. Plate Size: 86 X 86 mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>US13</b> Product Code	2 gang 13A Unswitched Socket Nom. Plate Size: 145 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>US99</b>	Shaver Dual Voltage Unswitched Socket Nom. Plate Size: 86 x 145 mm Min. Wall Box Depth 47 mm Technical Insert Reference: <b>SHS</b>
<b>Bright Chrome</b> 	Bright Chrome	White	87C SS1 BC-W	87C SS2 BC-W	-	-	-	-	-
	Bright Chrome	Black	87C SS1 BC-B	87C SS2 BC-B	-	-	-	-	-
	White Plastic	White	-	-	87C US2 W	87C US5 W	87C US13 W	87C US99 W	87C SHS W
	Black Plastic	Black	-	-	87C US2 B	87C US5 B	87C US13 B	87C US99 B	87C SHS B
<b>Polished Brass</b> 	Polished Brass	White	81C SS1 PB-W	81C SS2 PB-W	-	-	-	-	-
	Polished Brass	Black	81C SS1 PB-B	81C SS2 PB-B	-	-	-	-	-
	White Plastic	White	-	-	81C US2 W	81C US5 W	81C US13 W	81C US99 W	81C SHS W
	Black Plastic	Black	-	-	81C US2 B	81C US5 B	81C US13 B	81C US99 B	81C SHS B
<b>Satin Brass</b> 	Satin Brass	White	82C SS1 SB-W	82C SS2 SB-W	-	-	-	-	-
	Satin Brass	Black	82C SS1 SB-B	82C SS2 SB-B	-	-	-	-	-
	White Plastic	White	-	-	82C US2 W	82C US5 W	82C US13 W	82C US99 W	82C SHS W
	Black Plastic	Black	-	-	82C US2 B	82C US5 B	82C US13 B	82C US99 B	82C SHS B
<b>Antique Brass</b> 	Antique Brass	Black	89C SS1 AB-B	89C SS2 AB-B	-	-	-	-	-
	Black Plastic	Black	-	-	89C US2 B	89C US5 B	89C US13 B	89C US99 B	89C SHS B
<b>Satin Stainless</b> 	Satin Stainless	White	84C SS1 SS-W	84C SS2 SS-W	-	-	-	-	-
	Satin Stainless	Black	84C SS1 SS-B	84C SS2 SS-B	-	-	-	-	-
	White Plastic	White	-	-	84C US2 W	84C US5 W	84C US13 W	84C US99 W	84C SHS W
	Black Plastic	Black	-	-	84C US2 B	84C US5 B	84C US13 B	84C US99 B	84C SHS B
<b>Satin Nickel</b> 	Satin Stainless	White	85C SS1 SS-W	85C SS2 SS-W	-	-	-	-	-
	Satin Stainless	Black	85C SS1 SS-B	85C SS2 SS-B	-	-	-	-	-
	White Plastic	White	-	-	85C US2 W	85C US5 W	85C US13 W	85C US99 W	85C SHS W
	Black Plastic	Black	-	-	85C US2 B	85C US5 B	85C US13 B	85C US99 B	85C SHS B
<b>Black Nickel</b> 	Black Nickel	Black	88C SS1 BK-B	88C SS2 BK-B	-	-	-	-	-
	Black Plastic	Black	-	-	88C US2 B	88C US5 B	-	-	88C SHS B



84C TV W










82C TVFM B

87C TVSAT W

## Concealed Fixing Television Coaxial Sockets



Plate Finish	Insert Colour	1 gang Non Isolated Television 1 In/1 Out Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	2 gang Isolated TV/FM 1 In/2 Out Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	1 gang Isolated Television 1 In/1 Out Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	1 gang Non Isolated TV + 1 gang Non Isolated Satellite Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	1 gang Non Isolated Satellite Nom. Plate Size: 86 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: SATN Product Code	1 gang Isolated Satellite Nom. Plate Size: 86 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: SATI Product Code
<b>Bright Chrome</b> 	<b>White Plastic</b> <b>Black Plastic</b>	87C TV W 87C TV B	87C TVFM W 87C TVFM B	87C TVI W 87C TVI B	87C TVSAT W 87C TVSAT B	87C SATN W 87C SATN B	87C SATI W 87C SATI B
<b>Polished Brass</b> 	<b>White Plastic</b> <b>Black Plastic</b>	81C TV W 81C TV B	81C TVFM W 81C TVFM B	81C TVI W 81C TVI B	81C TVSAT W 81C TVSAT B	81C SATN W 81C SATN B	81C SATI W 81C SATI B
<b>Satin Brass</b> 	<b>White Plastic</b> <b>Black Plastic</b>	82C TV W 82C TV B	82C TVFM W 82C TVFM B	82C TVI W 82C TVI B	82C TVSAT W 82C TVSAT B	82C SATN W 82C SATN B	82C SATI W 82C SATI B
<b>Antique Brass</b> 	<b>Black Plastic</b>	89C TV B	89C TVFM B	89C TVI B	89C TVSAT B	89C SATN B	89C SATI B
<b>Satin Stainless</b> 	<b>White Plastic</b> <b>Black Plastic</b>	84C TV W 84C TV B	84C TVFM W 84C TVFM B	84C TVI W 84C TVI B	84C TVSAT W 84C TVSAT B	84C SATN W 84C SATN B	84C SATI W 84C SATI B
<b>Satin Nickel</b> 	<b>White Plastic</b> <b>Black Plastic</b>	85C TV W 85C TV B	85C TVFM W 845C TVFM B	85C TVI W 85C TVI B	85C TVSAT W 85C TVSAT B	85C SATN W 85C SATN B	85C SATI W 85C SATI B
<b>Black Nickel</b> 	<b>Black Plastic</b>	88C TV B	88C TVFM B	88C TVI B	88C TVSAT B	88C SATN B	88C SATI B










84C DTRID W

87C DSAT B

81C DSAT+ B

## Concealed Fixing Digital Television Sockets - Screened Non Isolated - DAB Compatible



Plate Finish	Insert Colour	1 gang TV + 1 gang FM + 1 gang Satellite Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>DTRID</b> Product Code	1 gang TV (Female) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>DTVF</b> Product Code	1 gang TV (Male) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>DTVM</b> Product Code	1 gang Satellite Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>DSAT</b> Product Code	1 gang TV + 1 gang FM + 1 gang Satellite 1 + 1 gang Satellite 2 Nom. Plate Size: 86 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>DENT</b> Product Code	1 gang TV + 1 gang FM + 1 gang Satellite 1 + 1 gang TVF + 1 gang TCS Nom. Plate Size: 145 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>DSAT+</b> Product Code
<b>Bright Chrome</b> 	<b>White Plastic</b> <b>Black Plastic</b>	87C DTRID W 87C DTRID B	87C DTVF W 87C DTVF B	87C DTVM W 87C DTVM B	87C DSAT W 87C DSAT B	87C DENT W 87C DENT B	87C DSAT+ W 87C DSAT+ B
<b>Polished Brass</b> 	<b>White Plastic</b> <b>Black Plastic</b>	81C DTRID W 81C DTRID B	81C DTVF W 81C DTVF B	81C DTVM W 81C DTVM B	81C DSAT W 81C DSAT B	81C DENT W 81C DENT B	81C DSAT+ W 81C DSAT+ B
<b>Satin Brass</b> 	<b>White Plastic</b> <b>Black Plastic</b>	82C DTRID W 82C DTRID B	82C DTVF W 82C DTVF B	82C DTVM W 82C DTVM B	82C DSAT W 82C DSAT B	82C DENT W 82C DENT B	82C DSAT+ W 82C DSAT+ B
<b>Antique Brass</b> 	<b>Black Plastic</b>	89C DTRID B	89C DTVF B	89C DTVM B	89C DSAT B	89C DENT B	89C DSAT+ B
<b>Satin Stainless</b> 	<b>White Plastic</b> <b>Black Plastic</b>	84C DTRID W 84C DTRID B	84C DTVF W 84C DTVF B	84C DTVM W 84C DTVM B	84C DSAT W 84C DSAT B	84C DENT W 84C DENT B	84C DSAT+ W 84C DSAT+ B
<b>Satin Nickel</b> 	<b>White Plastic</b> <b>Black Plastic</b>	85C DTRID W 85C DTRID B	85C DTVF W 85C DTVF B	85C DTVM W 85C DTVM B	85C DSAT W 85C DSAT B	85C DENT W 85C DENT B	85C DSAT+ W 85C DSAT+ B
<b>Black Nickel</b> 	<b>Black Plastic</b>	88C DTRID B	88C DTVF B	88C DTVM B	88C DSAT B	88C DENT B	88C DSAT+ B

















82C TCM W

87C J12 W

84C 2J45 B

## Concealed Fixing Telephone and Data Outlets

Plate Finish	Insert Colour	 <b>1 gang Telephone Master</b> Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>TCM</b> <b>Product Code</b>	 <b>1 gang Telephone Slave</b> Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>TCS</b> <b>Product Code</b>	 <b>1 gang RJ12 Outlet Unshielded</b> Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>J12</b> <b>Product Code</b>	 <b>2 gang RJ12 Outlet Unshielded</b> Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>2J12</b> <b>Product Code</b>	 <b>1 gang RJ45 CAT 5E Outlet Unshielded</b> Nom. Plate Size: 86 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>J45</b> <b>Product Code</b>	 <b>2 gang RJ45 CAT 5E Outlet Unshielded</b> Nom. Plate Size: 86 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>2J45</b> <b>Product Code</b>
<b>Bright Chrome</b> 	White Plastic Black Plastic	87C TCM W 87C TCM B	87C TCS W 87C TCS B	87C J12 W 87C J12 B	87C 2J12 W 87C 2J12 B	87C J45 W 87C J45 B	87C 2J45 W 87C 2J45 B
<b>Polished Brass</b> 	White Plastic Black Plastic	81C TCM W 81C TCM B	81C TCS W 81C TCS B	81C J12 W 81C J12 B	81C 2J12 W 81C 2J12 B	81C J45 W 81C J45 B	81C 2J45 W 81C 2J45 B
<b>Satin Brass</b> 	White Plastic Black Plastic	82C TCM W 82C TCM B	82C TCS W 82C TCS B	82C J12 W 82C J12 B	82C 2J12 W 82C 2J12 B	82C J45 W 82C J45 B	82C 2J45 W 82C 2J45 B
<b>Antique Brass</b> 	Black Plastic	89C TCM B	89C TCS B	89C J12 B	89C 2J12 B	89C J45 B	89C 2J45 B
<b>Satin Stainless</b> 	White Plastic Black Plastic	84C TCM W 84C TCM B	84C TCS W 84C TCS B	84C J12 W 84C J12 B	84C 2J12 W 84C 2J12 B	84C J45 W 84C J45 B	84C 2J45 W 84C 2J45 B
<b>Satin Nickel</b> 	White Plastic Black Plastic	85C TCM W 85C TCM B	85C TCS W 85C TCS B	85C J12 W 85C J12 B	85C 2J12 W 85C 2J12 B	85C J45 W 85C J45 B	85C 2J45 W 85C 2J45 B
<b>Black Nickel</b> 	Black Plastic	88C TCM B	88C TCS B	88C J12 B	88C 2J12 B	88C J45 B	88C 2J45 B



82C DPN SB-B










88C 45SS1 BK-B

84C 45N W

## Concealed Fixing Double Pole Switches



Plate Finish	Insert Finish	Surround Colour	<b>1 gang 20AX Double Pole Rocker + Neon</b> Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: <b>DPN</b> <b>Product Code</b>	<b>1 gang 45A Double Pole Red Rocker + Neon</b> Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>45N</b> <b>Product Code</b>	<b>1 gang 45A Double Pole Red Rocker + Neon + 13A Switched Socket</b> Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>45SS1</b> <b>Product Code</b>
<b>Bright Chrome</b> 	Bright Chrome Bright Chrome White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	87C DPN BC-W 87C DPN BC-B 87C DPN WH-W 87C DPN BL-B - -	- - - - 87C 45N W 87C 45N B	87C 45SS1 BC-W 87C 45SS1 BC-B 87C 45SS1 WH-W 87C 45SS1 BL-B - -
<b>Polished Brass</b> 	Polished Brass Polished Brass White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	81C DPN PB-W 81C DPN PB-B 81C DPN WH-W 81C DPN BL-B - -	- - - - 81C 45N W 81C 45N B	81C 45SS1 PB-W 81C 45SS1 PB-B 81C 45SS1 WH-W 81C 45SS1 BL-B - -
<b>Satin Brass</b> 	Satin Brass Satin Brass White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	82C DPN SB-W 82C DPN SB-B 82C DPN WH-W 82C DPN BL-B - -	- - - - 82C 45N W 82C 45N B	82C 45SS1 SB-W 82C 45SS1 SB-B 82C 45SS1 WH-W 82C 45SS1 BL-B - -
<b>Antique Brass</b> 	Antique Brass Black Plastic Red Plastic	Black Black Black	89C DPN AB-B 89C DPN BL-B -	- - 89C 45N B	89C 45SS1 AB-B 89C 45SS1 BL-B -
<b>Satin Stainless</b> 	Satin Stainless Satin Stainless White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	84C DPN SS-W 84C DPN SS-B 84C DPN WH-W 84C DPN BL-B - -	- - - - 84C 45N W 84C 45N B	84C 45SS1 SS-W 84C 45SS1 SS-B 84C 45SS1 WH-W 84C 45SS1 BL-B - -
<b>Satin Nickel</b> 	Satin Stainless Satin Stainless White Plastic Black Plastic Red Plastic Red Plastic	White Black White Black White Black	85C DPN SS-W 85C DPN SS-B 85C DPN WH-W 85C DPN BL-B - -	- - - - 85C 45N W 85C 45N B	85C 45SS1 SS-W 85C 45SS1 SS-B 85C 45SS1 WH-W 85C 45SS1 BL-B - -
<b>Black Nickel</b> 	Black Nickel Black Plastic Red Plastic	Black Black Black	88C DPN BK-B 88C DPN BL-B -	- - 88C 45N B	88C 45SS1 BK-B 88C 45SS1 BL-B -



84C SPN SS-W



89C SPN AB-B

88C FN BK-R

## Concealed Fixing Connection Units



### 1 gang 13A Fused Spur Double Pole + Neon








Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **SPN**  
Product Code

### 1 gang 13A Fuse with Red Neon Halo

Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth 35 mm

Technical Insert  
Reference: **FN**  
Product Code

Plate Finish	Insert Finish	Surround Colour	1 gang 13A Fused Spur Double Pole + Neon	1 gang 13A Fuse with Red Neon Halo
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b> <b>Red Neon</b>	87C SPN BC-W 87C SPN BC-B -	- - 87C FN BC-R
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b> <b>Red Halo</b>	81C SPN PB-W 81C SPN PB-B -	- - 81C FN PB-R
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b> <b>Red Halo</b>	82C SPN SB-W 82C SPN SB-B -	- - 82C FN SB-R
<b>Antique Brass</b> 	<b>Antique Brass</b> <b>Antique Brass</b>	<b>Black</b> <b>Red Halo</b>	89C SPN AB-B -	- 89C FN AB-R
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b> <b>Red Halo</b>	84C SPN SS-W 84C SPN SS-B -	- - 84C FN SS-R
<b>Satin Nickel</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b> <b>Red Halo</b>	85C SPN SS-W 85C SPN SS-B -	- - 85C FN SS-R
<b>Black Nickel</b> 	<b>Black Nickel</b> <b>Black Nickel</b>	<b>Black</b> <b>Red Halo</b>	88C SPN BK-B -	- 88C FN BK-R



87C 2X40



81C 2X40

84C 4X40

## Concealed Fixing Leading Edge Push On/Off Resistive Dimmers

*Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.*

*Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.*




Plate Finish	Insert Finish	1 gang 2 way 400W Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>1X40</b> <b>Product Code</b>	2 gang 2 way 400W Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>2X40</b> <b>Product Code</b>	3 gang 2 way 400W Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>3X40</b> <b>Product Code</b>	4 gang 2 way (Max. 300 watts per gang) Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>4X40</b> <b>Product Code</b>	1 gang 2 way 600W Nom. Plate Size: 86 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>1X60</b> <b>Product Code</b>	1 gang 2 way 1000W Nom. Plate Size: 145 x 86mm Min. Wall Box Depth 35 mm Technical Insert Reference: <b>1X1K</b> <b>Product Code</b>
<b>Bright Chrome</b> 	<b>Bright Chrome</b>	87C 1X40	87C 2X40	87C 3X40	87C 4X40	87C 1X60	87C 1X1K
<b>Polished Brass</b> 	<b>Polished Brass</b>	81C 1X40	81C 2X40	81C 3X40	81C 4X40	81C 1X60	81C 1X1K
<b>Satin Brass</b> 	<b>Satin Brass</b>	82C 1X40	82C 2X40	82C 3X40	82C 4X40	82C 1X60	82C 1X1K
<b>Antique Brass</b> 	<b>Antique Brass</b>	89C 1X40	89C 2X40	89C 3X40	89C 4X40	89C 1X60	89C 1X1K
<b>Satin Stainless</b> 	<b>Satin Stainless</b>	84C 1X40	84C 2X40	84C 3X40	84C 4X40	84C 1X60	84C 1X1K
<b>Satin Nickel</b> 	<b>Satin Stainless</b>	85C 1X40	85C 2X40	85C 3X40	85C 4X40	85C 1X60	85C 1X1K
<b>Black Nickel</b> 	<b>Black Nickel</b>	88C 1X40	88C 2X40	88C 3X40	88C 4X40	88C 1X60	88C 1X1K

87C 1X2V

81C 1X3V

## Concealed Fixing Leading Edge Push On/Off Inductive Dimmers



**1 gang 2 way  
200VA**








Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **1X2V**  
**Product Code**

**1 gang 2 way  
300VA**

Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm

Technical Insert  
Reference: **1X3V**  
**Product Code**

Plate Finish	Insert Finish	87C 1X2V	81C 1X3V
<b>Bright Chrome</b> 	<b>Bright Chrome</b>	87C 1X2V	87C 1X3V
<b>Polished Brass</b> 	<b>Polished Brass</b>	81C 1X2V	81C 1X3V
<b>Satin Brass</b> 	<b>Satin Brass</b>	82C 1X2V	82C 1X3V
<b>Antique Brass</b> 	<b>Antique Brass</b>	89C 1X2V	89C 1X3V
<b>Satin Stainless</b> 	<b>Satin Stainless</b>	84C 1X2V	84C 1X3V
<b>Satin Nickel</b> 	<b>Satin Stainless</b>	85C 1X2V	85C 1X3V
<b>Black Nickel</b> 	<b>Black Nickel</b>	88C 1X2V	88C 1X3V

## Concealed Fixing Trailing Edge Push On/Off Dimmers

Note: When using mains Voltage Halogen Lamps  
- Dimmers should be de-rated by 25%.

Tungsten Filament GU10 Lamps must be Branded  
and with a Fused Base.

87C 1XTE

81C 2XTE

88C 4XTE



**1 gang  
Multi-Way  
250W/VA  
(250W/VA Max.  
25W/VA Min.)**

Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1XTE**

**Product Code**

**2 gang  
Multi-Way  
250W/VA  
(250W/VA Max.  
25W/VA Min.)**

Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **2XTE**

**Product Code**

**3 gang  
Multi-Way  
250W/VA  
(250W/VA Max.  
25W/VA Min.)**

Nom. Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **3XTE**

**Product Code**

**4 gang  
Multi-Way  
250W/VA  
(250W/VA Max.  
25W/VA Min.)**

Nom. Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **4XTE**

**Product Code**

**Plate Finish**

**Insert Finish**

**Bright Chrome**

**Bright Chrome**

87C 1XTE

87C 2XTE

87C 3XTE

87C 4XTE



**Polished Brass**

**Polished Brass**

81C 1XTE

81C 2XTE

81C 3XTE

81C 4XTE



**Satin Brass**

**Satin Brass**

82C 1XTE

82C 2XTE

82C 3XTE

82C 4XTE



**Antique Brass**

**Antique Brass**

89C 1XTE

89C 2XTE

89C 3XTE

89C 4XTE



**Satin Stainless**

**Satin Stainless**

84C 1XTE

84C 2XTE

84C 3XTE

84C 4XTE



**Satin Nickel**

**Satin Stainless**

85C 1XTE

85C 2XTE

85C 3XTE

85C 4XTE



**Black Nickel**

**Black Nickel**

88C 1XTE

88C 2XTE

88C 3XTE

88C 4XTE






87C 1XTM BC-W



81C 1XTM PB-B



82C 4XTM SB-B

## Concealed Fixing Trailing Edge Touch Master Multi-Way Dimmers

Tungsten Filament GU10 Lamps must be branded and with a fused base.

Note: When using wire wound Inductive Load Transformers - Maximum Rating is 210VA.

Note: When using mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.










**1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.)**  
Nom. Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **1XTM**  
**Product Code**

**2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.)**  
Nom. Plate Size: 86 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **2XTM**  
**Product Code**

**3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.)**  
Nom. Plate Size: 145 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **3XTM**  
**Product Code**

**4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.)**  
Nom. Plate Size: 145 x 86 mm  
Min. Wall Box Depth: 35 mm  
Technical Insert Reference: **4XTM**  
**Product Code**

Plate Finish	Insert Finish	Surround Colour	1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>1XTM</b> <b>Product Code</b>	2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>2XTM</b> <b>Product Code</b>	3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>3XTM</b> <b>Product Code</b>	4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>4XTM</b> <b>Product Code</b>
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C 1XTM BC-W 87C 1XTM BC-B	87C 2XTM BC-W 87C 2XTM BC-B	87C 3XTM BC-W 87C 3XTM BC-B	87C 4XTM BC-W 87C 4XTM BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C 1XTM PB-W 81C 1XTM PB-B	81C 2XTM PB-W 81C 2XTM PB-B	81C 3XTM PB-W 81C 3XTM PB-B	81C 4XTM PB-W 81C 4XTM PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C 1XTM SB-W 82C 1XTM SB-B	82C 2XTM SB-W 82C 2XTM SB-B	82C 3XTM SB-W 82C 3XTM SB-B	82C 4XTM SB-W 82C 4XTM SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C 1XTM AB-B	89C 2XTM AB-B	89C 3XTM AB-B	89C 4XTM AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C 1XTM SS-W 84C 1XTM SS-B	84C 2XTM SS-W 84C 2XTM SS-B	84C 3XTM SS-W 84C 3XTM SS-B	84C 4XTM SS-W 84C 4XTM SS-B
<b>Satin Nickel</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	85C 1XTM SS-W 85C 1XTM SS-B	85C 2XTM SS-W 85C 2XTM SS-B	85C 3XTM SS-W 85C 3XTM SS-B	85C 4XTM SS-W 85C 4XTM SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C 1XTM BK-B	88C 2XTM BK-B	88C 3XTM BK-B	88C 4XTM BK-B



87C 1XTS BC-W

84C 2XTS SS-W

89C 4XTS AB-B

## Concealed Fixing Touch Slave Controllers

Note: To only be used with Touch Master Dimmers

Tungsten Filament GU10 Lamps must be branded and with a fused base.

Note: When using wire wound Inductive Load Transformers - Maximum Rating is 210VA.

Note: When using mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.










**1 gang Multi-Way  
250W/VA (250W/VA  
Max. 25W/VA Min.)**  
Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **1XTS**  
**Product Code**

**2 gang Multi-Way  
250W/VA (250W/VA  
Max. 25W/VA Min.)**  
Nom. Plate Size:  
86 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **2XTS**  
**Product Code**

**3 gang Multi-Way  
250W/VA (250W/VA  
Max. 25W/VA Min.)**  
Nom. Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **3XTS**  
**Product Code**

**4 gang Multi-Way  
250W/VA (250W/VA  
Max. 25W/VA Min.)**  
Nom. Plate Size:  
145 x 86 mm  
Min. Wall Box  
Depth: 35 mm  
Technical Insert  
Reference: **4XTS**  
**Product Code**


Plate Finish	Insert Finish	Surround Colour	1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>1XTS</b> <b>Product Code</b>	2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>2XTS</b> <b>Product Code</b>	3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>3XTS</b> <b>Product Code</b>	4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 145 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: <b>4XTS</b> <b>Product Code</b>
<b>Bright Chrome</b> 	<b>Bright Chrome</b> <b>Bright Chrome</b>	<b>White</b> <b>Black</b>	87C 1XTS BC-W 87C 1XTS BC-B	87C 2XTS BC-W 87C 2XTS BC-B	87C 3XTS BC-W 87C 3XTS BC-B	87C 4XTS BC-W 87C 4XTS BC-B
<b>Polished Brass</b> 	<b>Polished Brass</b> <b>Polished Brass</b>	<b>White</b> <b>Black</b>	81C 1XTS PB-W 81C 1XTS PB-B	81C 2XTS PB-W 81C 2XTS PB-B	81C 3XTS PB-W 81C 3XTS PB-B	81C 4XTS PB-W 81C 4XTS PB-B
<b>Satin Brass</b> 	<b>Satin Brass</b> <b>Satin Brass</b>	<b>White</b> <b>Black</b>	82C 1XTS SB-W 82C 1XTS SB-B	82C 2XTS SB-W 82C 2XTS SB-B	82C 3XTS SB-W 82C 3XTS SB-B	82C 4XTS SB-W 82C 4XTS SB-B
<b>Antique Brass</b> 	<b>Antique Brass</b>	<b>Black</b>	89C 1XTS AB-B	89C 2XTS AB-B	89C 3XTS AB-B	89C 4XTS AB-B
<b>Satin Stainless</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	84C 1XTS SS-W 84C 1XTS SS-B	84C 2XTS SS-W 84C 2XTS SS-B	84C 3XTS SS-W 84C 3XTS SS-B	84C 4XTS SS-W 84C 4XTS SS-B
<b>Satin Nickel</b> 	<b>Satin Stainless</b> <b>Satin Stainless</b>	<b>White</b> <b>Black</b>	85C 1XTS SS-W 85C 1XTS SS-B	85C 2XTS SS-W 85C 2XTS SS-B	85C 3XTS SS-W 85C 3XTS SS-B	85C 4XTS SS-W 85C 4XTS SS-B
<b>Black Nickel</b> 	<b>Black Nickel</b>	<b>Black</b>	88C 1XTS BK-B	88C 2XTS BK-B	88C 3XTS BK-B	88C 4XTS BK-B



84C 1GP



87C 2GP



81C 4GP

## Concealed Fixing GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on GRID-IT insert fitted.



### 1 gang Aperture Grid Fix

Nom. Plate Size:  
86 x 86 mm  
Technical Insert  
Reference: **1GP**  
**Product Code**



### 2 gang Aperture Grid Fix

Nom. Plate Size:  
86 x 86 mm  
Technical Insert  
Reference: **2GP**  
**Product Code**



### 3 gang Aperture Grid Fix

Nom. Plate Size:  
145 x 86 mm  
Technical Insert  
Reference: **3GP**  
**Product Code**



### 4 gang Aperture Grid Fix

Nom. Plate Size:  
145 x 86 mm  
Technical Insert  
Reference: **4GP**  
**Product Code**

### Plate Finish

#### Bright Chrome



#### Polished Brass



#### Satin Brass



#### Antique Brass



#### Satin Stainless



#### Satin Nickel



#### Black Nickel



87C 1GP

87C 2GP

87C 3GP

87C 4GP

81C 1GP

81C 2GP

81C 3GP

81C 4GP

82C 1GP

82C 2GP

82C 3GP

82C 4GP

89C 1GP

89C 2GP

89C 3GP

89C 4GP

84C 1GP

84C 2GP

84C 3GP

84C 4GP

85C 1GP

85C 2GP

85C 3GP

85C 4GP

88C 1GP

88C 2GP

88C 3GP

88C 4GP

## Spare Grids complete with Gasket



### 1 gang Grid with Gasket

Nominal Size:  
86 x 86 mm  
**Product Code**

8C1G



### 2 gang Grid with Gasket

Nominal Size:  
86 x 86 mm  
**Product Code**

8C2G



### 3 gang Grid with Gasket

Nominal Size:  
145 x 86 mm  
**Product Code**


8C3G



### 4 gang Grid with Gasket

Nominal Size:  
145 x 86 mm  
**Product Code**

8C4G



87C EURO1








81C EURO4

84C BPS

## Concealed Fixing EuroFix Plates

Minimum Wall Box Depth is dependent on the EuroFix insert fitted.



Plate Finish	1 Module EuroFix Plate	2 Module EuroFix Plate	3 Module Eurofix Plate	4 Module EuroFix Plate
	Nom. Plate Size: 86 x 86 mm Aperture: 25 x 50 mm Technical Insert Reference: <b>EURO1</b> <b>Product Code</b>	Nom. Plate Size: 86 x 86 mm Aperture: 50 x 50 mm Technical Insert Reference: <b>EURO2</b> <b>Product Code</b>	Nom. Plate Size: 145 x 86 mm Aperture: 75 x 50 mm Technical Insert Reference: <b>EURO3</b> <b>Product Code</b>	Nom. Plate Size: 145 x 86 mm Aperture: 100 x 50 mm Technical Insert Reference: <b>EURO4</b> <b>Product Code</b>
<b>Bright Chrome</b> 	87C EURO1	87C EURO2	87C EURO3	87C EURO4
<b>Polished Brass</b> 	81C EURO1	81C EURO2	81C EURO3	81C EURO4
<b>Satin Brass</b> 	82C EURO1	82C EURO2	82C EURO3	82C EURO4
<b>Antique Brass</b> 	89C EURO1	89C EURO2	89C EURO3	89C EURO4
<b>Satin Stainless</b> 	84C EURO1	84C EURO2	84C EURO3	84C EURO4
<b>Satin Nickel</b> 	85C EURO1	85C EURO2	85C EURO3	85C EURO4
<b>Black Nickel</b> 	88C EURO1	88C EURO2	88C EURO3	88C EURO4

## Concealed Fixing Blank Plates

Plate Finish	Single Blank Plate	Double Blank Plate
	Nom. Plate Size: 86 x 86 mm Technical Insert Reference: <b>BPS</b>	Nom. Plate Size: 145 x 86 mm Technical Insert Reference: <b>BPD</b>
<b>Bright Chrome</b> 	87C BPS	87C BPD
<b>Polished Brass</b> 	81C BPS	81C BPD
<b>Satin Brass</b> 	82C BPS	82C BPD
<b>Antique Brass</b> 	89C BPS	89C BPD
<b>Satin Stainless</b> 	84C BPS	84C BPD
<b>Satin Nickel</b> 	85C BPS	85C BPD
<b>Black Nickel</b> 	88C BPS	88C BPD

NEW ADDITIONS

# Sheer CFX®



**Other products available from the Hamilton Group**

- Linea-CFX Concealed Fixing Collection
- Grid-It Grid Fix Accessories
- Hartland CFX Concealed Fixing
- Hartland Range (Box Fix)
- Sheer Range (Box Fix)
- Cheriton Range (Box Fix)
- Woods & Bloomsbury Range
- Digital Mercury Lighting Controls
- Data and Media Range (Data & Communication Outlets)
- IP Weatherproof Switches and Sockets
- Sheer Floor Sockets
- Hotel Card Switch
- Luxury Door Handles

*All products listed conform to current British or European standards and the product information is correct at the time of going to press.*

*It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.*

*Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.*

*Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.*

**Hamilton**  
Litestat group



BS EN ISO 9001:2000  
CERT NO. FM11238

For further information please contact:  
R. Hamilton & Co. Ltd., Quarry Industrial Estate, Mere, Wiltshire BA12 6LA, UK  
Telephone: +44 (0)1747 860088 Facsimile: +44 (0)1747 861032  
email: [info@hamilton-litestat.com](mailto:info@hamilton-litestat.com) [www.hamilton-litestat.com](http://www.hamilton-litestat.com)

