

NEW ACCESSORIES

| | |
|------------|--------------|
| Unit class | EPIC |
| L74 735 | K712 |
| CI/Sfb | (62X) (63) X |

Sheer *Sheer* *Luxury*
Quality - Assured

Sheer®



Hamilton for excellence and elegance

Quality BOX FIX Accessories on Stylish Flat Plates

exclusive design...

Super Flat Plates designed to compliment todays modern interiors.

exclusive finishes...

The finest materials and production standards are employed to produce a choice of eight superb metal plate finishes and one Oyster finish.

exclusive choice...


Most plate finishes are available with either Black or White insert surrounds.



87 2X40



81 T22



89 SPN AB-B



83 SS1 BC-W




84 1X40



8P R22 PO-W



Hamilton Sheer ▶ Plate Depth 1.5 mm including Gasket



Box-Fix to Back Box

Rocker Switches



89 R21 AB-B



1 gang 2 way 10AX Rocker

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R21**
Product Code



2 gang 2 way 10AX Rocker

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R22**
Product Code



3 gang 2 way 10AX Rocker

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R23**
Product Code












4 gang 2 way 10AX Rocker

Nominal Plate Size:
146 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R24**
Product Code



6 gang 2 way 10AX Rocker

Nominal Plate Size:
146 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R26**
Product Code

| Plate Finish | Insert Finish | Surround Colour | 1 gang 2 way 10AX Rocker Product Code | 2 gang 2 way 10AX Rocker Product Code | 3 gang 2 way 10AX Rocker Product Code | 4 gang 2 way 10AX Rocker Product Code | 6 gang 2 way 10AX Rocker Product Code |
|--|--|--|--|--|--|--|--|
| Bright Chrome  | Bright Chrome Bright Chrome White Plastic Black Plastic | White Black White Black | 87 R21 BC-W 87 R21 BC-B 87 R21 WH-W 87 R21 BL-B | 87 R22 BC-W 87 R22 BC-B 87 R22 WH-W 87 R22 BL-B | 87 R23 BC-W 87 R23 BC-B 87 R23 WH-W 87 R23 BL-B | 87 R24 BC-W 87 R24 BC-B 87 R24 WH-W 87 R24 BL-B | 87 R26 BC-W 87 R26 BC-B 87 R26 WH-W 87 R26 BL-B |
| Satin Chrome  | Satin Chrome Satin Chrome White Plastic Black Plastic | White Black White Black | 86 R21 SC-W 86 R21 SC-B 86 R21 WH-W 86 R21 BL-B | 86 R22 SC-W 86 R22 SC-B 86 R22 WH-W 86 R22 BL-B | 86 R23 SC-W 86 R23 SC-B 86 R23 WH-W 86 R23 BL-B | 86 R24 SC-W 86 R24 SC-B 86 R24 WH-W 86 R24 BL-B | 86 R26 SC-W 86 R26 SC-B 86 R26 WH-W 86 R26 BL-B |
| Polished Brass  | Polished Brass Polished Brass White Plastic Black Plastic | White Black White Black | 81 R21 PB-W 81 R21 PB-B 81 R21 WH-W 81 R21 BL-B | 81 R22 PB-W 81 R22 PB-B 81 R22 WH-W 81 R22 BL-B | 81 R23 PB-W 81 R23 PB-B 81 R23 WH-W 81 R23 BL-B | 81 R24 PB-W 81 R24 PB-B 81 R24 WH-W 81 R24 BL-B | 81 R26 PB-W 81 R26 PB-B 81 R26 WH-W 81 R26 BL-B |
| Satin Brass  | Satin Brass Satin Brass White Plastic Black Plastic | White Black White Black | 82 R21 SB-W 82 R21 SB-B 82 R21 WH-W 82 R21 BL-B | 82 R22 SB-W 82 R22 SB-B 82 R22 WH-W 82 R22 BL-B | 82 R23 SB-W 82 R23 SB-B 82 R23 WH-W 82 R23 BL-B | 82 R24 SB-W 82 R24 SB-B 82 R24 WH-W 82 R24 BL-B | 82 R26 SB-W 82 R26 SB-B 82 R26 WH-W 82 R26 BL-B |
| Antique Brass  | Antique Brass | Black | 89 R21 AB-B | 89 R22 AB-B | 89 R23 AB-B | 89 R24 AB-B | 89 R26 AB-B |
| Bright Stainless  | Bright Chrome Bright Chrome White Plastic Black Plastic | White Black White Black | 83 R21 BC-W 83 R21 BC-B | 83 R22 BC-W 83 R22 BC-B | 83 R23 BC-W 83 R23 BC-B | 83 R24 BC-W 83 R24 BC-B | 83 R26 BC-W 83 R26 BC-B |
| Satin Stainless  | Satin Stainless Satin Stainless White Plastic Black Plastic | White Black White Black | 84 R21 SS-W 84 R21 SS-B 84 R21 WH-W 84 R21 BL-B | 84 R22 SS-W 84 R22 SS-B 84 R22 WH-W 84 R22 BL-B | 84 R23 SS-W 84 R23 SS-B 84 R23 WH-W 84 R23 BL-B | 84 R24 SS-W 84 R24 SS-B 84 R24 WH-W 84 R24 BL-B | 84 R26 SS-W 84 R26 SS-B 84 R26 WH-W 84 R26 BL-B |
| Black Nickel  | Black Nickel | Black | 88 R21 BK-B | 88 R22 BK-B | 88 R23 BK-B | 88 R24 BK-B | 88 R26 BK-B |
| Pearl Oyster  | Pearl Oyster | White | 8P R21 PO-W | 8P R22 PO-W | 8P R23 PO-W | 8P R24 PO-W | 8P R26 PO-W |

Rocker Switches



87 R32 BC-W



1 gang 10AX Intermediate Rocker

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R31**
Product Code



2 gang 10AX Intermediate Rocker

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **R32**
Product Code












1 gang 10AX PTM Retractive Rocker

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **RRT**
Product Code



1 gang 10A Triple Pole Rocker

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 25 mm
Technical Insert
Reference: **RTP**
Product Code

| Plate Finish | Insert Finish | Surround Colour | 1 gang 10AX Intermediate Rocker | 2 gang 10AX Intermediate Rocker | 1 gang 10AX PTM Retractive Rocker | 1 gang 10A Triple Pole Rocker |
|--|--|----------------------------------|--|--|--|------------------------------------|
| Bright Chrome  | Bright Chrome Bright Chrome White Plastic Black Plastic | White Black White Black | 87 R31 BC-W 87 R31 BC-B 87 R31 WH-W 87 R31 BL-B | 87 R32 BC-W 87 R32 BC-B 87 R32 WH-W 87 R32 BL-B | 87 RRT BC-W 87 RRT BC-B 87 RRT WH-W 87 RRT BL-B | – – 87 TP WH-W 87 TP BL-B |
| Satin Chrome  | Satin Chrome Satin Chrome White Plastic Black Plastic | White Black White Black | 86 R31 SC-W 86 R31 SC-B 86 R31 WH-W 86 R31 BL-B | 86 R32 SC-W 86 R32 SC-B 86 R32 WH-W 86 R32 BL-B | 86 RRT SC-W 86 RRT SC-B 86 RRT WH-W 86 RRT BL-B | – – 86 TP WH-W 86 TP BL-B |
| Polished Brass  | Polished Brass Polished Brass White Plastic Black Plastic | White Black White Black | 81 R31 PB-W 81 R31 PB-B 81 R31 WH-W 81 R31 BL-B | 81 R32 PB-W 81 R32 PB-B 81 R32 WH-W 81 R32 BL-B | 81 RRT PB-W 81 RRT PB-B 81 RRT WH-W 81 RRT BL-B | – – 81 TP WH-W 81 TP BL-B |
| Satin Brass  | Satin Brass Satin Brass White Plastic Black Plastic | White Black White Black | 82 R31 SB-W 82 R31 SB-B 82 R31 WH-W 82 R31 BL-B | 82 R32 SB-W 82 R32 SB-B 82 R32 WH-W 82 R32 BL-B | 82 RRT SB-W 82 RRT SB-B 82 RRT WH-W 82 RRT BL-B | – – 82 TP WH-W 82 TP BL-B |
| Antique Brass  | Antique Brass | Black | 89 R31 AB-B | – | – | 89 TP BL-B |
| Bright Stainless  | Bright Chrome Bright Chrome White Plastic Black Plastic | White Black White Black | 83 R31 BC-W 83 R31 BC-B – – | 83 R32 BC-W 83 R32 BC-B – – | 83 RRT BC-W 83 RRT BC-B – – | – – 83 TP WH-W 83 TP BL-B |
| Satin Stainless  | Satin Stainless Satin Stainless White Plastic Black Plastic | White Black White Black | 84 R31 SS-W 84 R31 SS-B 84 R31 WH-W 84 R31 BL-B | 84 R32 SS-W 84 R32 SS-B 84 R32 WH-W 84 R32 BL-B | 84 RRT SS-W 84 RRT SS-B 84 RRT WH-W 84 RRT BL-B | – – 84 TP WH-W 84 TP BL-B |
| Black Nickel  | Black Nickel | Black | 88 R31 BK-B | – | – | 88 TP BL-B |
| Pearl Oyster  | Pearl Oyster | White | 8P R31 PO-W | – | – | 8P TP WH-W |

Hamilton® Sheer

Toggle Switches



81 T22



**1 gang
2 way 20AX
Toggle**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T21**
Product Code

**2 gang
2 way 20AX
Toggle**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T22**
Product Code

**3 gang
2 way 20AX
Toggle**

Nom. Plate Size:
146 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T23**
Product Code

**4 gang
2 way 20AX
Toggle**

Nom. Plate Size:
146 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T24**
Product Code

**1 gang 20AX
Intermediate
Toggle**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **T31**
Product Code

**1 gang 20AX
Double Pole
Toggle**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TDP**
Product Code

**1 gang
10AX PTM
Retractive
Toggle**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TRT**
Product Code

Plate Finish Insert Finish

Bright Chrome Bright Chrome



87 T21

87 T22

87 T23

87 T24

87 T31

87 TDP

87 TRT

Satin Chrome Satin Chrome



86 T21

86 T22

86 T23

86 T24

86 T31

86 TDP

86 TRT

Polished Brass Polished Brass



81 T21

81 T22

81 T23

81 T24

81 T31

81 TDP

81 TRT

Satin Brass Satin Brass



82 T21

82 T22

82 T23

82 T24

82 T31

82 TDP

82 TRT

Antique Brass Antique Brass



89 T21

89 T22

89 T23

89 T24

89 T31

89 TDP

89 TRT

Bright Stainless Bright Chrome



83 T21

83 T22

83 T23

83 T24

83 T31

83 TDP

83 TRT

Satin Stainless Satin Stainless



84 T21

84 T22

84 T23

84 T24

84 T31

84 TDP

84 TRT

Black Nickel Black Nickel



88 T21

88 T22

88 T23

88 T24

88 T31

88 TDP

88 TRT

Pearl Oyster Pearl Oyster



8P T21

8P T22

8P T23

8P T24

8P T31


8P TDP

8P TRT

Power Sockets



88 SS1 BK-B



1 gang 13A Double Pole Switched Socket

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code

2 gang 13A Double Pole Switched Socket

Nom. Plate Size: 146 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code

1 gang 2A Unswitched Socket

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code

1 gang 5A Unswitched Socket

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code

1 gang 13A Unswitched Socket










Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code

2 gang 13A Unswitched Socket

Nom. Plate Size: 146 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **SS1**
Product Code

Shaver Dual Voltage Unswitched Socket

Nom. Plate Size: 86 x 146 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SS1**
Product Code

| Plate Finish | Insert Finish | Surround Colour | 1 gang 13A Double Pole Switched Socket | 2 gang 13A Double Pole Switched Socket | 1 gang 2A Unswitched Socket | 1 gang 5A Unswitched Socket | 1 gang 13A Unswitched Socket | 2 gang 13A Unswitched Socket | Shaver Dual Voltage Unswitched Socket |
|---|-----------------|-----------------|--|--|-----------------------------|-----------------------------|------------------------------|------------------------------|---------------------------------------|
| Bright Chrome  | Bright Chrome | White | 87 SS1 BC-W | 87 SS2 BC-W | - | - | - | - | - |
| | Bright Chrome | Black | 87 SS1 BC-B | 87 SS2 BC-B | - | - | - | - | - |
| | White Plastic | White | 87 SS1 WH-W | 87 SS2 WH-W | 87 US2 W | 87 US5 W | 87 US13 W | 87 US99 W | 87 SHS W |
| | Black Plastic | Black | 87 SS1 BL-B | 87 SS2 BL-B | 87 US2 B | 87 US5 B | 87 US13 B | 87 US99 B | 87 SHS B |
| Satin Chrome  | Satin Chrome | White | 86 SS1 SC-W | 86 SS2 SC-W | - | - | - | - | - |
| | Satin Chrome | Black | 86 SS1 SC-B | 86 SS2 SC-B | - | - | - | - | - |
| | White Plastic | White | 86 SS1 WH-W | 86 SS2 WH-W | 86 US2 W | 86 US5 W | 86 US13 W | 86 US99 W | 86 SHS W |
| | Black Plastic | Black | 86 SS1 BL-B | 86 SS2 BL-B | 86 US2 B | 86 US5 B | 86 US13 B | 86 US99 B | 86 SHS B |
| Polished Brass  | Polished Brass | White | 81 SS1 PB-W | 81 SS2 PB-W | - | - | - | - | - |
| | Polished Brass | Black | 81 SS1 PB-B | 81 SS2 PB-B | - | - | - | - | - |
| | White Plastic | White | 81 SS1 WH-W | 81 SS2 WH-W | 81 US2 W | 81 US5 W | 81 US13 W | 81 US99 W | 81 SHS W |
| | Black Plastic | Black | 81 SS1 BL-B | 81 SS2 BL-B | 81 US2 B | 81 US5 B | 81 US13 B | 81 US99 B | 81 SHS B |
| Satin Brass  | Satin Brass | White | 82 SS1 SB-W | 82 SS2 SB-W | - | - | - | - | - |
| | Satin Brass | Black | 82 SS1 SB-B | 82 SS2 SB-B | - | - | - | - | - |
| | White Plastic | White | 82 SS1 WH-W | 82 SS2 WH-W | 82 US2 W | 82 US5 W | 82 US13 W | 82 US99 W | 82 SHS W |
| | Black Plastic | Black | 82 SS1 BL-B | 82 SS2 BL-B | 82 US2 B | 82 US5 B | 82 US13 B | 82 US99 B | 82 SHS B |
| Antique Brass  | Antique Brass | Black | 89 SS1 AB-B | 89 SS2 AB-B | - | - | - | - | - |
| | Black Plastic | Black | - | - | 89 US2 B | 89 US5 B | 89 US13 B | 89 US99 B | 89 SHS B |
| Bright Stainless  | Bright Chrome | White | 83 SS1 BC-W | 83 SS2 BC-W | - | - | - | - | - |
| | Bright Chrome | Black | 83 SS1 BC-B | 83 SS2 BC-B | - | - | - | - | - |
| | White Plastic | White | - | - | 83 US2 W | 83 US5 W | 83 US13 W | 83 US99 W | 83 SHS W |
| | Black Plastic | Black | - | - | 83 US2 B | 83 US5 B | 83 US13 B | 83 US99 B | 83 SHS B |
| Satin Stainless  | Satin Stainless | White | 84 SS1 SS-W | 84 SS2 SS-W | - | - | - | - | - |
| | Satin Stainless | Black | 84 SS1 SS-B | 84 SS2 SS-B | - | - | - | - | - |
| | White Plastic | White | 84 SS1 WH-W | 84 SS2 WH-W | 84 US2 W | 84 US5 W | 84 US13 W | 84 US99 W | 84 SHS W |
| | Black Plastic | Black | 84 SS1 BL-B | 84 SS2 BL-B | 84 US2 B | 84 US5 B | 84 US13 B | 84 US99 B | 84 SHS B |
| Black Nickel  | Black Nickel | Black | 88 SS1 BK-B | 88 SS2 BK-B | - | - | - | - | - |
| | Black Plastic | Black | - | - | 88 US2 B | 88 US5 B | - | - | 88 SHS B |
| Pearl Oyster  | Pearl Oyster | White | 8P SS1 PO-W | 8P SS2 PO-W | - | - | - | - | - |
| | White Plastic | White | - | - | 8P US2 W | 8P US5 W | - | - | 8P SHS W |

Television Coaxial Sockets



81 TV W



**1 gang
Non Isolated
Television
1 In/1 Out**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TV**
Product Code



**2 gang
Non Isolated
Television
2 In/2 Out**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TV2**
Product Code



**2 gang
Isolated
TV/FM
1 In/2 Out**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TVFM**
Product Code



**1 gang
Isolated
Television
1 In/1 Out**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TVI**
Product Code



**1 gang
Non Isolated
TV + 1 gang
Non Isolated
Satellite**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **TVSAT**
Product Code



**1 gang
Non Isolated
Satellite**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SATN**
Product Code



**1 gang
Isolated
Satellite**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SATI**
Product Code

Plate Finish

Insert Colour

Bright Chrome

**White Plastic
Black Plastic**



87 TV W
87 TV B

87 TV2 W
87 TV2 B

87 TVFM W
87 TVFM B

87 TVI W
87 TVI B

87 TVSAT W
87 TVSAT B

87 SATN W
87 SATN B

87 SATI W
87 SATI B

Satin Chrome

**White Plastic
Black Plastic**



86 TV W
86 TV B

86 TV2 W
86 TV2 B

86 TVFM W
86 TVFM B

86 TVI W
86 TVI B

86 TVSAT W
86 TVSAT B

86 SATN W
86 SATN B

86 SATI W
86 SATI B

Polished Brass

**White Plastic
Black Plastic**



81 TV W
81 TV B

81 TV2 W
81 TV2 B

81 TVFM W
81 TVFM B

81 TVI W
81 TVI B

81 TVSAT W
81 TVSAT B

81 SATN W
81 SATN B

81 SATI W
81 SATI B

Satin Brass

**White Plastic
Black Plastic**



82 TV W
82 TV B

82 TV2 W
82 TV2 B

82 TVFM W
82 TVFM B

82 TVI W
82 TVI B

82 TVSAT W
82 TVSAT B

82 SATN W
82 SATN B

82 SATI W
82 SATI B

Antique Brass

Black Plastic



89 TV B

89 TV2 B

89 TVFM B

89 TVI B

89 TVSAT B

89 SATN B

89 SATI B

Bright Stainless

**White Plastic
Black Plastic**



83 TV W
83 TV B

83 TV2 W
83 TV2 B

83 TVFM W
83 TVFM B

83 TVI W
83 TVI B

83 TVSAT W
83 TVSAT B

83 SATN W
83 SATN B

83 SATI W
83 SATI B

Satin Stainless

**White Plastic
Black Plastic**



84 TV W
84 TV B

84 TV2 W
84 TV2 B

84 TVFM W
84 TVFM B

84 TVI W
84 TVI B

84 TVSAT W
84 TVSAT B

84 SATN W
84 SATN B

84 SATI W
84 SATI B

Black Nickel

Black Plastic



88 TV B

88 TV2 B

88 TVFM B

88 TVI B

88 TVSAT B

88 SATN B

88 SATI B

Pearl Oyster

White Plastic



8P TV W

8P TV2 W

8P TVFM W


8P TVI W

8P TVSAT W

8P SATN W

8P SATI W

Digital Television Sockets - Screened Non Isolated - DAB Compatible



**1 gang TV +
1 gang FM +
1 gang Satellite**

Nom. Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTRID**

Product Code

**1 gang
TV (Female)**

Nom. Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVF**

Product Code

**1 gang
TV (Male)**

Nom. Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DTVM**

Product Code

**1 gang
Satellite**

Nom. Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT**

Product Code

**1 gang TV +
1 gang FM +
1 gang Satellite 1 +
1 gang Satellite 2**

Nom. Plate Size:
86 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DENT**

Product Code

**1 gang TV +
1 gang FM +
1 gang Satellite 1 +
1 gang Satellite 2 +
1 gang TVF +
1 gang TCS**

Nom. Plate Size:
146 x 86 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **DSAT+**

Product Code

Plate Finish

Insert Colour

Bright Chrome

**White Plastic
Black Plastic**

87 DTRID W
87 DTRID B

87 DTVF W
87 DTVF B

87 DTVM W
87 DTVM B

87 DSAT W
87 DSAT B

87 DENT W
87 DENT B

87 DSAT+ W
87 DSAT+ B



Satin Chrome

**White Plastic
Black Plastic**

86 DTRID W
86 DTRID B

86 DTVF W
86 DTVF B

86 DTVM W
86 DTVM B

86 DSAT W
86 DSAT B

86 DENT W
86 DENT B

86 DSAT+ W
86 DSAT+ B



Polished Brass

**White Plastic
Black Plastic**

81 DTRID W
81 DTRID B

81 DTVF W
81 DTVF B

81 DTVM W
81 DTVM B

81 DSAT W
81 DSAT B

81 DENT W
81 DENT B

81 DSAT+ W
81 DSAT+ B



Satin Brass

**White Plastic
Black Plastic**

82 DTRID W
82 DTRID B

82 DTVF W
82 DTVF B

82 DTVM W
82 DTVM B

82 DSAT W
82 DSAT B

82 DENT W
82 DENT B

82 DSAT+ W
82 DSAT+ B



Antique Brass

Black Plastic

89 DTRID B

89 DTVF B

89 DTVM B

89 DSAT B

89 DENT B

89 DSAT+ B



Bright Stainless

**White Plastic
Black Plastic**

83 DTRID W
83 DTRID B

83 DTVF W
83 DTVF B

83 DTVM W
83 DTVM B

83 DSAT W
83 DSAT B

83 DENT W
83 DENT B

83 DSAT+ W
83 DSAT+ B



Satin Stainless

**White Plastic
Black Plastic**

84 DTRID W
84 DTRID B

84 DTVF W
84 DTVF B

84 DTVM W
84 DTVM B

84 DSAT W
84 DSAT B

84 DENT W
84 DENT B

84 DSAT+ W
84 DSAT+ B



Black Nickel

Black Plastic

88 DTRID B

88 DTVF B

88 DTVM B

88 DSAT B

88 DENT B

88 DSAT+ B



Pearl Oyster

White Plastic

8P DTRID W

8P DTVF W

8P DTVM W

8P DSAT W

8P DENT W

8P DSAT+ W



Telephone and Data Outlets



81 TCM W



1 gang Telephone Master

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TCM**
Product Code



1 gang Telephone Slave

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TCS**
Product Code



1 gang RJ12 Outlet Unshielded

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **J12**
Product Code



2 gang RJ12 Outlet Unshielded

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2J12**
Product Code



1 gang RJ45 CAT 5E Outlet Unshielded

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **J45**
Product Code



2 gang RJ45 CAT 5E Outlet Unshielded

Nom. Plate Size: 86 x 86 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **2J45**
Product Code

Plate Finish

Insert Colour

Bright Chrome



White Plastic Black Plastic

87 TCM W
87 TCM B

87 TCS W
87 TCS B

87 J12 W
87 J12 B

87 2J12 W
87 2J12 B

87 J45 W
87 J45 B

87 2J45 W
87 2J45 B

Satin Chrome



White Plastic Black Plastic

86 TCM W
86 TCM B

86 TCS W
86 TCS B

86 J12 W
86 J12 B

86 2J12 W
86 2J12 B

86 J45 W
86 J45 B

86 2J45 W
86 2J45 B

Polished Brass



White Plastic Black Plastic

81 TCM W
81 TCM B

81 TCS W
81 TCS B

81 J12 W
81 J12 B

81 2J12 W
81 2J12 B

81 J45 W
81 J45 B

81 2J45 W
81 2J45 B

Satin Brass



White Plastic Black Plastic

82 TCM W
82 TCM B

82 TCS W
82 TCS B

82 J12 W
82 J12 B

82 2J12 W
82 2J12 B

82 J45 W
82 J45 B

82 2J45 W
82 2J45 B

Antique Brass



Black Plastic

89 TCM B

89 TCS B

89 J12 B

89 2J12 B

89 J45 B

89 2J45 B

Bright Stainless



White Plastic Black Plastic

83 TCM W
83 TCM B

83 TCS W
83 TCS B

83 J12 W
83 J12 B

83 2J12 W
83 2J12 B

83 J45 W
83 J45 B

83 2J45 W
83 2J45 B

Satin Stainless



White Plastic Black Plastic

84 TCM W
84 TCM B

84 TCS W
84 TCS B

84 J12 W
84 J12 B

84 2J12 W
84 2J12 B

84 J45 W
84 J45 B

84 2J45 W
84 2J45 B

Black Nickel



Black Plastic

88 TCM B

88 TCS B

88 J12 B

88 2J12 B

88 J45 B

88 2J45 B

Pearl Oyster



White Plastic

8P TCM W

8P TCS W

8P J12 W

8P 2J12 W

8P J45 W










8P 2J45 W

Double Pole Switches



86 45N W



| Plate Finish | Insert Finish | Surround Colour | 1 gang 20AX Double Pole Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DP Product Code | 1 gang 20AX Double Pole Rocker + Neon Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPN Product Code | 1 gang 20AX Double Pole Rocker + Neon + Cable Outlet Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: DPNC Product Code | 1 gang 45A Double Pole Red Rocker Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45 Product Code | 1 gang 45A Double Pole Red Rocker + Neon Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45N Product Code | 1 gang 45A Vertical Double Pole Red Rocker + Neon Nom. Plate Size: 86 x 146 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45V Product Code | 1 gang 45A Double Pole Red Rocker + Neon + 13A Switched Socket Nom. Plate Size: 146 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 45SS1 Product Code |
|---|---|---|---|---|---|--|--|--|---|
| Bright Chrome  | Bright Chrome Bright Chrome White Plastic Black Plastic Red Plastic Red Plastic | White Black White Black White Black | 87 DP BC-W 87 DP BC-B 87 DP WH-W 87 DP BL-B - - | 87 DPN BC-W 87 DPN BC-B 87 DPN WH-W 87 DPN BL-B - - | 87 DPNC BC-W 87 DPNC BC-B 87 DPNC WH-W 87 DPNC BL-B - - | - - - - 87 45 W 87 45 B | - - - - 87 45N W 87 45N B | - - - - 87 45V W 87 45V B | 87 45SS1 BC-W 87 45SS1 BC-B 87 45SS1 WH-W 87 45SS1 BL-B - - |
| Satin Chrome  | Satin Chrome Satin Chrome White Plastic Black Plastic Red Plastic Red Plastic | White Black White Black White Black | 86 DP SC-W 86 DP SC-B 86 DP WH-W 86 DP BL-B - - | 86 DPN SC-W 86 DPN SC-B 86 DPN WH-W 86 DPN BL-B - - | 86 DPNC SC-W 86 DPNC SC-B 86 DPNC WH-W 86 DPNC BL-B - - | - - - - 86 45 W 86 45 B | - - - - 86 45N W 86 45N B | - - - - 86 45V W 86 45V B | 86 45SS1 SC-W 86 45SS1 SC-B 86 45SS1 WH-W 86 45SS1 BL-B - - |
| Polished Brass  | Polished Brass Polished Brass White Plastic Black Plastic Red Plastic Red Plastic | White Black White Black White Black | 81 DP PB-W 81 DP PB-B 81 DP WH-W 81 DP BL-B - - | 81 DPN PB-W 81 DPN PB-B 81 DPN WH-W 81 DPN BL-B - - | 81 DPNC PB-W 81 DPNC PB-B 81 DPNC WH-W 81 DPNC BL-B - - | - - - - 81 45 W 81 45 B | - - - - 81 45N W 81 45N B | - - - - 81 45V W 81 45V B | 81 45SS1 PB-W 81 45SS1 PB-B 81 45SS1 WH-W 81 45SS1 BL-B - - |
| Satin Brass  | Satin Brass Satin Brass White Plastic Black Plastic Red Plastic Red Plastic | White Black White Black White Black | 82 DP SB-W 82 DP SB-B 82 DP WH-W 82 DP BL-B - - | 82 DPN SB-W 82 DPN SB-B 82 DPN WH-W 82 DPN BL-B - - | 82 DPNC SB-W 82 DPNC SB-B 82 DPNC WH-W 82 DPNC BL-B - - | - - - - 82 45 W 82 45 B | - - - - 82 45N W 82 45N B | - - - - 82 45V W 82 45V B | 82 45SS1 SB-W 82 45SS1 SB-B 82 45SS1 WH-W 82 45SS1 BL-B - - |
| Antique Brass  | Antique Brass Red Plastic | Black Black | - - | 89 DPN AB-B - | - - | - 89 45 B | - 89 45N B | - - | 89 45SS1 AB-B - |
| Bright Stainless  | Bright Chrome Bright Chrome Red Plastic Red Plastic | White Black White Black | 83 DP BC-W 83 DP BC-B - - | 83 DPN BC-W 83 DPN BC-B - - | 83 DPNC BC-W 83 DPNC BC-B - - | - - 83 45 W 83 45 B | - - 83 45N W 83 45N B | - - 83 45V W 83 45V B | 83 45SS1 BC-W 83 45SS1 BC-B - - |
| Satin Stainless  | Satin Stainless Satin Stainless White Plastic Black Plastic Red Plastic Red Plastic | White Black White Black White Black | 84 DP SS-W 84 DP SS-B 84 DP WH-W 84 DP BL-B - - | 84 DPN SS-W 84 DPN SS-B 84 DPN WH-W 84 DPN BL-B - - | 84 DPNC SS-W 84 DPNC SS-B 84 DPNC WH-W 84 DPNC BL-B - - | - - - - 84 45 W 84 45 B | - - - - 84 45N W 84 45N B | - - - - 84 45V W 84 45V B | 84 45SS1 SS-W 84 45SS1 SS-B 84 45SS1 WH-W 84 45SS1 BL-B - - |
| Black Nickel  | Black Nickel Red Plastic | Black Black | - - | 88 DPN BK-B - | - - | - 88 45 B | - 88 45N B | - - | 88 45SS1 BK-B - |
| Pearl Oyster  | Pearl Oyster Red Plastic | White White | - - | 8P DPN PO-W - | - - | - 8P 45 W | - 8P 45N W | - - | 8P 45SS1 PO-W - |

Connection Units



1 gang 13A Fused Spur Double Pole

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **SP**
Product Code



1 gang 13A Fused Spur Double Pole + Neon

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **SPN**
Product Code



1 gang 13A Fused Spur Double Pole + Neon + Cable Outlet

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **SPNC**
Product Code












1 gang 13A Fuse Only

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **FO**
Product Code



1 gang 13A Fuse Only + Cable Outlet

Nominal Plate Size: 86 x 86 mm
Minimum Wall Box Depth: 35 mm
Technical Insert Reference: **FOC**
Product Code

| Plate Finish | Insert Finish | Surround Colour | 1 gang 13A Fused Spur Double Pole | 1 gang 13A Fused Spur Double Pole + Neon | 1 gang 13A Fused Spur Double Pole + Neon + Cable Outlet | 1 gang 13A Fuse Only | 1 gang 13A Fuse Only + Cable Outlet |
|--|--|--|--|--|--|--|--|
| Bright Chrome  | Bright Chrome Bright Chrome White Plastic Black Plastic | White Black White White | 87 SP BC-W 87 SP BC-B 87 SP WH-W 87 SP BL-B | 87 SPN BC-W 87 SPN BC-B 87 SPN WH-W 87 SPN BL-B | 87 SPNC BC-W 87 SPNC BC-B 87 SPNC WH-W 87 SPNC BL-B | 87 FO BC-W 87 FO BC-B 87 FO WH-W 87 FO BL-B | 87 FOC BC-W 87 FOC BC-B 87 FOC WH-W 87 FOC BL-B |
| Satin Chrome  | Satin Chrome Satin Chrome White Plastic Black Plastic | White Black White Black | 86 SP SC-W 86 SP SC-B 86 SP WH-W 86 SP BL-B | 86 SPN SC-W 86 SPN SC-B 86 SPN WH-W 86 SPN BL-B | 86 SPNC SC-W 86 SPNC SC-B 86 SPNC WH-W 86 SPNC BL-B | 86 FO SC-W 86 FO SC-B 86 FO WH-W 86 FO BL-B | 86 FOC SC-W 86 FOC SC-B 86 FOC WH-W 86 FOC BL-B |
| Polished Brass  | Polished Brass Polished Brass White Plastic Black Plastic | White Black White Black | 81 SP PB-W 81 SP PB-B 81 SP WH-W 81 SP BL-B | 81 SPN PB-W 81 SPN PB-B 81 SPN WH-W 81 SPN BL-B | 81 SPNC PB-W 81 SPNC PB-B 81 SPNC WH-W 81 SPNC BL-B | 81 FO PB-W 81 FO PB-B 81 FO WH-W 81 FO BL-B | 81 FOC PB-W 81 FOC PB-B 81 FOC WH-W 81 FOC BL-B |
| Satin Brass  | Satin Brass Satin Brass White Plastic Black Plastic | White Black White Black | 82 SP SB-W 82 SP SB-B 82 SP WH-W 82 SP BL-B | 82 SPN SB-W 82 SPN SB-B 82 SPN WH-W 82 SPN BL-B | 82 SPNC SB-W 82 SPNC SB-B 82 SPNC WH-W 82 SPNC BL-B | 82 FO SB-W 82 FO SB-B 82 FO WH-W 82 FO BL-B | 82 FOC SB-W 82 FOC SB-B 82 FOC WH-W 82 FOC BL-B |
| Antique Brass  | Antique Brass | Black | 89 SP AB-B | 89 SPN AB-B | – | 89 FO AB-B | – |
| Bright Stainless  | Bright Chrome Bright Chrome | White Black | 83 SP BC-W 83 SP BC-B | 83 SPN BC-W 83 SPN BC-B | 83 SPNC BC-W 83 SPNC BC-B | 83 FO BC-W 83 FO BC-B | 83 FOC BC-W 83 FOC BC-B |
| Satin Stainless  | Satin Stainless Satin Stainless White Plastic Black Plastic | White Black White Black | 84 SP SS-W 84 SP SS-B 84 SP WH-W 84 SP BL-B | 84 SPN SS-W 84 SPN SS-B 84 SPN WH-W 84 SPN BL-B | 84 SPNC SS-W 84 SPNC SS-B 84 SPNC WH-W 84 SPNC BL-B | 84 FO SS-W 84 FO SS-B 84 FO WH-W 84 FO BL-B | 84 FOC SS-W 84 FOC SS-B 84 FOC WH-W 84 FOC BL-B |
| Black Nickel  | Black Nickel | Black | 88 SP BK-B | 88 SPN BK-B | – | 88 FO BK-B | – |
| Pearl Oyster  | Pearl Oyster | White | 8P SP PO-W | 8P SPN PO-W | – | 8P FO PO-W | – |



87 2X40

Leading Edge Push On/Off Resistive Dimmers

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.



1 gang 2 way 400W

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X40**
Product Code

2 gang 2 way 400W

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2X40**
Product Code

3 gang 2 way 400W

Nom. Plate Size:
146 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **3X40**
Product Code

4 gang 2 way (Max. 300 watts per gang)

Nom. Plate Size:
146 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **4X40**
Product Code

1 gang 2 way 600W

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X60**
Product Code

1 gang 2 way 1000W

Nom. Plate Size:
146 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X1K**
Product Code

Plate Finish

Insert Finish

Bright Chrome

Bright Chrome

87 1X40

87 2X40

87 3X40

87 4X40

87 1X60

87 1X1K



Satin Chrome

Satin Chrome

86 1X40

86 2X40

86 3X40

86 4X40

86 1X60

86 1X1K



Polished Brass

Polished Brass

81 1X40

81 2X40

81 3X40

81 4X40

81 1X60

81 1X1K



Satin Brass

Satin Brass

82 1X40

82 2X40

82 3X40

82 4X40

82 1X60

82 1X1K



Antique Brass

Antique Brass

89 1X40

89 2X40

89 3X40

89 4X40

89 1X60

89 1X1K



Bright Stainless

Bright Chrome

83 1X40

83 2X40

83 3X40

83 4X40

83 1X60

83 1X1K



Satin Stainless

Satin Stainless

84 1X40

84 2X40

84 3X40

84 4X40

84 1X60

84 1X1K



Black Nickel

Black Nickel

88 1X40

88 2X40

88 3X40

88 4X40

88 1X60

88 1X1K



Pearl Oyster

Pearl Oyster

8P 1X40

8P 2X40

8P 3X40

8P 4X40

8P 1X60

8P 1X1K



Leading Edge Push On/Off Inductive Dimmers



81 2X2V



**1 gang 2 way
200VA**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X2V**
Product Code












**2 gang 2 way
200VA**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **2X2V**
Product Code



**1 gang 2 way
300VA**

Nom. Plate Size:
86 x 86 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **1X3V**
Product Code










| Plate Finish | Insert Finish | 1 gang 2 way 200VA Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code | 2 gang 2 way 200VA Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2X2V Product Code | 1 gang 2 way 300VA Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code |
|--|------------------------|---|---|---|
| Bright Chrome  | Bright Chrome | 87 1X2V | 87 2X2V | 87 1X3V |
| Satin Chrome  | Satin Chrome | 86 1X2V | 86 2X2V | 86 1X3V |
| Polished Brass  | Polished Brass | 81 1X2V | 81 2X2V | 81 1X3V |
| Satin Brass  | Satin Brass | 82 1X2V | 82 2X2V | 82 1X3V |
| Antique Brass  | Antique Brass | 89 1X2V | 89 2X2V | 89 1X3V |
| Bright Stainless  | Bright Chrome | 83 1X2V | 83 2X2V | 83 1X3V |
| Satin Stainless  | Satin Stainless | 84 1X2V | 84 2X2V | 84 1X3V |
| Black Nickel  | Black Nickel | 88 1X2V | 88 2X2V | 88 1X3V |
| Pearl Oyster  | Pearl Oyster | 8P 1X2V | 8P 2X2V | 8P 1X3V |

Trailing Edge Push On/Off Dimmers

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.



| 88 1XTE | | 1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1XTE Product Code | 2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 86 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2XTE Product Code | 3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 146 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 3XTE Product Code | 4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nom. Plate Size: 146 x 86 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 4XTE Product Code |
|---|-----------------|---|---|--|--|
| Plate Finish | Insert Finish | | | | |
| Bright Chrome | Bright Chrome | 87 1XTE | 87 2XTE | 87 3XTE | 87 4XTE |
|  | | | | | |
| Satin Chrome | Satin Chrome | 86 1XTE | 86 2XTE | 86 3XTE | 86 4XTE |
|  | | | | | |
| Polished Brass | Polished Brass | 81 1XTE | 81 2XTE | 81 3XTE | 81 4XTE |
|  | | | | | |
| Satin Brass | Satin Brass | 82 1XTE | 82 2XTE | 82 3XTE | 82 4XTE |
|  | | | | | |
| Antique Brass | Antique Brass | 89 1XTE | 89 2XTE | 89 3XTE | 89 4XTE |
|  | | | | | |
| Bright Stainless | Bright Chrome | 83 1XTE | 83 2XTE | 83 3XTE | 83 4XTE |
|  | | | | | |
| Satin Stainless | Satin Stainless | 84 1XTE | 84 2XTE | 84 3XTE | 84 4XTE |
|  | | | | | |
| Black Nickel | Black Nickel | 88 1XTE | 88 2XTE | 88 3XTE | 88 4XTE |
|  | | | | | |
| Pearl Oyster | Pearl Oyster | 8P 1XTE | 8P 2XTE | 8P 3XTE | 8P 4XTE |
|  | | | | | |

Trailing Edge Touch Master Multi-Way Dimmers

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Note: When using wire wound Inductive Load Transformers - Maximum rating is 210VA.

Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.



86 1XTM SC-W



**1 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm

Technical Insert
Reference: **1XTM**
Product Code



**2 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nominal Plate Size:
86 x 86 mm
Minimum Wall Box
Depth: 35 mm

Technical Insert
Reference: **2XTM**
Product Code



**3 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nominal Plate Size:
146 x 86 mm
Minimum Wall Box
Depth: 35 mm










Technical Insert
Reference: **3XTM**
Product Code



**4 gang Multi-Way
250W/VA
(250W/VA Max.
25W/VA Min.)**

Nominal Plate Size:
146 x 86 mm
Minimum Wall Box
Depth: 35 mm

Technical Insert
Reference: **4XTM**
Product Code














| Plate Finish | Insert Finish | Surround Colour | 1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTM Product Code | 2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTM Product Code | 3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 146 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTM Product Code | 4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 146 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTM Product Code |
|--|--|------------------------|--|--|---|---|
| Bright Chrome  | Bright Chrome Bright Chrome | White Black | 87 1XTM BC-W 87 1XTM BC-B | 87 2XTM BC-W 87 2XTM BC-B | 87 3XTM BC-W 87 3XTM BC-B | 87 4XTM BC-W 87 4XTM BC-B |
| Satin Chrome  | Satin Chrome Satin Chrome | White Black | 86 1XTM SC-W 86 1XTM SC-B | 86 2XTM SC-W 86 2XTM SC-B | 86 3XTM SC-W 86 3XTM SC-B | 86 4XTM SC-W 86 4XTM SC-B |
| Polished Brass  | Polished Brass Polished Brass | White Black | 81 1XTM PB-W 81 1XTM PB-B | 81 2XTM PB-W 81 2XTM PB-B | 81 3XTM PB-W 81 3XTM PB-B | 81 4XTM PB-W 81 4XTM PB-B |
| Satin Brass  | Satin Brass Satin Brass | White Black | 82 1XTM SB-W 82 1XTM SB-B | 82 2XTM SB-W 82 2XTM SB-B | 82 3XTM SB-W 82 3XTM SB-B | 82 4XTM SB-W 82 4XTM SB-B |
| Antique Brass  | Antique Brass | Black | 89 1XTM AB-B | 89 2XTM AB-B | 89 3XTM AB-B | 89 4XTM AB-B |
| Bright Stainless  | Bright Chrome Bright Chrome | White Black | 83 1XTM BS-W 83 1XTM BS-B | 83 2XTM BS-W 83 2XTM BS-B | 83 3XTM BS-W 83 3XTM BS-B | 83 4XTM BS-W 83 4XTM BS-B |
| Satin Stainless  | Satin Stainless Satin Stainless | White Black | 84 1XTM SS-W 84 1XTM SS-B | 84 2XTM SS-W 84 2XTM SS-B | 84 3XTM SS-W 84 3XTM SS-B | 84 4XTM SS-W 84 4XTM SS-B |
| Black Nickel  | Black Nickel | Black | 88 1XTM BK-B | 88 2XTM BK-B | 88 3XTM BK-B | 88 4XTM BK-B |
| Pearl Oyster  | Pearl Oyster | White | - | - | - | - |

Touch Slave Controllers *Note: To only be used with Touch Master Dimmers*

Note: When using Mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.

Note: When using wire wound Inductive Load Transformers - Maximum rating is 210VA.










Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.


| | | |  |  |  |  |
|--|--|------------------------|--|--|---|---|
| 89 1XTS AB-B | | | 1 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 1XTS Product Code | 2 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 86 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 2XTS Product Code | 3 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 146 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 3XTS Product Code | 4 gang Multi-Way 250W/VA (250W/VA Max. 25W/VA Min.) Nominal Plate Size: 146 x 86 mm Minimum Wall Box Depth: 35 mm Technical Insert Reference: 4XTS Product Code |
| Plate Finish | Insert Finish | Surround Colour | | | | |
| Bright Chrome  | Bright Chrome Bright Chrome | White Black | 87 1XTS BC-W 87 1XTS BC-B | 87 2XTS BC-W 87 2XTS BC-B | 87 3XTS BC-W 87 3XTS BC-B | 87 4XTS BC-W 87 4XTS BC-B |
| Satin Chrome  | Satin Chrome Satin Chrome | White Black | 86 1XTS SC-W 86 1XTS SC-B | 86 2XTS SC-W 86 2XTS SC-B | 86 3XTS SC-W 86 3XTS SC-B | 86 4XTS SC-W 86 4XTS SC-B |
| Polished Brass  | Polished Brass Polished Brass | White Black | 81 1XTS PB-W 81 1XTS PB-B | 81 2XTS PB-W 81 2XTS PB-B | 81 3XTS PB-W 81 3XTS PB-B | 81 4XTS PB-W 81 4XTS PB-B |
| Satin Brass  | Satin Brass Satin Brass | White Black | 82 1XTS SB-W 82 1XTS SB-B | 82 2XTS SB-W 82 2XTS SB-B | 82 3XTS SB-W 82 3XTS SB-B | 82 4XTS SB-W 82 4XTS SB-B |
| Antique Brass  | Antique Brass | Black | 89 1XTS AB-B | 89 2XTS AB-B | 89 3XTS AB-B | 89 4XTS AB-B |
| Bright Stainless  | Bright Chrome Bright Chrome | White Black | 83 1XTS BS-W 83 1XTS BS-B | 83 2XTS BS-W 83 2XTS BS-B | 83 3XTS BS-W 83 3XTS BS-B | 83 4XTS BS-W 83 4XTS BS-B |
| Satin Stainless  | Satin Stainless Satin Stainless | White Black | 84 1XTS SS-W 84 1XTS SS-B | 84 2XTS SS-W 84 2XTS SS-B | 84 3XTS SS-W 84 3XTS SS-B | 84 4XTS SS-W 84 4XTS SS-B |
| Black Nickel  | Black Nickel | Black | 88 1XTS BK-B | 88 2XTS BK-B | 88 3XTS BK-B | 88 4XTS BK-B |
| Pearl Oyster  | Pearl Oyster | White | - | - | - | - |

EuroFix Plates

Minimum Wall Box Depth is dependent on the EuroFix insert fitted.



| <p>8P EURO1</p> <p>Plate Finish</p> | <p>1 Module EuroFix Plate Nominal Plate Size: 86 x 86 mm Aperture: 25 x 50 mm Technical Insert Reference: EURO1 Product Code</p> | <p>2 Module EuroFix Plate Nominal Plate Size: 86 x 86 mm Aperture: 50 x 50 mm Technical Insert Reference: EURO2 Product Code</p> | <p>3 Module EuroFix Plate Nominal Plate Size: 146 x 86 mm Aperture: 75 x 50 mm Technical Insert Reference: EURO3 Product Code</p> | <p>4 Module EuroFix Plate Nominal Plate Size: 146 x 86 mm Aperture: 100 x 50 mm Technical Insert Reference: EURO4 Product Code</p> |
|--|--|--|---|--|
| <p>Bright Chrome</p>  | 87 EURO1 | 87 EURO2 | 87 EURO3 | 87 EURO4 |
| <p>Satin Chrome</p>  | 86 EURO1 | 86 EURO2 | 86 EURO3 | 86 EURO4 |
| <p>Polished Brass</p>  | 81 EURO1 | 81 EURO2 | 81 EURO3 | 81 EURO4 |
| <p>Satin Brass</p>  | 82 EURO1 | 82 EURO2 | 82 EURO3 | 82 EURO4 |
| <p>Antique Brass</p>  | 89 EURO1 | 89 EURO2 | 89 EURO3 | 89 EURO4 |
| <p>Bright Stainless</p>  | 83 EURO1 | 83 EURO2 | 83 EURO3 | 83 EURO4 |
| <p>Satin Stainless</p>  | 84 EURO1 | 84 EURO2 | 84 EURO3 | 84 EURO4 |
| <p>Black Nickel</p>  | 88 EURO1 | 88 EURO2 | 88 EURO3 | 88 EURO4 |
| <p>Pearl Oyster</p>  | 8P EURO1 | 8P EURO2 | 8P EURO3 | 8P EURO4 |



88 6GP

Plate Finish

GRID-IT Grid Fix Plates complete with Fixing Grid

Minimum Wall Box Depth dependant on GRID-IT insert fitted.




1 gang Aperture Grid Fix

Nominal Plate Size:
86 x 86 mm
Technical Insert
Reference: **1GP**
Product Code



2 gang Aperture Grid Fix

Nominal Plate Size:
86 x 86 mm
Technical Insert
Reference: **2GP**
Product Code




3 gang Aperture Grid Fix

Nominal Plate Size:
146 x 86 mm
Technical Insert
Reference: **3GP**
Product Code



4 gang Aperture Grid Fix

Nominal Plate Size:
146 x 86 mm
Technical Insert
Reference: **4GP**
Product Code



6 gang Aperture Grid Fix

Nominal Plate Size:
146 x 146 mm
Technical Insert
Reference: **6GP**
Product Code

Gloss White



80 1GP

80 2GP

80 3GP

80 4GP

80 6GP

Bright Chrome



87 1GP

87 2GP

87 3GP

87 4GP

87 6GP

Satin Chrome



86 1GP

86 2GP

86 3GP

86 4GP

86 6GP

Polished Brass



81 1GP

81 2GP

81 3GP

81 4GP

81 6GP

Satin Brass



82 1GP

82 2GP

82 3GP

82 4GP

82 6GP

Antique Brass



89 1GP

89 2GP

89 3GP

89 4GP

89 6GP

Bright Stainless



83 1GP

83 2GP

83 3GP

83 4GP

83 6GP

Satin Stainless Lacquered



L84 1GP

L84 2GP

L84 3GP

L84 4GP

L84 6GP

Black Nickel



88 1GP

88 2GP

88 3GP

88 4GP

88 6GP

Pearl Oyster



8P 1GP

8P 2GP

8P 3GP


8P 4GP

8P 6GP




GRID-IT Grid Fix Plates complete with Fixing Grid


Minimum Wall Box Depth independent on the GRID-IT insert fitted.



8 gang Aperture Grid Fix Plate
Nominal Plate Size: 146 x 146 mm
Technical Insert Reference: **8GP**
Product Code




9 gang Aperture Grid Fix Plate
Nominal Plate Size: 146 x 210 mm
Technical Insert Reference: **9GP**
Product Code



12 gang Aperture Grid Fix Plate
Nominal Plate Size: 146 x 210 mm
Technical Insert Reference: **12GP**
Product Code



1 gang Aperture Switched Socket Grid Fix Plate (Grid supplied with Insert)
Nominal Plate Size: 86 x 86 mm
Technical Insert Reference: **SS1GP**
Product Code



2 gang Aperture Switched Socket Grid Fix Plate (Grid supplied with Insert)
Nominal Plate Size: 146 x 86 mm
Technical Insert Reference: **SS2GP**
Product Code

Plate Finish

Gloss White



Bright Chrome



Satin Chrome



Polished Brass



Satin Brass



Antique Brass



Bright Stainless



Satin Stainless Laquered




Black Nickel



Pearl Oyster



Media Plates complete with 13A Unswitched Power Sockets



| 86 MED1 W | | Media Plate EURO 4 aperture with 2 gang Unswitched Socket | Media Plate EURO4 aperture with 4 gang Unswitched Socket |
|------------------|--------------------------------|---|--|
| Plate Finish | Insert Colour | Product Code | Product Code |
| Bright Chrome | White Plastic Black Plastic | 87 MED1 W 87 MED1 B | 87 MED2 W 87 MED2 B |
| Satin Chrome | White Plastic Black Plastic | 86 MED1 W 86 MED1 B | 86 MED2 W 86 MED2 B |
| Polished Brass | White Plastic Black Plastic | 81 MED1 W 81 MED1 B | 81 MED2 W 81 MED2 B |
| Satin Brass | White Plastic Black Plastic | 82 MED1 W 82 MED1 B | 82 MED2 W 82 MED2 B |
| Bright Stainless | White Plastic Black Plastic | 83 MED1 W 83 MED1 B | 83 MED2 W 83 MED2 B |
| Satin Stainless | White Plastic Black Plastic | 84 MED1 W 84 MED1 B | 84 MED2 W 84 MED2 B |

Blank Plates

| 87 BPS | Single Blank Plate Nominal Plate Size: 86 x 86 mm Technical Insert Reference: BPS Product Code | Double Blank Plate Nominal Plate Size: 146 x 86 mm Technical Insert Reference: BPD Product Code |
|------------------|--|---|
| Plate Finish | | |
| Bright Chrome | 87 BPS | 87 BPD |
| Satin Chrome | 86 BPS | 86 BPD |
| Polished Brass | 81 BPS | 81 BPD |
| Satin Brass | 82 BPS | 82 BPD |
| Antique Brass | 89 BPS | 89 BPD |
| Bright Stainless | 83 BPS | 83 BPD |
| Satin Stainless | 84 BPS | 84 BPD |
| Black Nickel | 88 BPS | 88 BPD |
| Pearl Oyster | 8P BPS | 8P BPD |

Sheer®

Other products available from the Hamilton Group

- Linea-CFX Concealed Fixing Collection
- Grid-It Grid Fix Accessories
- Hartland CFX Concealed Fixing
- Sheer CFX Concealed Fixing
- Hartland Range (Box Fix)
- Cheriton Range (Box Fix)
- Woods & Bloomsbury Range
- Digital Mercury Lighting Controls
- Data and Media Range (Data & Communication Outlets)
- IP Weatherproof Switches and Sockets
- Sheer Floor Sockets
- Hotel Card Switch

All products listed conform to current British or European standards and the product information is correct at the time of going to press.

It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.

Illustrations and diagrams are reproduced within the limitations of reproduction and printing process and are not binding.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.

Hamilton



BS EN ISO 9001:2000
CERT NO. FM11238

For further information please contact:
R. Hamilton & Co. Ltd., Quarry Industrial Estate, Mere, Wiltshire BA12 6LA, UK
Telephone: +44 (0)1747 860088 Facsimile: +44 (0)1747 861032
email: info@hamilton-litestat.com www.hamilton-litestat.com

