



Uniclass L74 735	EPIC K712
CI/Sfb (62X) (63) X	

The WOODS & BLOOMSBURY Collection



Hamilton[®]
for excellence and elegance

Quality Accessories on Natural Wood Plinth Plates

exclusive finishes...

The finest materials and production standards are employed to produce an extensive choice in various combinations.

- Four Natural Wood Plinth Finishes; Light Oak, Medium Oak, Dark Oak and Antique Mahogany Finish with either an Ovolo Edge or Chamfered Edge.
- Four electrical wiring accessory insert finishes; Polished Brass, Bright Chrome and Satin Chrome with either Black or White insert surround and Antique Brass with Black surround..

exclusive choice...

These stunning finish combinations give the interior designer an almost limitless choice to offer each individual client.



WOA T21 PB



WOM SPN SC-B



WOL 2X40 SC



WOA US5 B



WOD SS1 PB-B



WOL R21 PB-W

Ovolo
Profile Edge





Chamfered
Profile Edge













WOD R22 PB-B

Rocker Switches



Wood Plinth and Edge Profile		Insert Finish	Insert Surround Colour	1 gang 2 way 10AX Rocker Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R21 Product Code	2 gang 2 way 10AX Rocker Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R22 Product Code	3 gang 2 way 10AX Rocker Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R23 Product Code	4 gang 2 way 10AX Rocker Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R24 Product Code	6 gang 2 way 10AX Rocker Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: R26 Product Code
Light Oak Ovolo Edge 	Polished Brass	White	WOL R21 PB-W	WOL R22 PB-W	WOL R23 PB-W	WOL R24 PB-W	WOL R26 PB-W	
	Polished Brass	Black	WOL R21 PB-B	WOL R22 PB-B	WOL R23 PB-B	WOL R24 PB-B	WOL R26 PB-B	
	Bright Chrome	White	WOL R21 BC-W	WOL R22 BC-W	WOL R23 BC-W	WOL R24 BC-W	WOL R26 BC-W	
	Bright Chrome	Black	WOL R21 BC-B	WOL R22 BC-B	WOL R23 BC-B	WOL R24 BC-B	WOL R26 BC-B	
	Satin Chrome	White	WOL R21 SC-W	WOL R22 SC-W	WOL R23 SC-W	WOL R24 SC-W	WOL R26 SC-W	
	Satin Chrome	Black	WOL R21 SC-B	WOL R22 SC-B	WOL R23 SC-B	WOL R24 SC-B	WOL R26 SC-B	
Antique Brass	Black	WOL R21 AB-B	WOL R22 AB-B	WOL R23 AB-B	WOL R24 AB-B	WOL R26 AB-B		
Light Oak Chamfered Edge 	Polished Brass	White	WCL R21 PB-W	WCL R22 PB-W	WCL R23 PB-W	WCL R24 PB-W	WCL R26 PB-W	
	Polished Brass	Black	WCL R21 PB-B	WCL R22 PB-B	WCL R23 PB-B	WCL R24 PB-B	WCL R26 PB-B	
	Bright Chrome	White	WCL R21 BC-W	WCL R22 BC-W	WCL R23 BC-W	WCL R24 BC-W	WCL R26 BC-W	
	Bright Chrome	Black	WCL R21 BC-B	WCL R22 BC-B	WCL R23 BC-B	WCL R24 BC-B	WCL R26 BC-B	
	Satin Chrome	White	WCL R21 SC-W	WCL R22 SC-W	WCL R23 SC-W	WCL R24 SC-W	WCL R26 SC-W	
	Satin Chrome	Black	WCL R21 SC-B	WCL R22 SC-B	WCL R23 SC-B	WCL R24 SC-B	WCL R26 SC-B	
Antique Brass	Black	WCL R21 AB-B	WCL R22 AB-B	WCL R23 AB-B	WCL R24 AB-B	WCL R26 AB-B		
Medium Oak Ovolo Edge 	Polished Brass	White	WOM R21 PB-W	WOM R22 PB-W	WOM R23 PB-W	WOM R24 PB-W	WOM R26 PB-W	
	Polished Brass	Black	WOM R21 PB-B	WOM R22 PB-B	WOM R23 PB-B	WOM R24 PB-B	WOM R26 PB-B	
	Bright Chrome	White	WOM R21 BC-W	WOM R22 BC-W	WOM R23 BC-W	WOM R24 BC-W	WOM R26 BC-W	
	Bright Chrome	Black	WOM R21 BC-B	WOM R22 BC-B	WOM R23 BC-B	WOM R24 BC-B	WOM R26 BC-B	
	Satin Chrome	White	WOM R21 SC-W	WOM R22 SC-W	WOM R23 SC-W	WOM R24 SC-W	WOM R26 SC-W	
	Satin Chrome	Black	WOM R21 SC-B	WOM R22 SC-B	WOM R23 SC-B	WOM R24 SC-B	WOM R26 SC-B	
Antique Brass	Black	WOM R21 AB-B	WOM R22 AB-B	WOM R23 AB-B	WOM R24 AB-B	WOM R26 AB-B		
Medium Oak Chamfered Edge 	Polished Brass	White	WCM R21 PB-W	WCM R22 PB-W	WCM R23 PB-W	WCM R24 PB-W	WCM R26 PB-W	
	Polished Brass	Black	WCM R21 PB-B	WCM R22 PB-B	WCM R23 PB-B	WCM R24 PB-B	WCM R26 PB-B	
	Bright Chrome	White	WCM R21 BC-W	WCM R22 BC-W	WCM R23 BC-W	WCM R24 BC-W	WCM R26 BC-W	
	Bright Chrome	Black	WCM R21 BC-B	WCM R22 BC-B	WCM R23 BC-B	WCM R24 BC-B	WCM R26 BC-B	
	Satin Chrome	White	WCM R21 SC-W	WCM R22 SC-W	WCM R23 SC-W	WCM R24 SC-W	WCM R26 SC-W	
	Satin Chrome	Black	WCM R21 SC-B	WCM R22 SC-B	WCM R23 SC-B	WCM R24 SC-B	WCM R26 SC-B	
Antique Brass	Black	WCM R21 AB-B	WCM R22 AB-B	WCM R23 AB-B	WCM R24 AB-B	WCM R26 AB-B		
Dark Oak Ovolo Edge 	Polished Brass	White	WOD R21 PB-W	WOD R22 PB-W	WOD R23 PB-W	WOD R24 PB-W	WOD R26 PB-W	
	Polished Brass	Black	WOD R21 PB-B	WOD R22 PB-B	WOD R23 PB-B	WOD R24 PB-B	WOD R26 PB-B	
	Bright Chrome	White	WOD R21 BC-W	WOD R22 BC-W	WOD R23 BC-W	WOD R24 BC-W	WOD R26 BC-W	
	Bright Chrome	Black	WOD R21 BC-B	WOD R22 BC-B	WOD R23 BC-B	WOD R24 BC-B	WOD R26 BC-B	
	Satin Chrome	White	WOD R21 SC-W	WOD R22 SC-W	WOD R23 SC-W	WOD R24 SC-W	WOD R26 SC-W	
	Satin Chrome	Black	WOD R21 SC-B	WOD R22 SC-B	WOD R23 SC-B	WOD R24 SC-B	WOD R26 SC-B	
Antique Brass	Black	WOD R21 AB-B	WOD R22 AB-B	WOD R23 AB-B	WOD R24 AB-B	WOD R26 AB-B		
Dark Oak Chamfered Edge 	Polished Brass	White	WCD R21 PB-W	WCD R22 PB-W	WCD R23 PB-W	WCD R24 PB-W	WCD R26 PB-W	
	Polished Brass	Black	WCD R21 PB-B	WCD R22 PB-B	WCD R23 PB-B	WCD R24 PB-B	WCD R26 PB-B	
	Bright Chrome	White	WCD R21 BC-W	WCD R22 BC-W	WCD R23 BC-W	WCD R24 BC-W	WCD R26 BC-W	
	Bright Chrome	Black	WCD R21 BC-B	WCD R22 BC-B	WCD R23 BC-B	WCD R24 BC-B	WCD R26 BC-B	
	Satin Chrome	White	WCD R21 SC-W	WCD R22 SC-W	WCD R23 SC-W	WCD R24 SC-W	WCD R26 SC-W	
	Satin Chrome	Black	WCD R21 SC-B	WCD R22 SC-B	WCD R23 SC-B	WCD R24 SC-B	WCD R26 SC-B	
Antique Brass	Black	WCD R21 AB-B	WCD R22 AB-B	WCD R23 AB-B	WCD R24 AB-B	WCD R26 AB-B		
Antique Mahogany Finish Ovolo Edge 	Polished Brass	White	WOA R21 PB-W	WOA R22 PB-W	WOA R23 PB-W	WOA R24 PB-W	WOA R26 PB-W	
	Polished Brass	Black	WOA R21 PB-B	WOA R22 PB-B	WOA R23 PB-B	WOA R24 PB-B	WOA R26 PB-B	
	Bright Chrome	White	WOA R21 BC-W	WOA R22 BC-W	WOA R23 BC-W	WOA R24 BC-W	WOA R26 BC-W	
	Bright Chrome	Black	WOA R21 BC-B	WOA R22 BC-B	WOA R23 BC-B	WOA R24 BC-B	WOA R26 BC-B	
	Satin Chrome	White	WOA R21 SC-W	WOA R22 SC-W	WOA R23 SC-W	WOA R24 SC-W	WOA R26 SC-W	
	Satin Chrome	Black	WOA R21 SC-B	WOA R22 SC-B	WOA R23 SC-B	WOA R24 SC-B	WOA R26 SC-B	
Antique Brass	Black	WOA R21 AB-B	WOA R22 AB-B	WOA R23 AB-B	WOA R24 AB-B	WOA R26 AB-B		
Antique Mahogany Finish Chamfered Edge 	Polished Brass	White	WCA R21 PB-W	WCA R22 PB-W	WCA R23 PB-W	WCA R24 PB-W	WCA R26 PB-W	
	Polished Brass	Black	WCA R21 PB-B	WCA R22 PB-B	WCA R23 PB-B	WCA R24 PB-B	WCA R26 PB-B	
	Bright Chrome	White	WCA R21 BC-W	WCA R22 BC-W	WCA R23 BC-W	WCA R24 BC-W	WCA R26 BC-W	
	Bright Chrome	Black	WCA R21 BC-B	WCA R22 BC-B	WCA R23 BC-B	WCA R24 BC-B	WCA R26 BC-B	
	Satin Chrome	White	WCA R21 SC-W	WCA R22 SC-W	WCA R23 SC-W	WCA R24 SC-W	WCA R26 SC-W	
	Satin Chrome	Black	WCA R21 SC-B	WCA R22 SC-B	WCA R23 SC-B	WCA R24 SC-B	WCA R26 SC-B	
Antique Brass	Black	WCA R21 AB-B	WCA R22 AB-B	WCA R23 AB-B	WCA R24 AB-B	WCA R26 AB-B		






Rocker Switches



WOL R31 SC-W



1 gang Intermediate 10AX Rocker
 Nominal Plate Size: 88 x 88 mm
 Min. Wall Box Depth: 25 mm
 Technical Insert Reference: **R31**
 Product Code

Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	
Light Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOL R31 PB-W WOL R31 PB-B WOL R31 BC-W WOL R31 BC-B WOL R31 SC-W WOL R31 SC-B WOL R31 AB-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCL R31 PB-W WCL R31 PB-B WCL R31 BC-W WCL R31 BC-B WCL R31 SC-W WCL R31 SC-B WCL R31 AB-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOM R31 PB-W WOM R31 PB-B WOM R31 BC-W WOM R31 BC-B WOM R31 SC-W WOM R31 SC-B WOM R31 AB-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCM R31 PB-W WCM R31 PB-B WCM R31 BC-W WCM R31 BC-B WCM R31 SC-W WCM R31 SC-B WCM R31 AB-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOD R31 PB-W WOD R31 PB-B WOD R31 BC-W WOD R31 BC-B WOD R31 SC-W WOD R31 SC-B WOD R31 AB-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCD R31 PB-W WCD R31 PB-B WCD R31 BC-W WCD R31 BC-B WCD R31 SC-W WCD R31 SC-B WCD R31 AB-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOA R31 PB-W WOA R31 PB-B WOA R31 BC-W WOA R31 BC-B WOA R31 SC-W WOA R31 SC-B WOA R31 AB-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCA R31 PB-W WCA R31 PB-B WCA R31 BC-W WCA R31 BC-B WCA R31 SC-W WCA R31 SC-B WCA R31 AB-B



WOD TP WH-W

1 gang Triple Pole 10A Rocker
 Nominal Plate Size: 88 x 88 mm
 Min. Wall Box Depth: 25 mm
 Technical Insert Reference: **TP**
 Product Code

Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	
Light Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOL TP WH-W WOL TP BL-B
Light Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCL TP WH-W WCL TP BL-B
Medium Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOM TP WH-W WOM TP BL-B
Medium Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCM TP WH-W WCM TP BL-B
Dark Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOD TP WH-W WOD TP BL-B
Dark Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCD TP WH-W WCD TP BL-B
Antique Mahogany Finish Ovolo Edge 	White Plastic Black Plastic	White Black	WOA TP WH-W WOA TP BL-B
Antique Mahogany Finish Chamfered Edge 	White Plastic Black Plastic	White Black	WCA TP WH-W WCA TP BL-B



WCM T22 PB

Toggle Switches



1 gang 2 way 20AX Toggle

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T21**
Product Code

2 gang 2 way 20AX Toggle

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T22**
Product Code

3 gang 2 way 20AX Toggle

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T23**
Product Code

4 gang 2 way 20AX Toggle

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T24**
Product Code

1 gang Intermediate 20AX Toggle

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth 25 mm
Technical Insert
Reference: **T31**
Product Code

Wood Plinth and Edge Profile

Insert Finish

Light Oak Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOL T21 PB
WOL T21 BC
WOL T21 SC
WOL T21 AB

WOL T22 PB
WOL T22 BC
WOL T22 SC
WOL T22 AB

WOL T23 PB
WOL T23 BC
WOL T23 SC
WOL T23 AB

WOL T24 PB
WOL T24 BC
WOL T24 SC
WOL T24 AB

WOL T31 PB
WOL T31 BC
WOL T31 SC
WOL T31 AB

Light Oak Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCL T21 PB
WCL T21 BC
WCL T21 SC
WCL T21 AB

WCL T22 PB
WCL T22 BC
WCL T22 SC
WCL T22 AB

WCL T23 PB
WCL T23 BC
WCL T23 SC
WCL T23 AB

WCL T24 PB
WCL T24 BC
WCL T24 SC
WCL T24 AB

WCL T31 PB
WCL T31 BC
WCL T31 SC
WCL T31 AB

Medium Oak Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOM T21 PB
WOM T21 BC
WOM T21 SC
WOM T21 AB


WOM T22 PB
WOM T22 BC
WOM T22 SC
WOM T22 AB

WOM T23 PB
WOM T23 BC
WOM T23 SC
WOM T23 AB

WOM T24 PB
WOM T24 BC
WOM T24 SC
WOM T24 AB

WOM T31 PB
WOM T31 BC
WOM T31 SC
WOM T31 AB

Medium Oak Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCM T21 PB
WCM T21 BC
WCM T21 SC
WCM T21 AB

WCM T22 PB
WCM T22 BC
WCM T22 SC
WCM T22 AB

WCM T23 PB
WCM T23 BC
WCM T23 SC
WCM T23 AB

WCM T24 PB
WCM T24 BC
WCM T24 SC
WCM T24 AB

WCM T31 PB
WCM T31 BC
WCM T31 SC
WCM T31 AB

Dark Oak Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOD T21 PB
WOD T21 BC
WOD T21 SC
WOD T21 AB

WOD T22 PB
WOD T22 BC
WOD T22 SC
WOD T22 AB

WOD T23 PB
WOD T23 BC
WOD T23 SC
WOD T23 AB

WOD T24 PB
WOD T24 BC
WOD T24 SC
WOD T24 AB

WOD T31 PB
WOD T31 BC
WOD T31 SC
WOD T31 AB

Dark Oak Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCD T21 PB
WCD T21 BC
WCD T21 SC
WCD T21 AB

WCD T22 PB
WCD T22 BC
WCD T22 SC
WCD T22 AB

WCD T23 PB
WCD T23 BC
WCD T23 SC
WCD T23 AB

WCD T24 PB
WCD T24 BC
WCD T24 SC
WCD T24 AB

WCD T31 PB
WCD T31 BC
WCD T31 SC
WCD T31 AB

Antique Mahogany Finish Ovolo Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WOA T21 PB
WOA T21 BC
WOA T21 SC
WOA T21 AB

WOA T22 PB
WOA T22 BC
WOA T22 SC
WOA T22 AB

WOA T23 PB
WOA T23 BC
WOA T23 SC
WOA T23 AB

WOA T24 PB
WOA T24 BC
WOA T24 SC
WOA T24 AB

WOA T31 PB
WOA T31 BC
WOA T31 SC
WOA T31 AB

Antique Mahogany Finish Chamfered Edge



Polished Brass
Bright Chrome
Satin Chrome
Antique Brass

WCA T21 PB
WCA T21 BC
WCA T21 SC
WCA T21 AB

WCA T22 PB
WCA T22 BC
WCA T22 SC
WCA T22 AB

WCA T23 PB
WCA T23 BC
WCA T23 SC
WCA T23 AB

WCA T24 PB
WCA T24 BC
WCA T24 SC
WCA T24 AB

WCA T31 PB
WCA T31 BC
WCA T31 SC
WCA T31 AB

Hotel Card Switches



WOD C11 SC-W

Adjustable Time Delay 10 seconds – 5 minutes.

Suitable for 44 mm and 54 mm width Hotel Key Cards.

**1 gang On/Off
10A (6AX)
with Blue LED
Locator**

Nominal Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **C11**

Product Code










**1 gang On/Off
12-24 V AC/DC
+/- 10% with
Blue LED
Locator
(Suitable for KNX
BUS System)**

Nominal Plate Size:
88 x 88 mm

Min. Wall Box
Depth: 35 mm

Technical Insert
Reference: **CKNX**

Product Code

Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	Product Code	Product Code
Light Oak Ovolo Edge 	Polished Brass	White	WOL C11 PB-W	WOL CKNX PB-W
	Polished Brass	Black	WOL C11 PB-B	WOL CKNX PB-B
	Bright Chrome	White	WOL C11 BC-W	WOL CKNX BC-W
	Bright Chrome	Black	WOL C11 BC-B	WOL CKNX BC-B
	Satin Chrome	White	WOL C11 SC-W	WOL CKNX SC-W
	Satin Chrome	Black	WOL C11 SC-B	WOL CKNX SC-B
Light Oak Chamfered Edge 	Polished Brass	White	WCL C11 PB-W	WCL CKNX PB-W
	Polished Brass	Black	WCL C11 PB-B	WCL CKNX PB-B
	Bright Chrome	White	WCL C11 BC-W	WCL CKNX BC-W
	Bright Chrome	Black	WCL C11 BC-B	WCL CKNX BC-B
	Satin Chrome	White	WCL C11 SC-W	WCL CKNX SC-W
	Satin Chrome	Black	WCL C11 SC-B	WCL CKNX SC-B
Medium Oak Ovolo Edge 	Polished Brass	White	WOM C11 PB-W	WOM CKNX PB-W
	Polished Brass	Black	WOM C11 PB-B	WOM CKNX PB-B
	Bright Chrome	White	WOM C11 BC-W	WOM CKNX BC-W
	Bright Chrome	Black	WOM C11 BC-B	WOM CKNX BC-B
	Satin Chrome	White	WOM C11 SC-W	WOM CKNX SC-W
	Satin Chrome	Black	WOM C11 SC-B	WOM CKNX SC-B
Medium Oak Chamfered Edge 	Polished Brass	White	WCM C11 PB-W	WCM CKNX PB-W
	Polished Brass	Black	WCM C11 PB-B	WCM CKNX PB-B
	Bright Chrome	White	WCM C11 BC-W	WCM CKNX BC-W
	Bright Chrome	Black	WCM C11 BC-B	WCM CKNX BC-B
	Satin Chrome	White	WCM C11 SC-W	WCM CKNX SC-W
	Satin Chrome	Black	WCM C11 SC-B	WCM CKNX SC-B
Dark Oak Ovolo Edge 	Polished Brass	White	WOD C11 PB-W	WOD CKNX PB-W
	Polished Brass	Black	WOD C11 PB-B	WOD CKNX PB-B
	Bright Chrome	White	WOD C11 BC-W	WOD CKNX BC-W
	Bright Chrome	Black	WOD C11 BC-B	WOD CKNX BC-B
	Satin Chrome	White	WOD C11 SC-W	WOD CKNX SC-W
	Satin Chrome	Black	WOD C11 SC-B	WOD CKNX SC-B
Dark Oak Chamfered Edge 	Polished Brass	White	WCD C11 PB-W	WCD CKNX PB-W
	Polished Brass	Black	WCD C11 PB-B	WCD CKNX PB-B
	Bright Chrome	White	WCD C11 BC-W	WCD CKNX BC-W
	Bright Chrome	Black	WCD C11 BC-B	WCD CKNX BC-B
	Satin Chrome	White	WCD C11 SC-W	WCD CKNX SC-W
	Satin Chrome	Black	WCD C11 SC-B	WCD CKNX SC-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass	White	WOA C11 PB-W	WOA CKNX PB-W
	Polished Brass	Black	WOA C11 PB-B	WOA CKNX PB-B
	Bright Chrome	White	WOA C11 BC-W	WOA CKNX BC-W
	Bright Chrome	Black	WOA C11 BC-B	WOA CKNX BC-B
	Satin Chrome	White	WOA C11 SC-W	WOA CKNX SC-W
	Satin Chrome	Black	WOA C11 SC-B	WOA CKNX SC-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass	White	WCA C11 PB-W	WCA CKNX PB-W
	Polished Brass	Black	WCA C11 PB-B	WCA CKNX PB-B
	Bright Chrome	White	WCA C11 BC-W	WCA CKNX BC-W
	Bright Chrome	Black	WCA C11 BC-B	WCA CKNX BC-B
	Satin Chrome	White	WCA C11 SC-W	WCA CKNX SC-W
	Satin Chrome	Black	WCA C11 SC-B	WCA CKNX SC-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass	White	WCA C11 PB-W	WCA CKNX PB-W
	Polished Brass	Black	WCA C11 PB-B	WCA CKNX PB-B
	Bright Chrome	White	WCA C11 BC-W	WCA CKNX BC-W
	Bright Chrome	Black	WCA C11 BC-B	WCA CKNX BC-B
	Satin Chrome	White	WCA C11 SC-W	WCA CKNX SC-W
	Satin Chrome	Black	WCA C11 SC-B	WCA CKNX SC-B

Power Sockets




WOL SS2 SC-W











1 gang 13A Double Pole Switched Socket

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS1**
Product Code



2 gang 13A Double Pole Switched Socket

Nominal Plate Size:
146 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SS2**
Product Code

Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	Product Code	Product Code
Light Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOL SS1 PB-W WOL SS1 PB-B WOL SS1 BC-W WOL SS1 BC-B WOL SS1 SC-W WOL SS1 SC-B WOL SS1 AB-B	WOL SS2 PB-W WOL SS2 PB-B WOL SS2 BC-W WOL SS2 BC-B WOL SS2 SC-W WOL SS2 SC-B WOL SS2 AB-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCL SS1 PB-W WCL SS1 PB-B WCL SS1 BC-W WCL SS1 BC-B WCL SS1 SC-W WCL SS1 SC-B WCL SS1 AB-B	WCL SS2 PB-W WCL SS2 PB-B WCL SS2 BC-W WCL SS2 BC-B WCL SS2 SC-W WCL SS2 SC-B WCL SS2 AB-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOM SS1 PB-W WOM SS1 PB-B WOM SS1 BC-W WOM SS1 BC-B WOM SS1 SC-W WOM SS1 SC-B WOM SS1 AB-B	WOM SS2 PB-W WOM SS2 PB-B WOM SS2 BC-W WOM SS2 BC-B WOM SS2 SC-W WOM SS2 SC-B WOM SS2 AB-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCM SS1 PB-W WCM SS1 PB-B WCM SS1 BC-W WCM SS1 BC-B WCM SS1 SC-W WCM SS1 SC-B WCM SS1 AB-B	WCM SS2 PB-W WCM SS2 PB-B WCM SS2 BC-W WCM SS2 BC-B WCM SS2 SC-W WCM SS2 SC-B WCM SS2 AB-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOD SS1 PB-W WOD SS1 PB-B WOD SS1 BC-W WOD SS1 BC-B WOD SS1 SC-W WOD SS1 SC-B WOD SS1 AB-B	WOD SS2 PB-W WOD SS2 PB-B WOD SS2 BC-W WOD SS2 BC-B WOD SS2 SC-W WOD SS2 SC-B WOD SS2 AB-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCD SS1 PB-W WCD SS1 PB-B WCD SS1 BC-W WCD SS1 BC-B WCD SS1 SC-W WCD SS1 SC-B WCD SS1 AB-B	WCD SS2 PB-W WCD SS2 PB-B WCD SS2 BC-W WCD SS2 BC-B WCD SS2 SC-W WCD SS2 SC-B WCD SS2 AB-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOA SS1 PB-W WOA SS1 PB-B WOA SS1 BC-W WOA SS1 BC-B WOA SS1 SC-W WOA SS1 SC-B WOA SS1 AB-B	WOA SS2 PB-W WOA SS2 PB-B WOA SS2 BC-W WOA SS2 BC-B WOA SS2 SC-W WOA SS2 SC-B WOA SS2 AB-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCA SS1 PB-W WCA SS1 PB-B WCA SS1 BC-W WCA SS1 BC-B WCA SS1 SC-W WCA SS1 SC-B WCA SS1 AB-B	WCA SS2 PB-W WCA SS2 PB-B WCA SS2 BC-W WCA SS2 BC-B WCA SS2 SC-W WCA SS2 SC-B WCA SS2 AB-B

Power Sockets




WOA US5 B



1 gang 5A Unswitched Socket

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **US5**
Product Code



Shaver Dual Voltage Unswitched Socket

Nom. Plate Size: 88 x 146 mm
Min. Wall Box Depth: 47 mm
Technical Insert Reference: **SHS**
Product Code




1 gang 16A Unswitched German Socket

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **6126**
Product Code











1 gang 15A Unswitched American Socket

Nom. Plate Size: 88 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5258**
Product Code











2 gang 15A Unswitched American Socket

Nom. Plate Size: 146 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **5320**
Product Code


Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	1 gang 5A Unswitched Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: US5 Product Code	Shaver Dual Voltage Unswitched Socket Nom. Plate Size: 88 x 146 mm Min. Wall Box Depth: 47 mm Technical Insert Reference: SHS Product Code	1 gang 16A Unswitched German Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 6126 Product Code	1 gang 15A Unswitched American Socket Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5258 Product Code	2 gang 15A Unswitched American Socket Nom. Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 5320 Product Code
Light Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOL US5 W WOL US5 B	WOL SHS W WOL SHS B	WOL 6126 W WOL 6126 B	WOL 5258 W WOL 5258 B	WOL 5320 W WOL 5320 B
Light Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCL US5 W WCL US5 B	WCL SHS W WCL SHS B	WCL 6126 W WCL 6126 B	WCL 5258 W WCL 5258 B	WCL 5320 W WCL 5320 B
Medium Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOM US5 W WOM US5 B	WOM SHS W WOM SHS B	WOM 6126 W WOM 6126 B	WOM 5258 W WOM 5258 B	WOM 5320 W WOM 5320 B
Medium Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCM US5 W WCM US5 B	WCM SHS W WCM SHS B	WCM 6126 W WCM 6126 B	WCM 5258 W WCM 5258 B	WCM 5320 W WCM 5320 B
Dark Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOD US5 W WOD US5 B	WOD SHS W WOD SHS B	WOD 6126 W WOD 6126 B	WOD 5258 W WOD 5258 B	WOD 5320 W WOD 5320 B
Dark Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCD US5 W WCD US5 B	WCD SHS W WCD SHS B	WCD 6126 W WCD 6126 B	WCD 5258 W WCD 5258 B	WCD 5320 W WCD 5320 B
Antique Mahogany Finish Ovolo Edge 	White Plastic Black Plastic	White Black	WOA US5 W WOA US5 B	WOA SHS W WOA SHS B	WOA 6126 W WOA 6126 B	WOA 5258 W WOA 5258 B	WOA 5320 W WOA 5320 B
Antique Mahogany Finish Chamfered Edge 	White Plastic Black Plastic	White Black	WCA US5 W WCA US5 B	WCA SHS W WCA SHS B	WCA 6126 W WCA 6126 B	WCA 5258 W WCA 5258 B	WCA 5320 W WCA 5320 B









Television Coaxial Sockets

















Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	1 gang Non Isolated Television 1 In/1 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TV Product Code	2 gang Isolated TV/FM 1 In/2 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVFM Product Code	1 gang Isolated Television 1 In/1 Out Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TVI Product Code	1 gang Non Isolated TV + 1 gang Non Isolated Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: TVSAT Product Code	1 gang Non Isolated Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth 35 mm Technical Insert Reference: SATN Product Code	1 gang Isolated Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth 35 mm Technical Insert Reference: SATI Product Code
WOD TVFM B 	White Plastic Black Plastic	White Black	WOL TV W WOL TV B	WOL TVFM W WOL TVFM B	WOL TVI W WOL TVI B	WOL TVSAT W WOL TVSAT B	WOL SATN W WOL SATN B	WOL SATI W WOL SATI B
Light Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCL TV W WCL TV B	WCL TVFM W WCL TVFM B	WCL TVI W WCL TVI B	WCL TVSAT W WCL TVSAT B	WCL SATN W WCL SATN B	WCL SATI W WCL SATI B
Medium Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOM TV W WOM TV B	WOM TVFM W WOM TVFM B	WOM TVI W WOM TVI B	WOM TVSAT W WOM TVSAT B	WOM SATN W WOM SATN B	WOM SATI W WOM SATI B
Medium Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCM TV W WCM TV B	WCM TVFM W WCM TVFM B	WCM TVI W WCM TVI B	WCM TVSAT W WCM TVSAT B	WCM SATN W WCM SATN B	WCM SATI W WCM SATI B
Dark Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOD TV W WOD TV B	WOD TVFM W WOD TVFM B	WOD TVI W WOD TVI B	WOD TVSAT W WOD TVSAT B	WOD SATN W WOD SATN B	WOD SATI W WOD SATI B
Dark Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCD TV W WCD TV B	WCD TVFM W WCD TVFM B	WCD TVI W WCD TVI B	WCD TVSAT W WCD TVSAT B	WCD SATN W WCD SATN B	WCD SATI W WCD SATI B
Antique Mahogany Finish Ovolo Edge 	White Plastic Black Plastic	White Black	WOA TV W WOA TV B	WOA TVFM W WOA TVFM B	WOA TVI W WOA TVI B	WOA TVSAT W WOA TVSAT B	WOA SATN W WOA SATN B	WOA SATI W WOA SATI B
Antique Mahogany Finish Chamfered Edge 	White Plastic Black Plastic	White Black	WCA TV W WCA TV B	WCA TVFM W WCA TVFM B	WCA TVI W WCA TVI B	WCA TVSAT W WCA TVSAT B	WCA SATN W WCA SATN B	WCA SATI W WCA SATI B

Digital Television Coaxial Sockets - Screened Non Isolated - DAB Compatible



Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	Technical Insert Reference: DTRID Product Code	Technical Insert Reference: DTVF Product Code	Technical Insert Reference: DTVM Product Code	Technical Insert Reference: DSAT Product Code	Technical Insert Reference: DENT Product Code	Technical Insert Reference: DSAT+ Product Code
WOL DTRID W			1 gang TV+ 1 gang FM + 1 gang Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm	1 gang TV (Female) Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm	1 gang TV (Male) Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm	1 gang Satellite Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm	1 gang TV+ 1 gang FM + 1 gang Satellite 1 + 1 gang Satellite 2 Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth 35 mm	1 gang TV+ 1 gang FM + 1 gang Satellite 1 + 1 gang Satellite 2 + 1 gang TVF + 1 gang TCS Nom. Plate Size: 146 x 88 mm Min. Wall Box Depth 35 mm
Light Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOL DTRID W WOL DTRID B	WOL DTVF W WOL DTVF B	WOL DTVM W WOL DTVM B	WOL DSAT W WOL DSAT B	WOL DENT W WOL DENT B	WOL DSAT+ W WOL DSAT+ B
Light Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCL DTRID W WCL DTRID B	WCL DTVF W WCL DTVF B	WCL DTVM W WCL DTVM B	WCL DSAT W WCL DSAT B	WCL DENT W WCL DENT B	WCL DSAT+ W WCL DSAT+ B
Medium Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOM DTRID W WOM DTRID B	WOM DTVF W WOM DTVF B	WOM DTVM W WOM DTVM B	WOM DSAT W WOM DSAT B	WOM DENT W WOM DENT B	WOM DSAT+ W WOM DSAT+ B
Medium Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCM DTRID W WCM DTRID B	WCM DTVF W WCM DTVF B	WCM DTVM W WCM DTVM B	WCM DSAT W WCM DSAT B	WCM DENT W WCM DENT B	WCM DSAT+ W WCM DSAT+ B
Dark Oak Ovolo Edge 	White Plastic Black Plastic	White Black	WOD DTRID W WOD DTRID B	WOD DTVF W WOD DTVF B	WOD DTVM W WOD DTVM B	WOD DSAT W WOD DSAT B	WOD DENT W WOD DENT B	WOD DSAT+ W WOD DSAT+ B
Dark Oak Chamfered Edge 	White Plastic Black Plastic	White Black	WCD DTRID W WCD DTRID B	WCD DTVF W WCD DTVF B	WCD DTVM W WCD DTVM B	WCD DSAT W WCD DSAT B	WCD DENT W WCD DENT B	WCD DSAT+ W WCD DSAT+ B
Antique Mahogany Finish Ovolo Edge 	White Plastic Black Plastic	White Black	WOA DTRID W WOA DTRID B	WOA DTVF W WOA DTVF B	WOA DTVM W WOA DTVM B	WOA DSAT W WOA DSAT B	WOA DENT W WOA DENT B	WOA DSAT+ W WOA DSAT+ B
Antique Mahogany Finish Chamfered Edge 	White Plastic Black Plastic	White Black	WCA DTRID W WCA DTRID B	WCA DTVF W WCA DTVF B	WCA DTVM W WCA DTVM B	WCA DSAT W WCA DSAT B	WCA DENT W WCA DENT B	WCA DSAT+ W WCA DSAT+ B

Telephone and Data Outlets

WOM J45 B								
Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	1 gang Telephone Master Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCM Product Code	1 gang Telephone Slave Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: TCS Product Code	1 gang RJ12 Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J12 Product Code	2 gang RJ12 Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J12 Product Code	1 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: J45 Product Code	2 gang RJ45 CAT 5E Outlet Unshielded Nom. Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2J45 Product Code
 Light Oak Ovolo Edge	White Plastic Black Plastic	White Black	WOL TCM W WOL TCM B	WOL TCS W WOL TCS B	WOL J12 W WOL J12 B	WOL 2J12 W WOL 2J12 B	WOL J45 W WOL J45 B	WOL 2J45 W WOL 2J45 B
 Light Oak Chamfered Edge	White Plastic Black Plastic	White Black	WCL TCM W WCL TCM B	WCL TCS W WCL TCS B	WCL J12 W WCL J12 B	WCL 2J12 W WCL 2J12 B	WCL J45 W WCL J45 B	WCL 2J45 W WCL 2J45 B
 Medium Oak Ovolo Edge	White Plastic Black Plastic	White Black	WOM TCM W WOM TCM B	WOM TCS W WOM TCS B	WOM J12 W WOM J12 B	WOM 2J12 W WOM 2J12 B	WOM J45 W WOM J45 B	WOM 2J45 W WOM 2J45 B
 Medium Oak Chamfered Edge	White Plastic Black Plastic	White Black	WCM TCM W WCM TCM B	WCM TCS W WCM TCS B	WCM J12 W WCM J12 B	WCM 2J12 W WCM 2J12 B	WCM J45 W WCM J45 B	WCM 2J45 W WCM 2J45 B
 Dark Oak Ovolo Edge	White Plastic Black Plastic	White Black	WOD TCM W WOD TCM B	WOD TCS W WOD TCS B	WOD J12 W WOD J12 B	WOD 2J12 W WOD 2J12 B	WOD J45 W WOD J45 B	WOD 2J45 W WOD 2J45 B
 Dark Oak Chamfered Edge	White Plastic Black Plastic	White Black	WCD TCM W WCD TCM B	WCD TCS W WCD TCS B	WCD J12 W WCD J12 B	WCD 2J12 W WCD 2J12 B	WCD J45 W WCD J45 B	WCD 2J45 W WCD 2J45 B
 Antique Mahogany Finish Ovolo Edge	White Plastic Black Plastic	White Black	WOA TCM W WOA TCM B	WOA TCS W WOA TCS B	WOA J12 W WOA J12 B	WOA 2J12 W WOA 2J12 B	WOA J45 W WOA J45 B	WOA 2J45 W WOA 2J45 B
 Antique Mahogany Finish Chamfered Edge	White Plastic Black Plastic	White Black	WCA TCM W WCA TCM B	WCA TCS W WCA TCS B	WCA J12 W WCA J12 B	WCA 2J12 W WCA 2J12 B	WCA J45 W WCA J45 B	WCA 2J45 W WCA 2J45 B

Double Pole Switches



WOL DPN SC-W

1 gang 20A Double Pole Rocker + Neon
Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **DPN Product Code**

1 gang 45A Double Pole Red Rocker + Neon + 13A Switched Socket
Nominal Plate Size: 146 x 88 mm
Min. Wall Box Depth: 35 mm
Technical Insert Reference: **45SS1 Product Code**

Wood Plinth and Edge Profile

Insert Finish

Insert Surround Colour

Light Oak Ovolo Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass

White
Black
White
Black
White
Black
Black

WOL DPN PB-W
WOL DPN PB-B
WOL DPN BC-W
WOL DPN BC-B
WOL DPN SC-W
WOL DPN SC-B
WOL DPN AB-B

WOL 45SS1 PB-W
WOL 45SS1 PB-B
WOL 45SS1 BC-W
WOL 45SS1 BC-B
WOL 45SS1 SC-W
WOL 45SS1 SC-B
WOL 45SS1 AB-B

Light Oak Champfered Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass

White
Black
White
Black
White
Black
Black

WCL DPN PB-W
WCL DPN PB-B
WCL DPN BC-W
WCL DPN BC-B
WCL DPN SC-W
WCL DPN SC-B
WCL DPN AB-B

WCL 45SS1 PB-W
WCL 45SS1 PB-B
WCL 45SS1 BC-W
WCL 45SS1 BC-B
WCL 45SS1 SC-W
WCL 45SS1 SC-B
WCL 45SS1 AB-B

Medium Oak Ovolo Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass

White
Black
White
Black
White
Black
Black

WOM DPN PB-W
WOM DPN PB-B
WOM DPN BC-W
WOM DPN BC-B
WOM DPN SC-W
WOM DPN SC-B
WOM DPN AB-B

WOM 45SS1 PB-W
WOM 45SS1 PB-B
WOM 45SS1 BC-W
WOM 45SS1 BC-B
WOM 45SS1 SC-W
WOM 45SS1 SC-B
WOM 45SS1 AB-B

Medium Oak Champfered Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass

White
Black
White
Black
White
Black
Black

WCM DPN PB-W
WCM DPN PB-B
WCM DPN BC-W
WCM DPN BC-B
WCM DPN SC-W
WCM DPN SC-B
WCM DPN AB-B

WCM 45SS1 PB-W
WCM 45SS1 PB-B
WCM 45SS1 BC-W
WCM 45SS1 BC-B
WCM 45SS1 SC-W
WCM 45SS1 SC-B
WCM 45SS1 AB-B

Dark Oak Ovolo Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass

White
Black
White
Black
White
Black
Black

WOD DPN PB-W
WOD DPN PB-B
WOD DPN BC-W
WOD DPN BC-B
WOD DPN SC-W
WOD DPN SC-B
WOD DPN AB-B

WOD 45SS1 PB-W
WOD 45SS1 PB-B
WOD 45SS1 BC-W
WOD 45SS1 BC-B
WOD 45SS1 SC-W
WOD 45SS1 SC-B
WOD 45SS1 AB-B

Dark Oak Champfered Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass

White
Black
White
Black
White
Black
Black

WCD DPN PB-W
WCD DPN PB-B
WCD DPN BC-W
WCD DPN BC-B
WCD DPN SC-W
WCD DPN SC-B
WCD DPN AB-B

WCD 45SS1 PB-W
WCD 45SS1 PB-B
WCD 45SS1 BC-W
WCD 45SS1 BC-B
WCD 45SS1 SC-W
WCD 45SS1 SC-B
WCD 45SS1 AB-B

Antique Mahogany Finish Ovolo Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass

White
Black
White
Black
White
Black
Black

WOA DPN PB-W
WOA DPN PB-B
WOA DPN BC-W
WOA DPN BC-B
WOA DPN SC-W
WOA DPN SC-B
WOA DPN AB-B

WOA 45SS1 PB-W
WOA 45SS1 PB-B
WOA 45SS1 BC-W
WOA 45SS1 BC-B
WOA 45SS1 SC-W
WOA 45SS1 SC-B
WOA 45SS1 AB-B

Antique Mahogany Finish Champfered Edge



Polished Brass
Black
Bright Chrome
Bright Chrome
Satin Chrome
Satin Chrome
Antique Brass








White
Black
White
Black
White
Black
Black

WCA DPN PB-W
WCA DPN PB-B
WCA DPN BC-W
WCA DPN BC-B
WCA DPN SC-W
WCA DPN SC-B
WCA DPN AB-B

WCA 45SS1 PB-W
WCA 45SS1 PB-B
WCA 45SS1 BC-W
WCA 45SS1 BC-B
WCA 45SS1 SC-W
WCA 45SS1 SC-B
WCA 45SS1 AB-B

Double Pole Switches



WOD 45N BL-B		Insert Surround Colour	1 gang 45A Double Pole Red Rocker + Neon Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: 45N Product Code
Wood Plinth and Edge Profile	Insert Finish		
Light Oak Ovolo Edge 	Red Plastic Red Plastic	White Black	WOL 45N W WOL 45N B
Light Oak Chamfered Edge 	Red Plastic Red Plastic	White Black	WCL 45N W WCL 45N B
Medium Oak Ovolo Edge 	Red Plastic Red Plastic	White Black	WOM 45N W WOM 45N B
Medium Oak Chamfered Edge 	Red Plastic Red Plastic	White Black	WCM 45N W WCM 45N B
Dark Oak Ovolo Edge 	Red Plastic Red Plastic	White Black	WOD 45N W WOD 45N B
Dark Oak Chamfered Edge 	Red Plastic Red Plastic	White Black	WCD 45N W WCD 45N B
Antique Mahogany Finish Ovolo Edge 	Red Plastic Red Plastic	White Black	WOA 45N W WOA 45N B
Antique Mahogany Finish Chamfered Edge 	Red Plastic Red Plastic	White Black	WCA 45N W WCA 45N B

Connection Units











WOM SPN SC-B



**1 gang 13A
Fused Spur Double
Pole + Neon**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **SPN**
Product Code



**1 gang
13A Fuse Only**
Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 35 mm
Technical Insert
Reference: **FO**
Product Code




Wood Plinth and Edge Profile	Insert Finish	Insert Surround Colour	1 gang 13A Fused Spur Double Pole + Neon Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: SPN Product Code	1 gang 13A Fuse Only Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: FO Product Code
Light Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOL SPN PB-W WOL SPN PB-B WOL SPN BC-W WOL SPN BC-B WOL SPN SC-W WOL SPN SC-B WOL SPN AB-B	WOL FO PB-W WOL FO PB-B WOL FO BC-W WOL FO BC-B WOL FO SC-W WOL FO SC-B WOL FO AB-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCL SPN PB-W WCL SPN PB-B WCL SPN BC-W WCL SPN BC-B WCL SPN SC-W WCL SPN SC-B WCL SPN AB-B	WCL FO PB-W WCL FO PB-B WCL FO BC-W WCL FO BC-B WCL FO SC-W WCL FO SC-B WCL FO AB-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOM SPN PB-W WOM SPN PB-B WOM SPN BC-W WOM SPN BC-B WOM SPN SC-W WOM SPN SC-B WOM SPN AB-B	WOM FO PB-W WOM FO PB-B WOM FO BC-W WOM FO BC-B WOM FO SC-W WOM FO SC-B WOM FO AB-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCM SPN PB-W WCM SPN PB-B WCM SPN BC-W WCM SPN BC-B WCM SPN SC-W WCM SPN SC-B WCM SPN AB-B	WCM FO PB-W WCM FO PB-B WCM FO BC-W WCM FO BC-B WCM FO SC-W WCM FO SC-B WCM FO AB-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOD SPN PB-W WOD SPN PB-B WOD SPN BC-W WOD SPN BC-B WOD SPN SC-W WOD SPN SC-B WOD SPN AB-B	WOD FO PB-W WOD FO PB-B WOD FO BC-W WOD FO BC-B WOD FO SC-W WOD FO SC-B WOD FO AB-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCD SPN PB-W WCD SPN PB-B WCD SPN BC-W WCD SPN BC-B WCD SPN SC-W WCD SPN SC-B WCD SPN AB-B	WCD FO PB-W WCD FO PB-B WCD FO BC-W WCD FO BC-B WCD FO SC-W WCD FO SC-B WCD FO AB-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WOA SPN PB-W WOA SPN PB-B WOA SPN BC-W WOA SPN BC-B WOA SPN SC-W WOA SPN SC-B WOA SPN AB-B	WOA FO PB-W WOA FO PB-B WOA FO BC-W WOA FO BC-B WOA FO SC-W WOA FO SC-B WOA FO AB-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome Satin Chrome Satin Chrome Antique Brass	White Black White Black White Black Black	WCA SPN PB-W WCA SPN PB-B WCA SPN BC-W WCA SPN BC-B WCA SPN SC-W WCA SPN SC-B WCA SPN AB-B	WCA FO PB-W WCA FO PB-B WCA FO BC-W WCA FO BC-B WCA FO SC-W WCA FO SC-B WCA FO AB-B









Leading Edge Push On/Off Resistive Dimmers

Note: When using mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.
Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.











WOL 2X40 BC



Wood Plinth and Edge Profile	Insert Finish	1 gang 2 way 400W Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1X40 Product Code	2 gang 2 way 400W Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2X40 Product Code	3 gang 2 way 400W Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 3X40 Product Code	4 gang 2 way 400W (Max. wattage per gang 300 watts) Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 4X40 Product Code	1 gang 2 way 600W Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth 35 mm Technical Insert Reference: 1X60 Product Code
Light Oak Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOL 1X40 PB WOL 1X40 BC WOL 1X40 SC WOL 1X40 AB	WOL 2X40 PB WOL 2X40 BC WOL 2X40 SC WOL 2X40 AB	WOL 3X40 PB WOL 3X40 BC WOL 3X40 SC WOL 3X40 AB	WOL 4X40 PB WOL 4X40 BC WOL 4X40 SC WOL 4X40 AB	WOL 1X60 PB WOL 1X60 BC WOL 1X60 SC WOL 1X60 AB
Light Oak Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCL 1X40 PB WCL 1X40 BC WCL 1X40 SC WCL 1X40 AB	WCL 2X40 PB WCL 2X40 BC WCL 2X40 SC WCL 2X40 AB	WCL 3X40 PB WCL 3X40 BC WCL 3X40 SC WCL 3X40 AB	WCL 4X40 PB WCL 4X40 BC WCL 4X40 SC WCL 4X40 AB	WCL 1X60 PB WCL 1X60 BC WCL 1X60 SC WCL 1X60 AB
Medium Oak Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOM 1X40 PB WOM 1X40 BC WOM 1X40 SC WOM 1X40 AB	WOM 2X40 PB WOM 2X40 BC WOM 2X40 SC WOM 2X40 AB	WOM 3X40 PB WOM 3X40 BC WOM 3X40 SC WOM 3X40 AB	WOM 4X40 PB WOM 4X40 BC WOM 4X40 SC WOM 4X40 AB	WOM 1X60 PB WOM 1X60 BC WOM 1X60 SC WOM 1X60 AB
Medium Oak Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCM 1X40 PB WCM 1X40 BC WCM 1X40 SC WCM 1X40 AB	WCM 2X40 PB WCM 2X40 BC WCM 2X40 SC WCM 2X40 AB	WCM 3X40 PB WCM 3X40 BC WCM 3X40 SC WCM 3X40 AB	WCM 4X40 PB WCM 4X40 BC WCM 4X40 SC WCM 4X40 AB	WCM 1X60 PB WCM 1X60 BC WCM 1X60 SC WCM 1X60 AB
Dark Oak Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOD 1X40 PB WOD 1X40 BC WOD 1X40 SC WOD 1X40 AB	WOD 2X40 PB WOD 2X40 BC WOD 2X40 SC WOD 2X40 AB	WOD 3X40 PB WOD 3X40 BC WOD 3X40 SC WOD 3X40 AB	WOD 4X40 PB WOD 4X40 BC WOD 4X40 SC WOD 4X40 AB	WOD 1X60 PB WOD 1X60 BC WOD 1X60 SC WOD 1X60 AB
Dark Oak Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCD 1X40 PB WCD 1X40 BC WCD 1X40 SC WCD 1X40 AB	WCD 2X40 PB WCD 2X40 BC WCD 2X40 SC WCD 2X40 AB	WCD 3X40 PB WCD 3X40 BC WCD 3X40 SC WCD 3X40 AB	WCD 4X40 PB WCD 4X40 BC WCD 4X40 SC WCD 4X40 AB	WCD 1X60 PB WCD 1X60 BC WCD 1X60 SC WCD 1X60 AB
Antique Mahogany Finish Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOA 1X40 PB WOA 1X40 BC WOA 1X40 SC WOA 1X40 AB	WOA 2X40 PB WOA 2X40 BC WOA 2X40 SC WOA 2X40 AB	WOA 3X40 PB WOA 3X40 BC WOA 3X40 SC WOA 3X40 AB	WOA 4X40 PB WOA 4X40 BC WOA 4X40 SC WOA 4X40 AB	WOA 1X60 PB WOA 1X60 BC WOA 1X60 SC WOA 1X60 AB
Antique Mahogany Finish Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCA 1X40 PB WCA 1X40 BC WCA 1X40 SC WCA 1X40 AB	WCA 2X40 PB WCA 2X40 BC WCA 2X40 SC WCA 2X40 AB	WCA 3X40 PB WCA 3X40 BC WCA 3X40 SC WCA 3X40 AB	WCA 4X40 PB WCA 4X40 BC WCA 4X40 SC WCA 4X40 AB	WCA 1X60 PB WCA 1X60 BC WCA 1X60 SC WCA 1X60 AB

Leading Edge Push On/Off Inductive Dimmers















WOD 1X2V AB		1 gang 2 way 200VA Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1X2V Product Code	1 gang 2 way 300VA Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1X3V Product Code
Wood Plinth and Edge Profile	Insert Finish		
Light Oak Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOL 1X2V PB WOL 1X2V BC WOL 1X2V SC WOL 1X2V AB	WOL 1X3V PB WOL 1X3V BC WOL 1X3V SC WOL 1X3V AB
Light Oak Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCL 1X2V PB WCL 1X2V BC WCL 1X2V SC WCL 1X2V AB	WCL 1X3V PB WCL 1X3V BC WCL 1X3V SC WCL 1X3V AB
Medium Oak Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOM 1X2V PB WOM 1X2V BC WOM 1X2V SC WOM 1X2V AB	WOM 1X3V PB WOM 1X3V BC WOM 1X3V SC WOM 1X3V AB
Medium Oak Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCM 1X2V PB WCM 1X2V BC WCM 1X2V SC WCM 1X2V AB	WCM 1X3V PB WCM 1X3V BC WCM 1X3V SC WCM 1X3V AB
Dark Oak Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOD 1X2V PB WOD 1X2V BC WOD 1X2V SC WOD 1X2V AB	WOD 1X3V PB WOD 1X3V BC WOD 1X3V SC WOD 1X3V AB
Dark Oak Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCD 1X2V PB WCD 1X2V BC WCD 1X2V SC WCD 1X2V AB	WCD 1X3V PB WCD 1X3V BC WCD 1X3V SC WCD 1X3V AB
Antique Mahogany Finish Ovolo Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOA 1X2V PB WOA 1X2V BC WOA 1X2V SC WOA 1X2V AB	WOA 1X3V PB WOA 1X3V BC WOA 1X3V SC WOA 1X3V AB
Antique Mahogany Finish Chamfered Edge 	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCA 1X2V PB WCA 1X2V BC WCA 1X2V SC WCA 1X2V AB	WCA 1X3V PB WCA 1X3V BC WCA 1X3V SC WCA 1X3V AB

Trailing Edge Push On/Off Dimmers

Note: When using mains Voltage Halogen Lamps - Dimmers should be de-rated by 25%.









Tungsten Filament GU10 Lamps must be Branded and with a Fused Base.









WCA 2XTE PB					
Wood Plinth and Edge Profile	Insert Finish	1 gang Multi-Way 250W/VA (250 W/VA Max. 25W/VA Min.) Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 1XTE Product Code	2 gang Multi-Way 250W/VA (250 W/VA Max. 25W/VA Min.) Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 2XTE Product Code	3 gang Multi-Way 250W/VA (250 W/VA Max. 25W/VA Min.) Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 3XTE Product Code	4 gang Multi-Way 250W/VA (250 W/VA Max. 25W/VA Min.) Nominal Plate Size: 146 x 88 mm Min. Wall Box Depth: 35 mm Technical Insert Reference: 4XTE Product Code
 Light Oak Ovolo Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOL 1XTE PB WOL 1XTE BC WOL 1XTE SC WOL 1XTE AB	WOL 2XTE PB WOL 2XTE BC WOL 2XTE SC WOL 2XTE AB	WOL 3XTE PB WOL 3XTE BC WOL 3XTE SC WOL 3XTE AB	WOL 4XTE PB WOL 4XTE BC WOL 4XTE SC WOL 4XTE AB
 Light Oak Chamfered Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCL 1XTE PB WCL 1XTE BC WCL 1XTE SC WCL 1XTE AB	WCL 2XTE PB WCL 2XTE BC WCL 2XTE SC WCL 2XTE AB	WCL 3XTE PB WCL 3XTE BC WCL 3XTE SC WCL 3XTE AB	WCL 4XTE PB WCL 4XTE BC WCL 4XTE SC WCL 4XTE AB
 Medium Oak Ovolo Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOM 1XTE PB WOM 1XTE BC WOM 1XTE SC WOM 1XTE AB	WOM 2XTE PB WOM 2XTE BC WOM 2XTE SC WOM 2XTE AB	WOM 3XTE PB WOM 3XTE BC WOM 3XTE SC WOM 3XTE AB	WOM 4XTE PB WOM 4XTE BC WOM 4XTE SC WOM 4XTE AB
 Medium Oak Chamfered Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCM 1XTE PB WCM 1XTE BC WCM 1XTE SC WCM 1XTE AB	WCM 2XTE PB WCM 2XTE BC WCM 2XTE SC WCM 2XTE AB	WCM 3XTE PB WCM 3XTE BC WCM 3XTE SC WCM 3XTE AB	WCM 4XTE PB WCM 4XTE BC WCM 4XTE SC WCM 4XTE AB
 Dark Oak Ovolo Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOD 1XTE PB WOD 1XTE BC WOD 1XTE SC WOD 1XTE AB	WOD 2XTE PB WOD 2XTE BC WOD 2XTE SC WOD 2XTE AB	WOD 3XTE PB WOD 3XTE BC WOD 3XTE SC WOD 3XTE AB	WOD 4XTE PB WOD 4XTE BC WOD 4XTE SC WOD 4XTE AB
 Dark Oak Chamfered Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCD 1XTE PB WCD 1XTE BC WCD 1XTE SC WCD 1XTE AB	WCD 2XTE PB WCD 2XTE BC WCD 2XTE SC WCD 2XTE AB	WCD 3XTE PB WCD 3XTE BC WCD 3XTE SC WCD 3XTE AB	WCD 4XTE PB WCD 4XTE BC WCD 4XTE SC WCD 4XTE AB
 Antique Mahogany Finish Ovolo Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WOA 1XTE PB WOA 1XTE BC WOA 1XTE SC WOA 1XTE AB	WOA 2XTE PB WOA 2XTE BC WOA 2XTE SC WOA 2XTE AB	WOA 3XTE PB WOA 3XTE BC WOA 3XTE SC WOA 3XTE AB	WOA 4XTE PB WOA 4XTE BC WOA 4XTE SC WOA 4XTE AB
 Antique Mahogany Finish Chamfered Edge	Polished Brass Bright Chrome Satin Chrome Antique Brass	WCA 1XTE PB WCA 1XTE BC WCA 1XTE SC WCA 1XTE AB	WCA 2XTE PB WCA 2XTE BC WCA 2XTE SC WCA 2XTE AB	WCA 3XTE PB WCA 3XTE BC WCA 3XTE SC WCA 3XTE AB	WCA 4XTE PB WCA 4XTE BC WCA 4XTE SC WCA 4XTE AB

EuroFix Plates

Minimum Wall Box Depth is dependent on the EuroFix insert fitted.

Blank Plates

		
	WOL EURO2	
	2 Module EuroFix Plate Nominal Plate Size: 88 x 88 mm Aperture Size: 50 x 50 mm Technical Insert Reference: EURO2 Product Code	4 Module EuroFix Plate Nominal Plate Size: 146 x 88 mm Aperture Size: 100 x 50 mm Technical Insert Reference: EURO4 Product Code
Wood Plinth and Edge Profile		
Light Oak Ovolo Edge	WOL EURO2	WOL EURO4
		
Light Oak Chamfered Edge	WCL EURO2	WCL EURO4
		
Medium Oak Ovolo Edge	WOM EURO2	WOM EURO4
		
Medium Oak Chamfered Edge	WCM EURO2	WCM EURO4
		
Dark Oak Ovolo Edge	WOD EURO2	WOD EURO4
		
Dark Oak Chamfered Edge	WCD EURO2	WCD EURO4
		
Antique Mahogany Finish Ovolo Edge	WOA EURO2	WOA EURO4
		
Antique Mahogany Finish Chamfered Edge	WCA EURO2	WCA EURO4
		

		
	WCD BPS	
	Blank Plate Single Nominal Plate Size: 88 x 88 mm Technical Insert Reference: BPS Product Code	Blank Plate Double Nominal Plate Size: 146 x 88 mm Technical Insert Reference: BPD Product Code
Wood Plinth and Edge Profile		
Light Oak Ovolo Edge	WOL BPS	WOL BPD
		
Light Oak Chamfered Edge	WCL BPS	WCL BPD
		
Medium Oak Ovolo Edge	WOM BPS	WOM BPD
		
Medium Oak Chamfered Edge	WCM BPS	WCM BPD
		
Dark Oak Ovolo Edge	WOD BPS	WOD BPD
		
Dark Oak Chamfered Edge	WCD BPS	WCD BPD
		
Antique Mahogany Finish Ovolo Edge	WOA BPS	WOA BPD
		
Antique Mahogany Finish Chamfered Edge	WCA BPS	WCA BPD
		

Surface Mounted Box Surrounds



WL BFS Wood Surround	Surface Mounting Box Single Height 30 mm Nominal Size: 93 x 93 mm Fits over 25 mm Surface Mounted Box Technical Insert Reference: BFS Product Code	Surface Mounting Box Double Height 30 mm Nominal Size: 150 x 93 mm Fits over 25 mm Surface Mounted Box Technical Insert Reference: BFS Product Code
Light Oak 	WL BFS	WL BFD
Medium Oak 	WM BFS	WM BFD
Dark Oak 	WD BFS	WD BFD
Antique Mahogany Finish 	WA BFS	WA BFD

Hamilton® Bloomsbury

Antique style Smooth and Fluted Toggle Switches and Bell Push on Natural Wood Plinth Plates

exclusive finishes and choice...

Designed to replicate the style and finish of toggle switches of yesteryear.

- Four Natural Wood Plinth Finishes; Light Oak, Medium Oak, Dark Oak and Antique Mahogany Finish with either an Ovolo Edge or Chamfered Edge.
- Plain Smooth Dome Switches in Polished Brass or Bright Chrome.
- Fluted Dome Switches in Polished Brass or Antique Brass..
- Both available with either Black or White collar surrounds.



BOAF T21 AB-B



BCLP T21 PB-W



BODF T21 PB-W



BOAF T23 AB-B



Ovolo
Profile Edge



Chamfered
Profile Edge





Hamilton® *fashion, finish, function and flexibility*

Bloomsbury Plain Smooth Dome Toggle Switches



BOLP T21 BC-W



**1 gang 2 way
20AX Toggle**

Nominal Plate Size:
88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T21**
Product Code

**2 gang 2 way
20AX Toggle**

Nominal Plate Size:
154 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T22**
Product Code

**3 gang 2 way
20AX Toggle +
Back Box**

Nominal Plate Size:
88 x 230 mm
Supplied complete
with Wall Box Size:
75 mm x 192mm
Depth: 35 mm
Technical Insert
Reference: **T23**
Product Code

**4 gang 2 way
20AX Toggle**

Nominal Plate Size:
163 x 163 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T24**
Product Code

**Wood Plinth
and Edge Profile**

Insert Finish

Collar Colour

**Light Oak
Ovolo Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black

BOLP T21 PB-W
BOLP T21 PB-B
BOLP T21 BC-W
BOLP T21 BC-B

BOLP T22 PB-W
BOLP T22 PB-B
BOLP T22 BC-W
BOLP T22 BC-B

BOLP T23 PB-W
BOLP T23 PB-B
BOLP T23 BC-W
BOLP T23 BC-B

BOLP T24 PB-W
BOLP T24 PB-B
BOLP T24 BC-W
BOLP T24 BC-B

**Light Oak
Chamfered Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black

BCLP T21 PB-W
BCLP T21 PB-B
BCLP T21 BC-W
BCLP T21 BC-B

BCLP T22 PB-W
BCLP T22 PB-B
BCLP T22 BC-W
BCLP T22 BC-B

BCLP T23 PB-W
BCLP T23 PB-B
BCLP T23 BC-W
BCLP T23 BC-B

BCLP T24 PB-W
BCLP T24 PB-B
BCLP T24 BC-W
BCLP T24 BC-B

**Medium Oak
Ovolo Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black


BOMP T21 PB-W
BOMP T21 PB-B
BOMP T21 BC-W
BOMP T21 BC-B

BOMP T22 PB-W
BOMP T22 PB-B
BOMP T22 BC-W
BOMP T22 BC-B

BOMP T23 PB-W
BOMP T23 PB-B
BOMP T23 BC-W
BOMP T23 BC-B

BOMP T24 PB-W
BOMP T24 PB-B
BOMP T24 BC-W
BOMP T24 BC-B

**Medium Oak
Chamfered Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black

BCMP T21 PB-W
BCMP T21 PB-B
BCMP T21 BC-W
BCMP T21 BC-B

BCMP T22 PB-W
BCMP T22 PB-B
BCMP T22 BC-W
BCMP T22 BC-B

BCMP T23 PB-W
BCMP T23 PB-B
BCMP T23 BC-W
BCMP T23 BC-B

BCMP T24 PB-W
BCMP T24 PB-B
BCMP T24 BC-W
BCMP T24 BC-B

**Dark Oak
Ovolo Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black

BODP T21 PB-W
BODP T21 PB-B
BODP T21 BC-W
BODP T21 BC-B

BODP T22 PB-W
BODP T22 PB-B
BODP T22 BC-W
BODP T22 BC-B

BODP T23 PB-W
BODP T23 PB-B
BODP T23 BC-W
BODP T23 BC-B

BODP T24 PB-W
BODP T24 PB-B
BODP T24 BC-W
BODP T24 BC-B

**Dark Oak
Chamfered Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black

BCDP T21 PB-W
BCDP T21 PB-B
BCDP T21 BC-W
BCDP T21 BC-B

BCDP T22 PB-W
BCDP T22 PB-B
BCDP T22 BC-W
BCDP T22 BC-B

BCDP T23 PB-W
BCDP T23 PB-B
BCDP T23 BC-W
BCDP T23 BC-B

BCDP T24 PB-W
BCDP T24 PB-B
BCDP T24 BC-W
BCDP T24 BC-B

**Antique Mahogany Finish
Ovolo Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black

BOAP T21 PB-W
BOAP T21 PB-B
BOAP T21 BC-W
BOAP T21 BC-B

BOAP T22 PB-W
BOAP T22 PB-B
BOAP T22 BC-W
BOAP T22 BC-B

BOAP T23 PB-W
BOAP T23 PB-B
BOAP T23 BC-W
BOAP T23 BC-B

BOAP T24 PB-W
BOAP T24 PB-B
BOAP T24 BC-W
BOAP T24 BC-B

**Antique Mahogany Finish
Chamfered Edge**



Polished Brass
Polished Brass
Bright Chrome
Bright Chrome

White
Black
White
Black

BCAP T21 PB-W
BCAP T21 PB-B
BCAP T21 BC-W
BCAP T21 BC-B


BCAP T22 PB-W
BCAP T22 PB-B
BCAP T22 BC-W
BCAP T22 BC-B

BCAP T23 PB-W
BCAP T23 PB-B
BCAP T23 BC-W
BCAP T23 BC-B


BCAP T24 PB-W
BCAP T24 PB-B
BCAP T24 BC-W
BCAP T24 BC-B

Bloomsbury Plain Smooth Dome Toggle Switches

Bell Push



BOLP BPM PB-W









1 gang Intermediate 20AX Toggle
Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T31**
Product Code

2 gang Intermediate 20AX Toggle
Nominal Plate Size: 154 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **T32**
Product Code

1 gang Double Pole 20AX Toggle
Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **TDP**
Product Code




Bell Push 240V AC 6A
Nominal Plate Size: 88 x 88 mm
Min. Wall Box
Depth: 25 mm
Technical Insert
Reference: **BPM**
Product Code

Wood Plinth and Edge Profile	Insert Finish	Collar Colour	1 gang Intermediate 20AX Toggle	2 gang Intermediate 20AX Toggle	1 gang Double Pole 20AX Toggle	Bell Push 240V AC 6A
Light Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOLP T31 PB-W BOLP T31 PB-B BOLP T31 BC-W BOLP T31 BC-B	BOLP T32 PB-W BOLP T32 PB-B BOLP T32 BC-W BOLP T32 BC-B	BOLP TDP PB-W BOLP TDP PB-B BOLP TDP BC-W BOLP TDP BC-B	BOLP BPM PB-W BOLP BPM PB-B BOLP BPM BC-W BOLP BPM BC-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCLP T31 PB-W BCLP T31 PB-B BCLP T31 BC-W BCLP T31 BC-B	BCLP T32 PB-W BCLP T32 PB-B BCLP T32 BC-W BCLP T32 BC-B	BCLP TDP PB-W BCLP TDP PB-B BCLP TDP BC-W BCLP TDP BC-B	BCLP BPM PB-W BCLP BPM PB-B BCLP BPM BC-W BCLP BPM BC-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOMP T31 PB-W BOMP T31 PB-B BOMP T31 BC-W BOMP T31 BC-B	BOMP T32 PB-W BOMP T32 PB-B BOMP T32 BC-W BOMP T32 BC-B	BOMP TDP PB-W BOMP TDP PB-B BOMP TDP BC-W BOMP TDP BC-B	BOMP BPM PB-W BOMP BPM PB-B BOMP BPM BC-W BOMP BPM BC-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCMP T31 PB-W BCMP T31 PB-B BCMP T31 BC-W BCMP T31 BC-B	BCMP T32 PB-W BCMP T32 PB-B BCMP T32 BC-W BCMP T32 BC-B	BCMP TDP PB-W BCMP TDP PB-B BCMP TDP BC-W BCMP TDP BC-B	BCMP BPM PB-W BCMP BPM PB-B BCMP BPM BC-W BCMP BPM BC-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BODP T31 PB-W BODP T31 PB-B BODP T31 BC-W BODP T31 BC-B	BODP T32 PB-W BODP T32 PB-B BODP T32 BC-W BODP T32 BC-B	BODP TDP PB-W BODP TDP PB-B BODP TDP BC-W BODP TDP BC-B	BODP BPM PB-W BODP BPM PB-B BODP BPM BC-W BODP BPM BC-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCDP T31 PB-W BCDP T31 PB-B BCDP T31 BC-W BCDP T31 BC-B	BCDP T32 PB-W BCDP T32 PB-B BCDP T32 BC-W BCDP T32 BC-B	BCDP TDP PB-W BCDP TDP PB-B BCDP TDP BC-W BCDP TDP BC-B	BCDP BPM PB-W BCDP BPM PB-B BCDP BPM BC-W BCDP BPM BC-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BOAP T31 PB-W BOAP T31 PB-B BOAP T31 BC-W BOAP T31 BC-B	BOAP T32 PB-W BOAP T32 PB-B BOAP T32 BC-W BOAP T32 BC-B	BOAP TDP PB-W BOAP TDP PB-B BOAP TDP BC-W BOAP TDP BC-B	BOAP BPM PB-W BOAP BPM PB-B BOAP BPM BC-W BOAP BPM BC-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Bright Chrome Bright Chrome	White Black White Black	BCAP T31 PB-W BCAP T31 PB-B BCAP T31 BC-W BCAP T31 BC-B	BCAP T32 PB-W BCAP T32 PB-B BCAP T32 BC-W BCAP T32 BC-B	BCAP TDP PB-W BCAP TDP PB-B BCAP TDP BC-W BCAP TDP BC-B	BCAP BPM PB-W BCAP BPM PB-B BCAP BPM BC-W BCAP BPM BC-B

Bloomsbury Fluted Dome Toggle Switches



BODF T21 AB-B




Wood Plinth and Edge Profile	Insert Finish	Collar Colour	1 gang 2 way 20AX Toggle Nominal Plate Size: 88 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T21 Product Code	2 gang 2 way 20AX Toggle Nominal Plate Size: 154 x 88 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T22 Product Code	3 gang 2 way 20AX Toggle + Back Box Nominal Plate Size: 88 x 230 mm Supplied complete with Wall Box Size: 75 mm x 192mm Depth: 35 mm Technical Insert Reference: T23 Product Code	4 gang 2 way 20AX Toggle Nominal Plate Size: 163 x 163 mm Min. Wall Box Depth: 25 mm Technical Insert Reference: T24 Product Code
Light Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOLF T21 PB-W BOLF T21 PB-B BOLF T21 AB-W BOLF T21 AB-B	BOLF T22 PB-W BOLF T22 PB-B BOLF T22 AB-W BOLF T22 AB-B	BOLF T23 PB-W BOLF T23 PB-B BOLF T23 AB-W BOLF T23 AB-B	BOLF T24 PB-W BOLF T24 PB-B BOLF T24 AB-W BOLF T24 AB-B
Light Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCLF T21 PB-W BCLF T21 PB-B BCLF T21 AB-W BCLF T21 AB-B	BCLF T22 PB-W BCLF T22 PB-B BCLF T22 AB-W BCLF T22 AB-B	BCLF T23 PB-W BCLF T23 PB-B BCLF T23 AB-W BCLF T23 AB-B	BCLF T24 PB-W BCLF T24 PB-B BCLF T24 AB-W BCLF T24 AB-B
Medium Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOMF T21 PB-W BOMF T21 PB-B BOMF T21 AB-W BOMF T21 AB-B	BOMF T22 PB-W BOMF T22 PB-B BOMF T22 AB-W BOMF T22 AB-B	BOMF T23 PB-W BOMF T23 PB-B BOMF T23 AB-W BOMF T23 AB-B	BOMF T24 PB-W BOMF T24 PB-B BOMF T24 AB-W BOMF T24 AB-B
Medium Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCMF T21 PB-W BCMF T21 PB-B BCMF T21 AB-W BCMF T21 AB-B	BCMF T22 PB-W BCMF T22 PB-B BCMF T22 AB-W BCMF T22 AB-B	BCMF T23 PB-W BCMF T23 PB-B BCMF T23 AB-W BCMF T23 AB-B	BCMF T24 PB-W BCMF T24 PB-B BCMF T24 AB-W BCMF T24 AB-B
Dark Oak Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BODF T21 PB-W BODF T21 PB-B BODF T21 AB-W BODF T21 AB-B	BODF T22 PB-W BODF T22 PB-B BODF T22 AB-W BODF T22 AB-B	BODF T23 PB-W BODF T23 PB-B BODF T23 AB-W BODF T23 AB-B	BODF T24 PB-W BODF T24 PB-B BODF T24 AB-W BODF T24 AB-B
Dark Oak Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCDF T21 PB-W BCDF T21 PB-B BCDF T21 AB-W BCDF T21 AB-B	BCDF T22 PB-W BCDF T22 PB-B BCDF T22 AB-W BCDF T22 AB-B	BCDF T23 PB-W BCDF T23 PB-B BCDF T23 AB-W BCDF T23 AB-B	BCDF T24 PB-W BCDF T24 PB-B BCDF T24 AB-W BCDF T24 AB-B
Antique Mahogany Finish Ovolo Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BOAF T21 PB-W BOAF T21 PB-B BOAF T21 AB-W BOAF T21 AB-B	BOAF T22 PB-W BOAF T22 PB-B BOAF T22 AB-W BOAF T22 AB-B	BOAF T23 PB-W BOAF T23 PB-B BOAF T23 AB-W BOAF T23 AB-B	BOAF T24 PB-W BOAF T24 PB-B BOAF T24 AB-W BOAF T24 AB-B
Antique Mahogany Finish Chamfered Edge 	Polished Brass Polished Brass Antique Brass Antique Brass	White Black White Black	BCAF T21 PB-W BCAF T21 PB-B BCAF T21 AB-W BCAF T21 AB-B	BCAF T22 PB-W BCAF T22 PB-B BCAF T22 AB-W BCAF T22 AB-B	BCAF T23 PB-W BCAF T23 PB-B BCAF T23 AB-W BCAF T23 AB-B	BCAF T24 PB-W BCAF T24 PB-B BCAF T24 AB-W BCAF T24 AB-B

Bloomsbury Fluted Dome Toggle Switches

Bell Push



BODF T31 PB-W



1 gang Intermediate 20AX Toggle

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **T31**
Product Code

2 gang Intermediate 20AX Toggle

Nominal Plate Size: 154 x 88 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **T32**
Product Code

1 gang Double Pole 20AX Toggle

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **TDP**
Product Code

Bell Push 240V AC 6A

Nominal Plate Size: 88 x 88 mm
Min. Wall Box Depth: 25 mm
Technical Insert Reference: **BPM**
Product Code

Wood Plinth and Edge Profile

Insert Finish

Collar Colour

Light Oak Ovolo Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BOLF T31 PB-W
BOLF T31 PB-B
BOLF T31 AB-W
BOLF T31 AB-B

BOLF T32 PB-W
BOLF T32 PB-B
BOLF T32 AB-W
BOLF T32 AB-B

BOLF TDP PB-W
BOLF TDP PB-B
BOLF TDP AB-W
BOLF TDP AB-B

BOLF BPM PB-W
BOLF BPM PB-B
BOLF BPM AB-W
BOLF BPM AB-B

Light Oak Chamfered Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BCLF T31 PB-W
BCLF T31 PB-B
BCLF T31 AB-W
BCLF T31 AB-B

BCLF T32 PB-W
BCLF T32 PB-B
BCLF T32 AB-W
BCLF T32 AB-B

BCLF TDP PB-W
BCLF TDP PB-B
BCLF TDP AB-W
BCLF TDP AB-B

BCLF BPM PB-W
BCLF BPM PB-B
BCLF BPM AB-W
BCLF BPM AB-B

Medium Oak Ovolo Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BOMF T31 PB-W
BOMF T31 PB-B
BOMF T31 AB-W
BOMF T31 AB-B

BOMF T32 PB-W
BOMF T32 PB-B
BOMF T32 AB-W
BOMF T32 AB-B

BOMF TDP PB-W
BOMF TDP PB-B
BOMF TDP AB-W
BOMF TDP AB-B

BOMF BPM PB-W
BOMF BPM PB-B
BOMF BPM AB-W
BOMF BPM AB-B

Medium Oak Chamfered Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BCMF T31 PB-W
BCMF T31 PB-B
BCMF T31 AB-W
BCMF T31 AB-B

BCMF T32 PB-W
BCMF T32 PB-B
BCMF T32 AB-W
BCMF T32 AB-B

BCMF TDP PB-W
BCMF TDP PB-B
BCMF TDP AB-W
BCMF TDP AB-B

BCMF BPM PB-W
BCMF BPM PB-B
BCMF BPM AB-W
BCMF BPM AB-B

Dark Oak Ovolo Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BODF T31 PB-W
BODF T31 PB-B
BODF T31 AB-W
BODF T31 AB-B

BODF T32 PB-W
BODF T32 PB-B
BODF T32 AB-W
BODF T32 AB-B

BODF TDP PB-W
BODF TDP PB-B
BODF TDP AB-W
BODF TDP AB-B

BODF BPM PB-W
BODF BPM PB-B
BODF BPM AB-W
BODF BPM AB-B

Dark Oak Chamfered Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BCDF T31 PB-W
BCDF T31 PB-B
BCDF T31 AB-W
BCDF T31 AB-B

BCDF T32 PB-W
BCDF T32 PB-B
BCDF T32 AB-W
BCDF T32 AB-B

BCDF TDP PB-W
BCDF TDP PB-B
BCDF TDP AB-W
BCDF TDP AB-B

BCDF BPM PB-W
BCDF BPM PB-B
BCDF BPM AB-W
BCDF BPM AB-B

Antique Mahogany Finish Ovolo Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BOAF T31 PB-W
BOAF T31 PB-B
BOAF T31 AB-W
BOAF T31 AB-B

BOAF T32 PB-W
BOAF T32 PB-B
BOAF T32 AB-W
BOAF T32 AB-B

BOAF TDP PB-W
BOAF TDP PB-B
BOAF TDP AB-W
BOAF TDP AB-B

BOAF BPM PB-W
BOAF BPM PB-B
BOAF BPM AB-W
BOAF BPM AB-B

Antique Mahogany Finish Chamfered Edge



Polished Brass
Polished Brass
Antique Brass
Antique Brass

White
Black
White
Black

BCAF T31 PB-W
BCAF T31 PB-B
BCAF T31 AB-W
BCAF T31 AB-B

BCAF T32 PB-W
BCAF T32 PB-B
BCAF T32 AB-W
BCAF T32 AB-B

BCAF TDP PB-W
BCAF TDP PB-B
BCAF TDP AB-W
BCAF TDP AB-B


BCAF BPM PB-W
BCAF BPM PB-B
BCAF BPM AB-W
BCAF BPM AB-B



The WOODS & BLOOMSBURY Collection

Other products available from the Hamilton Group

- Linea-CFX Concealed Fixing Collection
- Grid-It Grid Fix Accessories
- Hartland CFX Concealed Fixing
- Sheer CFX Concealed Fixing
- Hartland Range (Box Fix)
- Sheer Range (Box Fix)
- Cheriton Range (Box Fix)
- Digital Mercury Lighting Controls
- Data and Media Range (Data and Communication Outlets)
- IP Weatherproof Switches and Sockets
- Sheer Floor Sockets
- Hotel Card Switch



WOD T26 1

All products listed conform to current British or European standards and the product information is correct at the time of going to press.

It is the policy of the company to improve products as part of our development programme. Therefore, we reserve the right to alter designs and dimensions without prior notice.

Illustrations, diagrams are reproduced within the limitations of reproduction and printing process and are not binding.

Due to manufacturing processes we cannot guarantee an exact colour match and shadings of certain finishes.

Hamilton[®]
Litestat group

For further information please contact:

R. Hamilton & Co. Ltd., Quarry Industrial Estate, Mere, Wiltshire BA12 6LA, UK

Telephone: +44 (0)1747 860088 Facsimile: +44 (0)1747 861032

email: info@hamilton-litestat.com www.hamilton-litestat.com



BS EN ISO 9001:2000
CERT. NO. FM11238

